

Источники

- Abela, J. R., Brozina, K., & Haigh, E. P. (2002). An examination of the response styles theory of depression in third- and seventh-grade children: A short-term longitudinal study. *Journal of Abnormal Child Psychology*, 30(5), 515–527.
- Addis, M., & Martell, C. (2004). *Overcoming depression one step at a time: The new behavioral activation approach to getting your life back*. Oakland, CA: New Harbinger Press.
- Aldao, A., Nolen-Hoeksema, S., & Schweizer, S. (2010). Emotion-regulation strategies across psychopathology: A meta-analytic review. *Clinical Psychology Review*, 30(2), 217–237.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: Author.
- Andersson, G., & Cuijpers, P. (2009). Internet-based and other computerized psychological treatments for adult depression: A meta-analysis. *Cognitive Behavior Therapy*, 38(4), 196–205.
- Andrews, G., Cuijpers, P., Craske, M. G., McEvoy, P., & Titov, N. (2010). Computer therapy for the anxiety and depressive disorders is effective, acceptable and practical health care: A meta-analysis. *PloS ONE*, 5(10), 1–6.
- Andrews, G., Issakidis, C., Sanderson, K., Corry, J., & Lapsley, H. (2004). Utilising survey data to inform public policy: Comparison of the cost-effectiveness of treatment of ten mental disorders. *British Journal of Psychiatry*, 184(6), 526–533.
- Bargh, J. (1994). The four horsemen of automaticity: Awareness, intention, efficiency, and control in social cognition. In R. S. Wyer, Jr., & T. K. Srull (Eds.), *Handbook of social cognition* (2nd ed., Vol. 1, pp. 1–40). Hillsdale, NJ: Erlbaum.
- Barlow, D. H. (2004). Psychological treatments. *American Psychologist*, 59(9), 869–878.
- Barlow, D. H., Allen, L. B., & Choate, M. L. (2004). Toward a unified treatment for emotional disorders. *Behavior Therapy*, 35(2), 205–230.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
- Bernstein, D. A., & Borkovec, T. D. (1973). *Progressive relaxation training: A manual for the helping professions*. Champaign, IL: Research Press.
- Blagden, J. C., & Craske, M. G. (1996). Effects of active and passive rumination and distraction: A pilot replication with anxious mood. *Journal of Anxiety Disorders*, 10(4), 243–252.
- Borkovec, T. D., & Costello, E. (1993). Efficacy of applied relaxation and cognitive-behavioral therapy in the treatment of generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 61(4), 611–619.

- Borkovec, T. D., & Costello, E. (1993). Efficacy of applied relaxation and cognitive-behavioral therapy in the treatment of generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 61(4), 611–619.
- Borkovec, T. D., & Newman, M. G. (1998). Worry and generalized anxiety disorder. *Comprehensive Clinical Psychology*, 6, 439–459.
- Borkovec, T. D., Ray, W. J., & Stober, J. (1998). Worry: A cognitive phenomenon intimately linked to affective, physiological, and interpersonal behavioral processes. *Cognitive Therapy and Research*, 22(6), 561–576.
- Borkovec, T. D., & Roemer, L. (1995). Perceived functions of worry among generalized anxiety disorder subjects: Distraction from more emotionally distressing topics? *Journal of Behavior Therapy and Experimental Psychiatry*, 26(1), 25–30.
- Brandstätter, V., Lengfelder, A., & Gollwitzer, P. M. (2001). Implementation intentions and efficient action initiation. *Journal of Personality and Social Psychology*, 81(5), 946–960.
- Bruce, S. E., Yonkers, K. A., Otto, M. W., Eisen, J. L., Weisberg, R. B., Pagano, M., et al. (2005). Influence of psychiatric comorbidity on recovery and recurrence in generalized anxiety disorder, social phobia, and panic disorder: A 12-year prospective study. *American Journal of Psychiatry*, 162(6), 1179–1187.
- Butler, L. D., & Nolen-Hoeksema, S. (1994). Gender differences in responses to depressed mood in a college sample. *Sex Roles*, 30(5–6), 331–346.
- Carver, C. S. (1998). Generalization, adverse events, and development of depressive symptoms. *Journal of Personality*, 66(4), 607–619.
- Carver, C. S., & Scheier, M. F. (1982). Control theory: A useful conceptual framework for personality—social, clinical, and health psychology. *Psychological Bulletin*, 92(1), 111–135.
- Carver, C. S., & Scheier, M. F. (1990). Origins and functions of positive and negative affect: A control-process view. *Psychological Review*, 97(1), 19–35.
- Carver, C. S., & Scheier, M. F. (1998). *On the self-regulation of behavior*. New York: Cambridge University Press.
- Caselli, G., Ferretti, C., Leoni, M., Rebecchi, D., Rovetto, F., & Spada, M. M. (2010). Rumination as a predictor of drinking behavior in alcohol abusers: A prospective study. *Addiction*, 105(6), 1041–1048.
- Chambers, R., Lo, B. C. Y., & Allen, N. B. (2008). The impact of intensive mindfulness training on attentional control, cognitive style, and affect. *Cognitive Therapy and Research*, 32(3), 303–322.
- Ciesla, J. A., & Roberts, J. E. (2002). Self-directed thought and response to treatment for depression: A preliminary investigation. *Journal of Cognitive Psychotherapy: An International Quarterly*, 16, 435–453.
- Ciesla, J. A., & Roberts, J. E. (2007). Rumination, negative cognition, and their interactive effects on depressed mood. *Emotion*, 7(3), 555–565.
- Collins, P. Y., Patel, V., Joestl, S. S., March, D., Insel, T. R., Daar, A. S., et al. (2011). Grand challenges in global mental health. *Nature*, 475(7354), 27–30.
- Conway, M., Mendelson, M., Giannopoulos, C., Csank, P. A., & Holm, S. L. (2004). Childhood and adult sexual abuse, rumination on sadness, and dysphoria. *Child Abuse and Neglect*, 28(4), 393–410.

- Cornwall, P., & Scott, J. (1997). Partial remission in depressive disorders. *Acta Psychiatrica Scandinavica*, 95(4), 265–271.
- Cribb, G., Moulds, M. L., & Carter, S. (2006). Rumination and experiential avoidance in depression. *Behavior Change*, 23(3), 165–176.
- Csikszentmihalyi, M. (2002). *Flow: The classic work on how to achieve happiness*. London: Rider.
- Dimidjian, S., Hollon, S. D., Dobson, K. S., Schmaling, K. B., Kohlenberg, R. J., Addis, M. E., et al. (2006). Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *Journal of Consulting and Clinical Psychology*, 74(4), 658–670.
- Donaldson, C., & Lam, D. (2004). Rumination, mood and social problem-solving in major depression. *Psychological Medicine*, 34(7), 1309–1318.
- Dykman, B. M. (1998). Integrating cognitive and motivational factors in depression: Initial tests of a goal-orientation approach. *Journal of Personality and Social Psychology*, 74(1), 139–158.
- D'Zurilla, T. J., & Nezu, A. M. (1999). *Problem-solving therapy: A social competence approach to clinical* (2nd ed.). New York: Springer.
- Ehring, T., Szeimies, A.-K., & Schaffruck, C. (2009). An experimental analogue study into the role of abstract thinking in trauma-related rumination. *Behaviour Research and Therapy*, 47(4), 285–293.
- Ehring, T., & Watkins, E. R. (2008). Repetitive negative thinking as a transdiagnostic process. *International Journal of Cognitive Therapy*, 1(3), 192–205.
- Fairburn, C. G., Cooper, Z., & Shafran, R. (2003). Cognitive behavior therapy for eating disorders: A “transdiagnostic” theory and treatment. *Behaviour Research and Therapy*, 41(5), 509–528.
- Fava, G. A. (1999). Subclinical symptoms in mood disorders: Pathophysiological and therapeutic implications. *Psychological Medicine*, 29(1), 47–61.
- Fava, G. A., Zielezny, M., Savron, G., & Grandi, S. (1995). Long-term effects of behavioral treatment for panic disorder with agoraphobia. *British Journal of Psychiatry*, 166(1), 87–92.
- Feldman, G., Greeson, J., & Senville, J. (2010). Differential effects of mindful breathing, progressive muscle relaxation, and loving-kindness meditation on decentering and negative reactions to repetitive thoughts. *Behaviour Research and Therapy*, 48(10), 1002–1011.
- Ferster, C. B. (1973). A functional analysis of depression. *American Psychologist*, 28(10), 857–870.
- Freeston, M. H., Rhéaume, J., Letarte, H., Dugas, M. J., & Ladouceur, R. (1994). Why do people worry? *Personality and Individual Differences*, 17(6), 791–802.
- Fresco, D. M., Frankel, A. N., Mennin, D. S., Turk, C. L., & Heimberg, R. G. (2002). Distinct and overlapping features of rumination and worry: The relationship of cognitive production to negative affective states. *Cognitive Therapy and Research*, 26(2), 179–188.
- Gellatly, J., Bower, P., Hennessy, S., Richards, D., Gilbody, S., & Lovell, K. (2007). What makes self-help interventions effective in the management of depressive symptoms? Meta-analysis and meta-regression. *Psychological Medicine*, 37(9), 1217–1228.

- Geschwind, N., Peeters, F., Drukker, M., van Os, J., & Wichers, M. (2011). Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 79(5), 618.
- Gilbert, P. (2009). Introducing compassion-focused therapy. *Advances in Psychiatric Treatment*, 15(3), 199–208.
- Gilbert, P. (2010). *Compassion focused therapy: Distinctive features*. New York: Routledge.
- Gilbert, P., & Irons, C. (2004). A pilot exploration of the use of compassionate images in a group of self-critical people. *Memory*, 12, 507–516.
- Gilbert, P., & Proctor, S. (2006). Compassionate mind training for people with high shame and self-criticism: Overview and pilot study of a group therapy approach. *Clinical Psychology and Psychotherapy*, 13, 353–379.
- Giorgio, J. M., Sanflippo, J., Kleiman, E., Reilly, D., Bender, R. E., Wagner, C. A., et al. (2010). An experiential avoidance conceptualization of depressive rumination: Three tests of the model. *Behaviour Research and Therapy*, 48(10), 1021–1031.
- Gollwitzer, P. M. (1999). Implementation intentions: Strong effects of simple plans. *American Psychologist*, 54(7), 493–503.
- Gollwitzer, P. M., & Sheeran, P. (2006). Implementation intentions and goal achievement: A meta-analysis of effects and processes. *Advances in Experimental Social Psychology*, 38, 69–119.
- Gortner, E. T., Gollan, J. K., Dobson, K. S., & Jacobson, N. S. (1998). Cognitive-behavioral treatment for depression: Relapse prevention. *Journal of Consulting and Clinical Psychology*, 66(2), 377–384.
- Grant, K. E., Lyons, A. L., Finkelstein, J.-A. S., Conway, K. M., Reynolds, L. K., O'Koon, J. H., et al. (2004). Gender differences in rates of depressive symptoms among low-income, urban, African American youth: A test of two mediational hypotheses. *Journal of Youth and Adolescence*, 33(6), 523–533.
- Harvey, A., Watkins, E., Mansell, W., & Shafran, R. (2004). *Cognitive behavioral processes across psychological disorders: A transdiagnostic approach to research and treatment*. Oxford, UK: Oxford University Press.
- Hawton, K. E., Salkovskis, P. M., Kirk, J. E., & Clark, D. M. (1989). *Cognitive behavior therapy for psychiatric problems: A practical guide*. New York: Oxford University Press.
- Hertel, P. T. (1998). Relation between rumination and impaired memory in dysphoric moods. *Journal of Abnormal Psychology*, 107(1), 166–172.
- Hertel, P. T. (2004). Memory for emotional and nonemotional events in depression: A question of habit? In D. Reisberg & P. Hertel (Eds.), *Memory and emotion* (pp. 186–216). New York: Oxford University Press.
- Hvenegaard, M., Watkins, E., Gondan, M., Grafton, B., & Moeller, S. B. (2015, November 13). *Rumination-focused CBT versus CBT for depression (RuCoD-trial): A randomised controlled trial*. Presented at the annual convention of the Association for Behavioral and Cognitive Therapies, Chicago.
- Holland, R. W., Aarts, H., & Langendam, D. (2006). Breaking and creating habits on the working floor: A field-experiment on the power of implementation intentions. *Journal of Experimental Social Psychology*, 42(6), 776–783.

- Holland, R. W., Aarts, H., & Langendam, D. (2006). Breaking and creating habits on the working floor: A field-experiment on the power of implementation intentions. *Journal of Experimental Social Psychology*, 42(6), 776–783.
- Hollon, S. D., DeRubeis, R. J., Shelton, R. C., Amsterdam, J. D., Salomon, R. M., O'Reardon, J. P., et al. (2005). Prevention of relapse following cognitive therapy vs medications in moderate to severe depression. *Archives of General Psychiatry*, 62(4), 417–422.
- Hollon, S. D., Muñoz, R. F., Barlow, D. H., Beardslee, W. R., Bell, C. C., Bernal, G., et al. (2002). Psychosocial intervention development for the prevention and treatment of depression: Promoting innovation and increasing access. *Biological Psychiatry*, 52(6), 610–630.
- Holm-Denoma, J. M., & Hankin, B. L. (2010). Perceived physical appearance mediates the rumination and bulimic symptom link in adolescent girls. *Journal of Clinical Child and Adolescent Psychology*, 39(4), 537–544.
- Hong, R. Y. (2007). Worry and rumination: Differential associations with anxious and depressive symptoms and coping behavior. *Behaviour Research and Therapy*, 45(2), 277–290.
- Jacobson, N. S., Dobson, K. S., Truax, P. A., Addis, M. E., Koerner, K., Gollan, J. K., et al. (1996). A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting and Clinical Psychology*, 64(2), 295–304.
- Jacobson, N. S., Martell, C. R., & Dimidjian, S. (2001). Behavioral activation treatment for depression: Returning to contextual roots. *Clinical Psychology: Science and Practice*, 8(3), 255–270.
- Jain, S., Shapiro, S. L., Swanick, S., Roesch, S. C., Mills, P. J., Bell, I., et al. (2007). A randomized controlled trial of mindfulness meditation versus relaxation training: Effects on distress, positive states of mind, rumination, and distraction. *Annals of Behavioral Medicine*, 33(1), 11–21.
- Ji, M. F., & Wood, W. (2007). Purchase and consumption habits: Not necessarily what you intend. *Journal of Consumer Psychology*, 17(4), 261–276.
- Judd, L. L. (1997). The clinical course of unipolar major depressive disorders. *Archives of General Psychiatry*, 54(11), 989–991.
- Judd, L. L., Paulus, M. P., & Zeller, P. (1999). The role of residual subthreshold depressive symptoms in early episode relapse in unipolar major depressive disorder. *Archives of General Psychiatry*, 56(8), 764–765.
- Just, N., & Alloy, L. B. (1997). The response styles theory of depression: Tests and an extension of the theory. *Journal of Abnormal Psychology*, 106(2), 221–229.
- Kabat-Zinn, J. (1990). *Full catastrophe living: Using the wisdom of your body and mind to face stress, pain and illness*. New York: Delacorte.
- Kaltenthaler, E., Parry, G., & Beverley, C. (2004). Computerized cognitive behavior therapy: A systematic review. *Behavioral and Cognitive Psychotherapy*, 32(1), 31–55.
- Kao, C. M., Dritschel, B. H., & Astell, A. (2006). The effects of rumination and distraction on over-general autobiographical memory retrieval during social problem solving. *British Journal of Clinical Psychology*, 45(2), 267–272.

- Kazdin, A. E., & Blase, S. L. (2011). Rebooting psychotherapy research and practice to reduce the burden of mental illness. *Perspectives on Psychological Science*, 6(1), 21–37.
- Kessler, R. C., Chiu, W. T., Demler, O., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 617–627.
- Kessler, R. C., McGonagle, K. A., Zhao, S., Nelson, C. B., Hughes, M., Eshleman, S., et al. (1994). Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States: Results from the National Comorbidity Survey. *Archives of General Psychiatry*, 51(1), 8–9.
- Killingsworth, M. A., & Gilbert, D. T. (2010). A wandering mind is an unhappy mind. *Science*, 330(6006), 932.
- Kingston, R. E. F., & Watkins, E. R. (2015). *Positive metacognitive beliefs about rumination and worry increase repetitive negative thinking after a stressful event*. Conference paper at NHMRC Centre for Research Excellence in Mental Health and Substance Use Annual Colloquium, Canberra, Australia.
- Kingston, R. E. F., Watkins, E. R., & Nolen-Hoeksema, S. (2015). Investigating functional properties of depressive rumination. *Journal of Experimental Psychopathology*, 5(3), 244–258.
- Kingston, R., Watkins, E. R., & O’Mahen, H. (2013). An integrated examination of risk factors for repetitive negative thought. *Journal of Experimental Psychopathology*, 4, 161–181.
- Kocsis, J. H., Leon, A. C., Markowitz, J. C., Manber, R., Arnow, B., Klein, D. N., et al. (2009). Patient preference as a moderator of outcome for chronic forms of major depressive disorder treated with nefazodone, cognitive behavioral analysis system of psychotherapy, or their combination. *Journal of Clinical Psychiatry*, 70(3), 354–361.
- Kuehner, C., & Weber, I. (1999). Responses to depression in unipolar depressed patients: An investigation of Nolen-Hoeksema’s response styles theory. *Psychological Medicine*, 29(06), 1323–1333.
- Kuyken, W., Byford, S., Taylor, R. S., Watkins, E., Holden, E., White, K., et al. (2008). Mindfulness-based cognitive therapy to prevent relapse in recurrent depression. *Journal of Consulting and Clinical Psychology*, 76(6), 966–978.
- Kuyken, W., Watkins, E., Holden, E., White, K., Taylor, R. S., Byford, S., et al. (2010). How does mindfulness-based cognitive therapy work? *Behaviour Research and Therapy*, 48(11), 1105–1112.
- Lavender, A., & Watkins, E. (2004). Rumination and future thinking in depression. *British Journal of Clinical Psychology*, 43(2), 129–142.
- Leary, M. R., Adams, C. E., & Tate, E. B. (2006). Hypo-egoic self-regulation: Exercising self-control by diminishing the influence of the self. *Journal of Personality*, 74(6), 1803–1832.
- Leykin, Y., Muñoz, R. F., & Contreras, O. (2012). Are consumers of Internet health information “cyberchondriacs”? Characteristics of 24,965 users of a depression screening site. *Depression and Anxiety*, 29(1), 71–77.

- Leykin, Y., Muñoz, R. F., & Contreras, O. (2012). Are consumers of Internet health information “cyberchondriacs”? Characteristics of 24,965 users of a depression screening site. *Depression and Anxiety*, 29(1), 71–77.
- Lyubomirsky, S., Kasri, F., & Zehm, K. (2003). Dysphoric rumination impairs concentration on academic tasks. *Cognitive Therapy and Research*, 27(3), 309–330.
- Lyubomirsky, S., & Nolen-Hoeksema, S. (1993). Self-perpetuating properties of dysphoric rumination. *Journal of Personality and Social Psychology*, 65(2), 339–349.
- Lyubomirsky, S., & Nolen-Hoeksema, S. (1995). Effects of self-focused rumination on negative thinking and interpersonal problem solving. *Journal of Personality and Social Psychology*, 69(1), 176–190.
- Lyubomirsky, S., Tucker, K. L., Caldwell, N. D., & Berg, K. (1999). Why ruminators are poor problem solvers: Clues from the phenomenology of dysphoric rumination. *Journal of Personality and Social Psychology*, 77(5), 1041–1060.
- Ma, S. H., & Teasdale, J. D. (2004). Mindfulness-based cognitive therapy for depression: Replication and exploration of differential relapse prevention effects. *Journal of Consulting and Clinical Psychology*, 72(1), 31–40.
- Mansell, W., Harvey, A., Watkins, E. R., & Shafran, R. (2008). Cognitive behavioral processes across psychological disorders: A review of the utility and validity of the transdiagnostic approach. *International Journal of Cognitive Therapy*, 1(3), 181–191.
- Marteau, T. M., Hollands, G. J., & Fletcher, P. C. (2012). Changing human behavior to prevent disease: The importance of targeting automatic processes. *Science*, 337, 1492–1495.
- Martell, C. R. (2003). Behavioral activation treatment for depression. In W. O'Donohue, J. Fisher, & S. Hayes (Eds.), *Cognitive behavior therapy: Applying empirically supported techniques in your practice* (pp. 28–32). New York: Wiley.
- Martell, C. R., Addis, M. E., & Jacobson, N. S. (2001). *Depression in context: Strategies for guided action*. New York: Norton.
- Martin, L. L., & Tesser, A. (1989). Toward a motivational and structural theory of ruminative thought. In J. S. Uleman & J. A. Bargh (Eds.), *Unintended thought* (pp. 306–326). New York: Guilford Press.
- Martin, L. L., & Tesser, A. (1996a). Some ruminative thoughts. In R. S. Wyer (Ed.), *Advances in social cognition* (Vol. 9, pp. 1–47). Hillsdale, NJ: Erlbaum.
- Martin, L. L., & Tesser, A. (1996b). *Striving and feeling: Interactions among goals, affect, and self-regulation*. Mahwah, NJ: Erlbaum.
- McLaughlin, K. A., Borkovec, T. D., & Sibrava, N. J. (2007). The effects of worry and rumination on affect states and cognitive activity. *Behavior Therapy*, 38(1), 23–38.
- McLaughlin, K. A., & Nolen-Hoeksema, S. (2011). Rumination as a transdiagnostic factor in depression and anxiety. *Behaviour Research and Therapy*, 49(3), 186–193.

- McLaughlin, K. A., & Nolen-Hoeksema, S. (2011). Rumination as a transdiagnostic factor in depression and anxiety. *Behaviour Research and Therapy*, 49(3), 186–193.
- Meyer, T. J., Miller, M. L., Metzger, R. L., & Borkovec, T. D. (1990). Development and validation of the Penn State worry questionnaire. *Behaviour Research and Therapy*, 28(6), 487–495.
- Michael, T., Halligan, S. L., Clark, D. M., & Ehlers, A. (2007). Rumination in post-traumatic stress disorder. *Depression and Anxiety*, 24(5), 307–317.
- Morrow, J., & Nolen-Hoeksema, S. (1990). Effects of responses to depression on the remediation of depressive affect. *Journal of Personality and Social Psychology*, 58(3), 519–527.
- Moulds, M. L., Kandris, E., Starr, S., & Wong, A. (2007). The relationship between rumination, avoidance and depression in a non-clinical sample. *Behaviour Research and Therapy*, 45(2), 251–261.
- Murray, C. J., & Lopez, A. D. (1996). Evidence-based health policy: Lessons from the Global Burden of Disease Study. *Science*, 274, 740–743.
- Nathan, P. E., & Gorman, J. M. (2007). *A guide to treatments that work* (3rd ed.). New York: Oxford University Press.
- National Institute for Health and Clinical Excellence. (2009). *Depression: The treatment and management of depression in adults* (NICE Guidelines, CG90). London: Author.
- Nolen-Hoeksema, S. (1991). Responses to depression and their effects on the duration of depressive episodes. *Journal of Abnormal Psychology*, 100(4), 569–582.
- Nolen-Hoeksema, S. (2000). The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *Journal of Abnormal Psychology*, 109(3), 504–511.
- Nolen-Hoeksema, S., Larson, J., & Grayson, C. (1999). Explaining the gender difference in depressive symptoms. *Journal of Personality and Social Psychology*, 77(5), 1061–1072.
- Nolen-Hoeksema, S., McBride, A., & Larson, J. (1997). Rumination and psychological distress among bereaved partners. *Journal of Personality and Social Psychology*, 72(4), 855–862.
- Nolen-Hoeksema, S., & Morrow, J. (1991). A prospective study of depression and posttraumatic stress symptoms after a natural disaster: The 1989 Loma Prieta earthquake. *Journal of Personality and Social Psychology*, 61(1), 115–121.
- Nolen-Hoeksema, S., & Morrow, J. (1993). Effects of rumination and distraction on naturally occurring depressed mood. *Cognition and Emotion*, 7(6), 561–570.
- Nolen-Hoeksema, S., Morrow, J., & Fredrickson, B. L. (1993). Response styles and the duration of episodes of depressed mood. *Journal of Abnormal Psychology*, 102(1), 20–28.
- Nolen-Hoeksema, S., Parker, L. E., & Larson, J. (1994). Ruminative coping with depressed mood following loss. *Journal of Personality and Social Psychology*, 67(1), 92–104.

- Nolen-Hoeksema, S., Stice, E., Wade, E., & Bohon, C. (2007). Reciprocal relations between rumination and bulimic, substance abuse, and depressive symptoms in female adolescents. *Journal of Abnormal Psychology*, 116(1), 198–207.
- Nolen-Hoeksema, S., & Watkins, E. R. (2011). A heuristic for developing trans-diagnostic models of psychopathology explaining multifinality and divergent trajectories. *Perspectives on Psychological Science*, 6(6), 589–609.
- Nolen-Hoeksema, S., Wisco, B. E., & Lyubomirsky, S. (2008). Rethinking rumination. *Perspectives on Psychological Science*, 3(5), 400–424.
- Nolen-Hoeksema, S., Wolfson, A., Mumme, D., & Guskin, K. (1995). Helplessness in children of depressed and nondepressed mothers. *Developmental Psychology*, 31(3), 377–387.
- Papageorgiou, C., & Wells, A. (1999). Process and meta-cognitive dimensions of depressive and anxious thoughts and relationships with emotional intensity. *Clinical Psychology and Psychotherapy*, 6, 156–162.
- Papageorgiou, C., & Wells, A. (2001). Metacognitive beliefs about rumination in recurrent major depression. *Cognitive and Behavioral Practice*, 8(2), 160–164.
- Park, R. J., Goodyer, I., & Teasdale, J. D. (2004). Effects of induced rumination and distraction on mood and overgeneral autobiographical memory in adolescent major depressive disorder and controls. *Journal of Child Psychology and Psychiatry*, 45(5), 996–1006.
- Paykel, E., Ramana, R., Cooper, Z., Hayhurst, H., Kerr, J., & Barocka, A. (1995). Residual symptoms after partial remission: An important outcome in depression. *Psychological Medicine*, 25(6), 1171–1180.
- Paykel, E. S., Scott, J., Teasdale, J. D., Johnson, A. L., Garland, A., Moore, R., et al. (1999). Prevention of relapse in residual depression by cognitive therapy: A controlled trial. *Archives of General Psychiatry*, 56(9), 829–835.
- Pyszczynski, T., & Greenberg, J. (1987). Self-regulatory perseveration and the depressive self-focusing style: A self-awareness theory of reactive depression. *Psychological Bulletin*, 102(1), 122–138.
- Ramel, W., Goldin, P. R., Carmona, P. E., & McQuaid, J. R. (2004). The effects of mindfulness meditation on cognitive processes and affect in patients with past depression. *Cognitive Therapy and Research*, 28(4), 433–455.
- Richards, D. A., & Borglin, G. (2011). Implementation of psychological therapies for anxiety and depression in routine practice: Two year prospective cohort study. *Journal of Affective Disorders*, 133(1), 51–60.
- Rimes, K. A., & Watkins, E. (2005). The effects of self-focused rumination on global negative self-judgements in depression. *Behaviour Research and Therapy*, 43(12), 1673–1681.
- Riso, L. P., Du Toit, P., Blandino, J. A., Penna, S., Dacey, S., Duin, J. S., et al. (2003). Cognitive aspects of chronic depression. *Journal of Abnormal Psychology*, 112(1), 72–80.
- Roberts, J. E., Gilboa, E., & Gotlib, I. H. (1998). Ruminative response style and vulnerability to episodes of dysphoria: Gender, neuroticism, and episode duration. *Cognitive Therapy and Research*, 22(4), 401–423.

- Rohan, K. J., Sigmon, S. T., & Dorhofer, D. M. (2003). Cognitive-behavioral factors in seasonal affective disorder. *Journal of Consulting and Clinical Psychology*, 71(1), 22–30.
- Sakamoto, S., Kambara, M., & Tanno, Y. (2001). Response styles and cognitive and affective symptoms of depression. *Personality and Individual Differences*, 31(7), 1053–1065.
- Sanislow, C. A., Pine, D. S., Quinn, K. J., Kozak, M. J., Garvey, M. A., Heinssen, et al. (2010). Developing constructs for psychopathology research: Research domain criteria. *Journal of Abnormal Psychology*, 119(4), 631–639.
- Schmalong, K. B., Dimidjian, S., Katon, W., & Sullivan, M. (2002). Response styles among patients with minor depression and dysthymia in primary care. *Journal of Abnormal Psychology*, 111(2), 350–356.
- Segerstrom, S. C., Tsao, J. C., Alden, L. E., & Craske, M. G. (2000). Worry and rumination: Repetitive thought as a concomitant and predictor of negative mood. *Cognitive Therapy and Research*, 24(6), 671–688.
- Sezibera, V., Van Broeck, N., & Philippot, P. (2009). Intervening on persistent post-traumatic stress disorder: Rumination-focused cognitive and behavioral therapy in a population of young survivors of the 1994 genocide in Rwanda. *Journal of Cognitive Psychotherapy*, 23(2), 107–113.
- Skitch, S. A., & Abela, J. R. (2008). Rumination in response to stress as a common vulnerability factor to depression and substance misuse in adolescence. *Journal of Abnormal Child Psychology*, 36(7), 1029–1045.
- Smith, J. M., Alloy, L. B., & Abramson, L. Y. (2006). Cognitive vulnerability to depression, rumination, hopelessness, and suicidal ideation: Multiple pathways to self-injurious thinking. *Suicide and Life-Threatening Behavior*, 36(4), 443–454.
- Spasojević, J., & Alloy, L. B. (2001). Rumination as a common mechanism relating depressive risk factors to depression. *Emotion*, 1(1), 25–37.
- Spasojević, J., & Alloy, L. B. (2002). Who becomes a depressive ruminator? Developmental antecedents of ruminative response style. *Journal of Cognitive Psychotherapy*, 16(4), 405–419.
- Stöber, J. (1998). Worry, problem elaboration and suppression of imagery: The role of concreteness. *Behaviour Research and Therapy*, 36(7), 751–756.
- Stöber, J., & Borkovec, T. (2002). Reduced concreteness of worry in generalized anxiety disorder: Findings from a therapy study. *Cognitive Therapy and Research*, 26(1), 89–96.
- Takano, K., & Tanno, Y. (2009). Self-rumination, self-reflection, and depression: Self-rumination counteracts the adaptive effect of self-reflection. *Behaviour Research and Therapy*, 47(3), 260–264.
- Taylor, S. E., Pham, L. B., Rivkin, I. D., & Armor, D. A. (1998). Harnessing the imagination: Mental simulation, self-regulation, and coping. *American Psychologist*, 53(4), 429–439.
- Teasdale, J. D., Segal, Z., & Williams, J. M. G. (1995). How does cognitive therapy prevent depressive relapse and why should attentional control (mindfulness) training help? *Behaviour Research and Therapy*, 33(1), 25–39.

- Teasdale, J. D., Segal, Z. V., Williams, J. M. G., Ridgeway, V. A., Soulsby, J. M., & Lau, M. A. (2000). Prevention of relapse/recurrence in major depression by mindfulness-based cognitive therapy. *Journal of Consulting and Clinical Psychology*, 68(4), 615–623.
- Teismann, T., von Brachel, R., Hanning, S., Grillenberger, M., Hebermehl, L., Hornstein, I., et al. (2014). A randomized controlled trial on the effectiveness of a rumination-focused group treatment for residual depression. *Psychotherapy Research*, 24, 80–90.
- Topper, M., Emmelkamp, P. M., & Ehring, T. (2010). Improving prevention of depression and anxiety disorders: Repetitive negative thinking as a promising target. *Applied and Preventive Psychology*, 14(1), 57–71.
- Topper, M., Emmelkamp, P. M., Watkins, E., & Ehring, T. (2014). Development and assessment of brief versions of the Penn State Worry Questionnaire and the Ruminative Response Scale. *British Journal of Clinical Psychology*, 53(4), 402–421.
- Topper, M., Emmelkamp, P. M., Watkins, E. R., & Ehring, T. (2016). *Prevention of anxiety disorders and depression by targeting excessive worry and rumination in adolescents: A randomized controlled trial*. Manuscript submitted for publication.
- Treynor, W., Gonzalez, R., & Nolen-Hoeksema, S. (2003). Rumination reconsidered: A psychometric analysis. *Cognitive Therapy and Research*, 27(3), 247–259.
- Verplanken, B. (2006). Beyond frequency: Habit as mental construct. *British Journal of Social Psychology*, 45(3), 639–656.
- Verplanken, B., Friborg, O., Wang, C. E., Trafimow, D., & Woolf, K. (2007). Mental habits: Metacognitive reflection on negative self-thinking. *Journal of Personality and Social Psychology*, 92(3), 526–541.
- Verplanken, B., & Orbell, S. (2003). Reflections on past behavior: A self-report index of habit strength. *Journal of Applied Social Psychology*, 33(6), 1313–1330.
- Verplanken, B., & Wood, W. (2006). Interventions to break and create consumer habits. *Journal of Public Policy and Marketing*, 25(1), 90–103.
- Watkins, E. R. (2004a). Adaptive and maladaptive ruminative self-focus during emotional processing. *Behavior Research and Therapy*, 42(9), 1037–1052.
- Watkins, E. R. (2004b). Appraisals and strategies associated with rumination and worry. *Personality and Individual Differences*, 37(4), 679–694.
- Watkins, E. R. (2008). Constructive and unconstructive repetitive thought. *Psychological Bulletin*, 134(2), 163–206.
- Watkins, E. R. (2011). Dysregulation in level of goal and action identification across psychological disorders. *Clinical Psychology Review*, 31(2), 260–278.
- Watkins, E. R. (2013). Repetitive thought. In M. D. Robinson, E. R. Watkins, & E. Harmon-Jones (Eds.), *Handbook of cognition and emotion* (pp. 383–400). New York: Guilford Press.
- Watkins, E. R., Baeyens, C. B., & Read, R. (2009). Concreteness training reduces dysphoria: Proof-of-principle for repeated cognitive bias modification in depression. *Journal of Abnormal Psychology*, 118(1), 55–64.

- Watkins, E. R., & Baracaia, S. (2001). Why do people ruminate in dysphoric moods? *Personality and Individual Differences*, 30(5), 723–734.
- Watkins, E. R., & Baracaia, S. (2002). Rumination and social problem-solving in depression. *Behaviour Research and Therapy*, 40(10), 1179–1189.
- Watkins, E. R., & Brown, R. (2002). Rumination and executive function in depression: An experimental study. *Journal of Neurology, Neurosurgery and Psychiatry*, 72(3), 400–402.
- Watkins, E. R., Moberly, N. J., & Moulds, M. L. (2008). Processing mode causally influences emotional reactivity: Distinct effects of abstract versus concrete construal on emotional response. *Emotion*, 8(3), 364–378.
- Watkins, E. R., & Moulds, M. L. (2005). Distinct modes of ruminative self-focus: Impact of abstract versus concrete rumination on problem solving in depression. *Emotion*, 5(3), 319–328.
- Watkins, E. R., & Moulds, M. L. (2007). Reduced concreteness of rumination in depression: A pilot study. *Personality and Individual Differences*, 43(6), 1386–1395.
- Watkins, E. R., Moulds, M., & Mackintosh, B. (2005). Comparisons between rumination and worry in a non-clinical population. *Behaviour Research and Therapy*, 43(12), 1577–1585.
- Watkins, E. R., Mullan, E., Wingrove, J., Rimes, K., Steiner, H., Bathurst, N., et al. (2011). Rumination-focused cognitive-behavioral therapy for residual depression: Phase II randomised controlled trial. *British Journal of Psychiatry*, 199(4), 317–322.
- Watkins, E. R., & Nolen-Hoeksema, S. (2014). A habit-goal framework of depressive rumination. *Journal of Abnormal Psychology*, 123(1), 24–34.
- Watkins, E. R., Scott, J., Wingrove, J., Rimes, K., Bathurst, N., Steiner, H., et al. (2007). Rumination-focused cognitive behavior therapy for residual depression: A case series. *Behaviour Research and Therapy*, 45(9), 2144–2154.
- Watkins, E. R., Taylor, R., Byng, R., Baeyens, C., Read, R., Pearson, K., et al. (2012). Guided self-help concreteness training as an intervention for major depression in primary care: A Phase II randomized controlled trial. *Psychological Medicine*, 42(7), 1359–1371.
- Watkins, E. R., & Teasdale, J. D. (2001). Rumination and overgeneral memory in depression: Effects of self-focus and analytic thinking. *Journal of Abnormal Psychology*, 110(2), 353–357.
- Watkins, E. R., & Teasdale, J. D. (2004). Adaptive and maladaptive self-focus in depression. *Journal of Affective Disorders*, 82(1), 1–8.
- Webb, T. L., & Sheeran, P. (2006). Does changing behavioral intentions engender behavior change?: A meta-analysis of the experimental evidence. *Psychological Bulletin*, 132(2), 249–268.
- Wells, A. (1995). Meta-cognition and worry: A cognitive model of generalized anxiety disorder. *Behavioral and Cognitive Psychotherapy*, 23(03), 301–320.
- Wilamowska, Z. A., Thompson-Hollands, J., Fairholme, C. P., Ellard, K. K., Farchione, T. J., & Barlow, D. H. (2010). Conceptual background, development, and preliminary data from the unified protocol for transdiagnostic treatment of emotional disorders. *Depression and Anxiety*, 27(10), 882–890.

- Williams, J. M. G., Barnhofer, T., Crane, C., Herman, D., Raes, F., Watkins, E., et al. (2007). Autobiographical memory specificity and emotional disorder. *Psychological Bulletin*, 133(1), 122–148.
- Wood, W., & Neal, D. T. (2007). A new look at habits and the habit–goal interface. *Psychological Review*, 114(4), 843–863.
- Wood, W., Tam, L., & Witt, M. G. (2005). Changing circumstances, disrupting habits. *Journal of Personality and Social Psychology*, 88(6), 918–933.
- World Health Organization. (1992). *The ICD-10 classification of mental and behavioural disorders: Clinical descriptions and diagnostic guidelines*. Geneva, Switzerland: Author.
- World Health Organization. (2001). *The world health report 2001—Mental health: New understanding, new hope*. Geneva, Switzerland: Author.
- World Health Organization. (2008). *The global burden of disease: 2004 update*. Geneva, Switzerland: Author.