

СПИСОК ЛИТЕРАТУРЫ

- Abi-Dargham, A., Kegeles, L. S., Zea-Ponce, Y., Mawlawi, O., Martinez, D., Mitropoulou, V., et al. (2004). Striatal amphetamine-induced dopamine release in patients with schizotypal personality disorder studied with single photon emission computed tomography and [123I] iodobenzamide. *Biological Psychiatry*, 55(10), 1001–1006.
- Abramson, L. Y., Metalsky, G. I., & Alloy, L. B. (1989). Hopelessness depression: A theory-based subtype of depression. *Psychological Review*, 96, 358–372.
- Ackerman, R. A., Witt, E. A., Donnellan, M. B., Trzesniewski, K. H., Robins, R. W., Kashy, D. A. (2011). What does the narcissistic personality inventory really measure? *Assessment*, 18(1), 67–87.
- Adams, P. (1973). *Obsessive children: A sociopsychiatric study*. New York: Brunner/Mazel.
- Adeponle, A. B., Thombs, B. D., Groleau, D., Jarvis, E., & Kirmayer, L. J. (2012). Using the cultural formulation to resolve uncertainty in diagnoses of psychosis among ethnoculturally diverse patients. *Psychiatric Services*, 63(2), 147–153.
- Adshead, G., & Sarkar, J. (2012). The nature of personality disorder. *Advances in Psychiatric Treatment*, 18, 162–172.
- Aggarwal, N. K., Nicasio, A. V., DeSilva, R., Boiler, M., & Lewis-Fernández, R. (2013). Barriers to implementing the DSM-5 Cultural Formulation Interview: A qualitative study. *Culture, Medicine, and Psychiatry*, 37(3), 505–533.
- Akiskal, H. P. (1983). Dysthymic disorder: Psychopathology of proposed depressive subtypes. *American Journal of Psychiatry*, 140, 11–20.
- Alarcón, R. D., Becker, A. E., Lewis-Fernández, R., Like, R. C., Desai, P., Foulks, E., et al. (2009). Issues for DSM-V: The role of culture in psychiatric diagnosis. *Journal of Nervous and Mental Disease*, 197(8), 559–560.
- Alarcón, R. D., & Foulks, E. F. (1995a). Personality disorders and culture: Contemporary clinical views (Part A). *Cultural Diversity and Mental Health*, 1(1), 3–17.
- Alarcón, R. D., & Foulks, E. F. (1995b). Personality disorders and culture: Contemporary clinical views (Part B). *Cultural Diversity and Mental Health*, 1(2), 79–91.
- Alberti, R. E., & Emmons, M. L. (2008). *Your perfect right: Assertiveness and equality in your life and relationships* (9th ed.). Atascadero, CA: Impact.
- Alden, L. (1989). Short-term structured treatment for avoidant personality disorder. *Journal of Consulting and Clinical Psychology*, 57, 756–764.
- Allen, J. (2004). *Traumatic relationships and serious mental disorders*. Chichester, UK: Wiley.
- Alloy, L. B., & Abramson, L. Y. (1999). The Temple–Wisconsin Cognitive Vulnerability to

- Depression (CVD) Project: Conceptual background, design, and methods. *Journal of Cognitive Psychotherapy: An International Quarterly*, 13, 227–262.
- Alnaes, R., & Torgersen, S. (1988). The relationship between DSM-III symptom disorders (Axis I) and personality disorders (Axis II) in an outpatient population. *Acta Psychiatrica Scandinavica*, 78, 485–492.
- Alnaes, R., & Torgerson, S. (1991). Personality and personality disorders among patients with various affective disorders. *Journal of Personality Disorders*, 5(2), 107–121.
- American Psychiatric Association. (1952). *Diagnostic and statistical manual of mental disorders* (1st ed.). Washington, DC: Author.
- American Psychiatric Association. (1968). *Diagnostic and statistical manual of mental disorders* (2nd ed.). Washington, DC: Author.
- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.). Washington, DC: Author.
- American Psychiatric Association. (1987). *Diagnostic and statistical manual of mental disorders* (3rd ed., rev.). Washington, DC: Author.
- American Psychiatric Association. (1989). Passive-aggressive personality disorder. In *Treatments of psychiatric disorders: A task force report of the American Psychiatric Association* (pp. 2783–2789). Washington, DC: Author.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- American Psychiatric Association. (2002). *Guideline for the treatment of patients with bipolar disorder* (2nd ed.). Washington, DC: Author.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: Author.
- American Psychological Association. (2002). *Ethical principles of psychologists and code of conduct*. Washington, DC: Author.
- American Psychological Association. (2004). Axis II gets short shrift. *American Psychological Association Monitor*, 35(3). Retrieved from www.apa.org/monitor/mar04/axis.aspx.
- Amrod, J., & Hayes, S. C. (2014). ACT for the incarcerated. In R. C. Tafrate & D. Mitchell (Eds.), *Forensic CBT: A handbook for clinical practice* (pp. 43–65). Chichester, UK: Wiley.
- Andrews, D. A., & Bonta, J. (1995). *The Level of Service Inventory—Revised*. Toronto, Ontario, Canada: Multi-Health Systems.
- Andrews, D. A., & Bonta, J. (2010). *The psychology of criminal conduct* (5th ed.). New Providence, NJ: LexisNexis Bender.
- Andrews, D. A., Bonta, J., & Hoge, R. D. (1990). Classification for effective rehabilitation: Rediscovering psychology. *Criminal Justice and Behavior*, 17, 19–52.
- Andrews, D. A., Bonta, J., & Wormith, J. S. (2006). The recent past and near future of risk and/or need assessment. *Crime and Delinquency*, 52, 7–27.
- Andrews, D. A., & Dowden, C. (2005). Managing correctional treatment for reduced recidivism: A meta-analytic review of program integrity. *Legal and Criminological Psychology*, 10, 173–187.
- Andrews, D. A., Zinger, I., Hoge, R. D., Bonta, J., Gendreau, P., & Cullen, F. T. (1990). Does correctional treatment work?: A clinically relevant and psychologically informed meta-analysis. *Criminology*, 28, 369–404.
- Angstman, K. B., & Rasmussen, N. H. (2011). Personality disorders: Review and clinical application in daily practice. *American Family Physician*, 84, 1253–1260.
- Ansell, E. B., Pinto, A., Edelen, M. O., Markowitz, J. C., Sanislow, C. A., Yen, S., et al. (2011). The association of personality disorders with the prospective 7-year course of anxiety disorders. *Psychological Medicine*, 41, 1019–1028.
- Ansell, E. B., Sanislow, C. A., McGlashan, T. H., & Grilo, C. M. (2007). Psychosocial

- impairment and treatment utilization by patients with borderline personality disorder, other personality disorders, mood and anxiety disorders, and a healthy comparison group. *Comprehensive Psychiatry*, 48, 329–336.
- APA Presidential Task Force on Evidence-Based Practice. (2006). Evidence-based practice in psychology. *American Psychologist*, 61(4), 271–285.
- Arnevik, E., Wilberg, T., Urnes, Ø., Johansen, M., Monsen, J. T., & Karterud, S. (2010). Psychotherapy for personality disorders: 18 months' follow-up of the Ullevål Personality Project. *Journal of Personality Disorders*, 24(2), 188–203.
- Arntz, A. (1994). Treatment of borderline personality disorder: A challenge for cognitive-behavioural therapy. *Behaviour Research and Therapy*, 32, 419–430.
- Arntz, A. (2011). Imagery rescripting for personality disorders. *Cognitive and Behavioral Practice*, 18, 466–481.
- Arntz, A. (2014). Treatment of comorbid anxiety disorders and personality disorders. In P. M. G. Emmelkamp & T. Ehring (Eds.), *Handbook of anxiety disorders: Theory, research and practice*. Hoboken, NJ: Wiley-Blackwell.
- Arntz, A., Bernstein, D., Gielen, D., van Nieuwenhuizen, M., Penders, K., Haslam, N., et al. (2009). Taxometric evidence for the dimensional structure of Cluster-C, paranoid, and borderline personality disorders. *Journal of Personality Disorders*, 23(6), 606–628.
- Arntz, A., Dietzel, R., & Dreesen, L. (1999). Assumptions in borderline personality disorder: Specificity, stability, and relationship with etiological factors. *Behaviour Research and Therapy*, 37, 545–557.
- Arntz, A., Dreesen, L., Schouten, E., & Weertman, A. (2004). Beliefs in personality disorders: A test with the Personality Disorder Belief Questionnaire. *Behaviour Research and Therapy*, 42, 1215–1225.
- Arntz, A., & van Genderen, H. (2009). *Schema therapy for borderline personality disorder*. Chichester, UK: Wiley.
- Arntz, A., & Weertman, A. (1999). Treatment of childhood memories: Theory and practice. *Behaviour Research and Therapy*, 37, 715–740.
- Ascoli, M., Lee, T., Warfa, N., Mairura, J., Persaud, A., & Bhui, K. (2011). Race, culture, ethnicity and personality disorder: Group care position paper. *World Cultural Psychiatry Research Review*, 6(1), 52–60.
- Baer, R. A., & Sauer, S. E. (2011). Relationships between depressive rumination, anger rumination, and borderline personality features. *Personality Disorders: Theory, Research, and Treatment*, 2, 142–150.
- Bagby, R. M. (2013). Introduction to special issue on the Personality Inventory for DSM-5 (PID-5). *Assessment*, 20(3), 267–268.
- Bagby, R. M., Costa, J. P. T., Widiger, T. A., Ryder, A. G., & Marshall, M. (2005). DSM-IV personality disorders and the five-factor model of personality: A multi-method examination of domain- and facet-level predictions [Special issue]. *European Journal of Personality. Personality and Personality Disorders*, 19(4), 307–324.
- Bagby, R. M., Watson, C., & Ryder, A. G. (2012). Depressive personality disorder. In T. A. Widiger (Ed.), *The Oxford handbook of personality disorders* (pp. 628–647). Oxford, UK: Oxford University Press.
- Bagby, R. M., Watson, C., & Ryder, A. G. (2013). Depressive personality disorder and the five-factor model. In T. A. Widiger, & P. T. Costa (Eds.), *Personality disorders and the five-factor model of personality* (pp. 179–192). Washington, DC: American Psychological Association.
- Ball, S. A., Maccarelli, L. M., LaPaglia, D. M., & Ostrowski, M. J. (2011). Randomized trial of dual-focused versus single-focused individual therapy for personality disorders and substance dependence. *Journal of Nervous and Mental Disease*, 199(5), 319.
- Bamelis, L. L. M., Evers, S. M. A. A., & Arntz, A. (2012). Design of a multicentered randomized controlled trial on the clinical and cost effectiveness of schema therapy for personality disorders. *BMC Public Health*, 24, 12–75.
- Bamelis, L. L. M., Evers, S. M. A. A., Spinhoven, P., & Arntz, A. (2014). Results of a

- multicenter randomized controlled trial of the clinical effectiveness of schema therapy for personality disorders. *American Journal of Psychiatry*, 171(3), 305–322.
- Bandelow, B., Schmahl, C., Falkai, P., & Wedekind, D. (2010). Borderline personality disorder: A dysregulation of the endogenous opioid system? *Psychological Review*, 117(2), 623.
- Barber, J. P., & Muenz, L. R. (1996). The role of avoidance and obsessiveness in matching patients to cognitive and interpersonal psychotherapy: Empirical findings from the Treatment for Depression Collaborative Research Program. *Journal of Consulting and Clinical Psychology*, 64(5), 951–958.
- Barlow, D. H. (2004). Psychological treatments. *American Psychologist*, 59(9), 869–878.
- Baron, J. (2000). *Thinking and deciding*. Cambridge, UK: Cambridge University Press.
- Bartlett, F. C. (1932). *Remembering*. New York: Columbia University Press.
- Bartlett, F. C. (1958). *Thinking: An experimental and social study*. New York: Basic Books.
- Bateman, A. W., & Tyrer, P. (2004). Psychological treatment for personality disorder. *Advances in Psychiatric Treatment*, 10, 378–388.
- Batterham, P. J., Glozier, N., & Christensen, H. (2012). Sleep disturbance, personality and the onset of depression and anxiety: Prospective cohort study. *Australian and New Zealand Journal of Psychiatry*, 46, 1089–1098.
- Baumeister, R. (2001, April). Violent pride. *Scientific American*, 284(4), 96–101.
- Baumeister, R., Bushman, B., & Campbell, W. K. (2000). Self-esteem, narcissism, and aggression: Does violence result from low self-esteem or from threatened egotism? *Current Directions in Psychological Science*, 9, 26–29.
- Baumeister, R., Smart, L., & Boden, J. (1996). Relation of threatened egotism to violence and aggression: The dark side of high self-esteem. *Psychological Review*, 103, 5–33.
- Bebbington, P. E., McBride, O., Steel, C., Kuipers, E., Radovanovic, M., Brugha, T., et al. (2013). The structure of paranoia in the general population. *British Journal of Psychiatry*, 202, 419–427.
- Beck, A. (1991). *Beck Scale for Suicide Ideation*. San Antonio, TX: Psychological Corporation.
- Beck, A., Freeman, A., & Davis, D. B. (2004). *Cognitive therapy of personality disorders* (2nd ed.). New York: Guilford Press.
- Beck, A. T. (1963). Thinking and depression: I. Idiosyncratic content and cognitive distortions. *Archives of General Psychiatry*, 9, 324–344.
- Beck, A. T. (1964). Thinking and depression: II. Theory and therapy. *Archives of General Psychiatry*, 10, 561–571.
- Beck, A. T. (1967). *Depression: Clinical, experimental and theoretical aspects*. New York: Harper & Row. (Republished as *Depression: Causes and treatment*. Philadelphia: University of Pennsylvania Press, 1972)
- Beck, A. T. (1976). *Cognitive therapy and the emotional disorders*. New York: International Universities Press.
- Beck, A. T. (1983). Cognitive therapy of depression: New perspectives. In P. J. Clayton & J. E. Barrett (Eds.), *Treatment of depression: Old controversies and new approaches*. New York: Raven Press.
- Beck, A. T. (1987). Cognitive models of depression. *Journal of Cognitive Psychotherapy: An International Quarterly*, 1, 5–37.
- Beck, A. T. (1988a). *Beck Hopelessness Scale*. San Antonio, TX: Psychological Corporation.
- Beck, A. T. (1988b). *Love is never enough*. New York: Harper & Row.
- Beck, A. T. (1996). Beyond belief: A theory of modes, personality, and psychopathology. In P. Salkovskis (Ed.), *Frontiers of cognitive therapy* (pp. 1–25). New York: Guilford Press.
- Beck, A. T., & Beck, J. S. (1991). *The Personality Belief Questionnaire*. Unpublished instrument, Beck Institute for Cognitive Therapy and Research, Bala Cynwyd, PA.
- Beck, A. T., & Beck, J. S. (1995a). *PBQ-PBD*. Unpublished instrument, Beck Institute for Cognitive Therapy and Research, Bala Cynwyd, PA.

- Beck, A. T., & Beck, J. S. (1995b). *PBQ-SF*. Unpublished instrument, Beck Institute for Cognitive Therapy and Research, Bala Cynwyd, PA.
- Beck, A. T., Butler, A. C., Brown, G. K., Dahlsgaard, K. K., Newman, C. F., & Beck, J. S. (2001). Dysfunctional beliefs discriminate personality disorders. *Behaviour Research and Therapy*, 39, 1213–1225.
- Beck, A. T., & Emery, G. (with Greenberg, R. L.). (1985). *Anxiety disorders and phobias: A cognitive perspective*. New York: Basic Books.
- Beck, A. T., Freeman, A., & Associates. (1990). *Cognitive therapy of personality disorders*. New York: Guilford Press.
- Beck, A. T., & Haigh, E. (2014). Advances in cognitive theory and therapy: The generic cognitive model. *Annual Review of Clinical Psychology*, 10, 1–24.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
- Beck, A. T., & Steer, R. A. (1993a). *Beck Anxiety Inventory Manual*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., & Steer, R. A. (1993b). *Manual for Beck Hopelessness Inventory*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Steer, R., & Brown, G. (1996). *Manual for the Beck Depression Inventory–II*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Wright, F., Newman, C., & Liese, B. (1993) *Cognitive therapy of substance abuse*. New York: Guilford Press.
- Beck, J. S. (1995). *Cognitive therapy: Basics and beyond*. New York: Guilford Press.
- Beck, J. S. (2005). *Cognitive therapy for challenging problems: What to do when the basics don't work*. New York: Guilford Press.
- Beck, J. S. (2006). *Cognitive therapy worksheet packet* (rev. ed.). Bala Cynwyd, PA: Beck Institute for Cognitive Behavior Therapy.
- Beck, J. S. (2011). *Cognitive behavior therapy: Basics and beyond* (2nd ed.). New York: Guilford Press.
- Beesdo, K., Lau, J. Y., Guyer, A. E., McClure-Tone, E. B., Monk, C. S., Nelson, E. E., et al. (2009). Common and distinct amygdala-function perturbations in depressed vs. anxious adolescents. *Archives of General Psychiatry*, 66(3), 275–285.
- Behary, W. (2012). Schema therapy for narcissism. In M. van Vreeswijk, J. Broersen, & M. Nadort (Eds.), *The Wiley-Blackwell handbook of schema therapy: Theory, research and practice* (pp. 81–90). Malden, MA: Wiley-Blackwell.
- Behary, W., & Dieckmann, E. (2011). Schema therapy for narcissism: The art of empathic confrontation, limit-setting, and leverage. In W. K. Campbell & J. D. Miller (Eds.), *The handbook of narcissism and narcissistic personality disorder: Theoretical approaches, empirical findings, and treatments* (pp. 445–456). Hoboken, NJ: Wiley.
- Behary, W., & Dieckmann, E. (2013). Schema therapy for pathological narcissism: The art of adaptive re-parenting. In J. S. Ogronczuk (Ed.), *Understanding and treating pathological narcissism* (pp. 285–300). Washington, DC: American Psychological Association.
- Behary, W. T. (2013). *Disarming the narcissist: Surviving and thriving with the self-absorbed* (2nd ed.). Oakland, CA: New Harbinger.
- Bellino, S., Rinaldi, C., Bozzatello, P., & Bogetto, F. (2011). Pharmacotherapy of borderline personality disorder: A systematic review. *Current Medicinal Chemistry*, 18(22), 3322–3329.
- Belmaker, R. H. (2004). Bipolar disorder. *New England Journal of Medicine*, 351, 476–486.
- Bender, D. S., Skodol, A. E., Dyck, I. R., Markowitz, J. C., Shea, M. T., Yen, S., et al. (2007). Ethnicity and mental health treatment utilization by patients with personality disorders. *Journal of Consulting and Clinical Psychology*, 75(6), 992–999.
- Benjamin, L. (1993). *Interpersonal diagnosis and treatment of personality disorders*. New York: Guilford Press.

- Benjamin, L. (2003). *Interpersonal diagnosis and treatment of personality disorders* (2nd ed.). New York: Guilford Press.
- Benjamin, L., & Cushing, G. (2004). An interpersonal family-oriented approach to personality disorder. In M. M. MacFarlane (Ed.), *Family treatment of personality disorders advances in clinical practice* (pp. 41–69). New York: Haworth Clinical Practice Press.
- Bergman, S. M., Fearrington, M. E., Davenport, S. W., & Bergman, J. Z. (2011). Millennials, narcissism, and social networking: What narcissists do on social networking sites and why. *Personality and Individual Differences*, 50(5), 706–711.
- Bernal, G., Jiménez-Chafey, M. I., & Domenech Rodríguez, M. M. (2009). Cultural adaptation of treatments: A resource for considering culture in evidence-based practice. *Professional Psychology: Research and Practice*, 40(4), 361–368.
- Bernstein, D. P. (2005). Cognitive therapy for clients with personality disorders and comorbid Axis I psychopathology. In J. Reich (Ed.), *Personality disorders: Current research and treatments* (pp. 154–159). New York: Routledge.
- Bernstein, D. P., Arntz, A., & de Vos, M. E. (2007). Schema-focused therapy in forensic settings: Theoretical model and recommendations for best clinical practice. *International Journal of Forensic Mental Health*, 6, 169–183.
- Bernstein, D. P., & Useda, J. D. (2007). Paranoid personality disorder. In W. O'Donohue, K. A. Fowler, & S. O. Lilienfeld (Eds.), *Personality disorders: Toward the DSM-V* (pp. 41–62). Thousand Oaks, CA: Sage.
- Berridge, K. C. (2007). The debate over dopamine's role in reward: The case for incentive salience. *Psychopharmacology*, 191(3), 391–431.
- Betancourt, H., & Lopez, S. R. (1993). The study of culture, ethnicity, and race in American psychology. *American Psychologist*, 48(6), 629–637.
- Bewick, B. M., McBride, J., & Barkham, M. (2006). When clients and practitioners have differing views of risk: Benchmarks for improving assessment and practice. *Counseling and Psychotherapy Research*, 6(1), 50–59.
- Bhar, S. S., Beck, A. T., & Butler, A. C. (2012). Beliefs and personality disorders: An overview of the Personality Beliefs Questionnaire. *Journal of Clinical Psychology*, 68(1), 88–100.
- Bhugra D., & de Silva, P. (2007). Sexual dysfunctions across cultures. In K. Bhui (Ed.), *Textbook of cultural psychiatry* (pp. 364–378). Cambridge, UK: Cambridge University Press.
- Black, D. W., Monahan, P., Wesner, R., Gabel, J., & Bowers, W. (1996). The effect of fluvoxamine, cognitive therapy, and placebo on abnormal personality traits in 44 patients with panic disorder. *Journal of Personality Disorders*, 10(2), 185–194.
- Blackford, J. U., Buckholz, J. W., Avery, S. N., & Zald, D. H. (2010). A unique role for the human amygdala in novelty detection. *NeuroImage*, 50(3), 1188–1193.
- Blashfield, R. K., & Breen, M. J. (1989). Face validity of the DSM-III-R personality disorders. *American Journal of Psychiatry*, 146, 1575–1579.
- Blum, N., John, D., Pfohl, B., Stuart, S., McCormick, B., Allen, J., et al. (2008). Systems training for emotional predictability and problem solving (STEPPS) for outpatients with borderline personality disorder: A randomized controlled trial and 1-year follow-up. *American Journal of Psychiatry*, 165(4), 468–478.
- Bockian, N. R. (2006). Depression in borderline personality disorder. In N. R. Bockian (Ed.), *Personality-guided therapy for depression* (pp. 135–167). Washington, DC: American Psychological Association.
- Bornstein, R. (1992). The dependent personality: Developmental, social, and clinical perspectives. *Psychological Bulletin*, 112(1), 3–23.
- Bornstein, R. (2005). The dependent individual: Diagnosis, assessment, and treatment. *Professional Psychology: Research and Practice*, 36(1), 82–89.
- Bornstein, R. (2012a). From dysfunction to adaptation: An interactionist model of dependency. *Annual Review of Clinical Psychology*, 8(1), 291–316.

- Bornstein, R. (2012b). Illuminating a neglected clinical issue: Societal costs of interpersonal dependency and dependent personality disorder. *Journal of Clinical Psychology*, 68(7), 766–781.
- Bornstein, R., Riggs, J., Hill, E., & Calabrese, C. (1996). Activity, passivity, self-denigration, and self-promotion: Toward an interactionist model of interpersonal dependency. *Journal of Personality*, 64(3), 637–673.
- Bornstein, R. F. (1998). Reconceptualizing personality disorder diagnosis in the DSM-V: The discriminant validity challenge. *Clinical Psychology: Science and Practice*, 5(3), 333–343.
- Bornstein, R. F. (2001). A meta-analysis of the dependency-eating disorders relationship: Strength, specificity, and temporal stability. *Journal of Psychopathology and Behavioral Assessment*, 23, 151–162.
- Bornstein, R. F. (2011). Reconceptualizing personality pathology in DSM-5: Limitations in evidence for eliminating dependent personality disorder and other DSM-IV syndromes. *Journal of Personality Disorders*, 25(2), 235–247.
- Bourgeois, J. A., & Hall, M. J. (1993). An examination of narcissistic personality traits as seen in a military population. *Military Medicine*, 158, 170–174.
- Bowlby, J. (1969). *Attachment and loss: Vol. 1. Attachment*. New York: Basic Books.
- Boyce, P., & Mason, C. (1996). An overview of depression-prone personality traits and the role of interpersonal sensitivity. *Australian and New Zealand Journal of Psychiatry*, 30, 90–103.
- Bradley, R., Shedler, J., & Westen, D. (2006). Is the appendix a useful appendage?: An empirical examination of depressive, passive-aggressive (negativistic), sadistic, and self-defeating personality disorders. *Journal of Personality Disorders*, 20(5), 524–540.
- Brennan, K., & Shaver, P. (1998). Attachment styles and personality disorders: Their connections to each other and to parental divorce, parental death, and perceptions of parental caregiving. *Journal of Personality*, 66, 835–878.
- Bricker, D., Young, J. E., & Flanagan, C. (1993). Schema-focused cognitive therapy: A comprehensive framework for characterological problems. In K. Kuehlwein & H. Rosen (Eds.), *Cognitive therapies in action: Evolving innovative practice* (pp. 88–125). San Francisco: Jossey-Bass.
- Brown, G. K., Newman, C. F., Charlesworth, S., Crits-Cristoph, P., & Beck, A. T. (2004). An open clinical trial of cognitive therapy for borderline personality disorder. *Journal of Personality Disorders*, 18(3), 257–271.
- Buckholtz, J. W., Treadway, M. T., Cowan, R. L., Woodward, N. D., Benning, S. D., Li, R., et al. (2010). Mesolimbic dopamine reward system hypersensitivity in individuals with psychopathic traits. *Nature Neuroscience*, 13(4), 419–421.
- Buckholtz, J. W., Treadway, M. T., Cowan, R. L., Woodward, N. D., Li, R., Ansari, M. S., et al. (2010). Dopaminergic network differences in human impulsivity. *Science*, 329(5991), 532.
- Bukh, J. D., Bock, C., Vinberg, M., Gether, U., & Kessing, L. V. (2010). Clinical utility of Standardised Assessment of Personality—Abbreviated Scale (SAPAS) among patients with first episode depression. *Journal of Affective Disorders*, 127(1), 199–202.
- Burgess, P., Pirkis, J., Morton, J., & Croke, E. (2000). Lessons from a comprehensive clinical audit of users of psychiatric services who committed suicide. *Psychiatric Services*, 51(12), 1555–1560.
- Burns, D. D. (1999). *10 days to self-esteem*. New York: HarperCollins.
- Bushman, B., & Baumeister, R. (1998). Threatened egotism, narcissism, self-esteem, and direct and displaced aggression: Does self-love or self-hate lead to violence? *Journal of Personality and Social Psychology*, 75, 219–229.
- Buss, A. H. (1987). Personality: Primitive heritage and human distinctiveness. In J. Aronoff, A. I. Robin, & R. A. Zucker (Eds.), *The emergence of personality* (pp. 13–48). New York: Springer.

- Butcher, J. N., Graham, J. R., Ben-Porath, Y. S., Tellegen, Y. S., Dahlstrom, W. G., & Kaemmer, B. (2001). *Minnesota Multiphasic Personality Inventory–2: Manual for administration and scoring* (rev. ed.). Minneapolis: University of Minnesota Press.
- Butler, A. C., Beck, A. T., & Cohen, L. H. (2007). The Personality Belief Questionnaire—Short Form: Development and preliminary findings. *Cognitive Therapy and Research*, 31, 357–370.
- Butler, A. C., Brown, G. K., Beck, A. T., & Grisham, J. R. (2002). Assessment of dysfunctional beliefs in borderline personality disorder. *Behaviour Research and Therapy*, 40(1), 1231–1240.
- Butler, R. N. (1975). *Why survive?: Being old in America*. New York: Harper & Row.
- Byrne, S. A., Cherniack, M. G., & Petry, N. M. (2013). Antisocial personality disorder is associated with receipt of physical disability benefits in substance abuse treatment patients. *Drug and Alcohol Dependence*, 132(1–2), 373–377.
- Calati, R., Gressier, F., Balestri, M., & Serretti, A. (2013). Genetic modulation of borderline personality disorder: Systematic review and meta-analysis. *Journal of Psychiatric Research*, 47, 1275–1287.
- Callahan, J. (2009). Emergency intervention and crisis intervention. In P. M. Kleespies (Ed.), *Behavioral emergencies: An evidence-based resource for evaluating and managing risk of suicide, violence, and victimization* (pp. 13–32). Washington, DC: American Psychological Association.
- Carcione, A., Nicolo, G., Pedone, R., Popolo, R., Conti, L., Fiore, D., et al. (2011). Metacognitive mastery dysfunctions in personality disorder psychotherapy. *Psychiatry Research*, 190, 60–71.
- Carlson, J., Melton, K., & Snow, K. (2004). Family treatment of passive-aggressive (negativistic) personality disorder. In M. M. MacFarlane (Ed.), *Family treatment of personality disorders advances in clinical practice* (pp. 241–272). New York: Haworth Clinical Practice Press.
- Carr, S. N., & Francis, A. P. (2010). Do early maladaptive schemas mediate the relationship between childhood experiences and avoidant personality disorder features?: A preliminary investigation in a non-clinical sample. *Cognitive Therapy and Research*, 34, 343–358.
- Carroll, A. (2009). Are you looking at me?: Understanding and managing paranoid personality disorder. *Advances in Psychiatric Treatment*, 15, 40–48.
- Chadwick, P. (2006). *Person-based cognitive therapy for distressing psychosis*. Chichester, UK: Wiley.
- Chamberlain, J., & Huprich, S. K. (2011). The Depressive Personality Disorder Inventory and current depressive symptoms: Implications for the assessment of depressive personality. *Journal of Personality Disorders*, 25, 668–680.
- Chambless, D. L., & Hollon, S. D. (1998). Defining empirically supported therapies. *Journal of Consulting and Clinical Psychology*, 66(1), 7–18.
- Chambless, D. L., Renneberg, D., Goldstein, A., & Gracely, E. J. (1992). MCMI-diagnosed personality disorders among agoraphobic outpatients: Prevalence and relationship to severity and treatment outcome. *Journal of Anxiety Disorders*, 6, 193–211.
- Chambless, D. L., Renneberg, D., Gracely, E. J., Goldstein, A. J., & Fydrich, T. (2000). Axis I and II comorbidity in agoraphobia: Prediction of psychotherapy outcome in a clinical setting. *Psychotherapy Research*, 10, 279–295.
- Cheng, A. T. A., Mann, A. H., & Chan, K. A. (1997). Personality disorder and suicide: A case-control study. *British Journal of Psychiatry*, 170(5), 441–446.
- Chioqueta, A., & Stiles, T. C. (2004). Assessing suicide risk in Cluster C personality disorders. *Crisis*, 25(3), 128–133.
- Clark, D. A., & Beck, A. T. (with Alford, B. A.). (1999). *Scientific foundations of cognitive theory and therapy of depression*. New York: Wiley.
- Clark, L. A. (1992). Resolving taxonomic issues in personality disorders: The value of

- large-scale analyses of symptom data. *Journal of Personality Disorders*, 6(4), 360–376.
- Clark, L. A. (2005a). *SNAP Schedule for Nonadaptive and Adaptive Personality: Manual for administration, scoring, and interpretation*. Minneapolis: University of Minnesota Press.
- Clark, L. A. (2005b). Stability and change in personality pathology: Revelations of three longitudinal studies [Special issue]. *Journal of Personality Disorders: Longitudinal Studies*, 19(5), 524–532.
- Clark, L. A. (2005c). Temperament as a unifying basis for personality and psychopathology. *Journal of Abnormal Psychology. Special Issue: Toward a Dimensionally Based Taxonomy of Psychopathology*, 114(4), 505–521.
- Clark, L. A., & Livesley, W. J. (2002). Two approaches to identifying the dimensions of personality disorder: Convergence on the five-factor model. In P. T. Costa, Jr. & T. A. Widiger (Eds.), *Personality disorders and the five-factor model of personality* (2nd ed., pp. 161–176). Washington, DC: American Psychological Association.
- Clark, L. A., Livesley, W. J., & Morey, L. (1997). Personality disorder assessment: The challenge of construct validity. *Journal of Personality Disorders*, 11(3), 205–231.
- Clark, L. A., Vorhies, L., & McEwen, J. L. (2002). Personality disorder symptomatology from the five-factor model perspective. In P. T. Costa, Jr. & T. A. Widiger (Eds.), *Personality disorders and the five-factor model of personality* (2nd ed., pp. 125–147). Washington, DC: American Psychological Association.
- Clarke, S., Thomas, P., & James, K. (2013). Cognitive analytic therapy for personality disorder: Randomised controlled trial. *British Journal of Psychiatry*, 202(2), 129–134.
- Clifford, C. A., Murray, R. M., & Fulker, D. W. (1984). Genetic and environmental influences on obsessional traits and symptoms. *Psychological Medicine*, 14(4), 791–800.
- Cloninger, C. R. (1986). A unified biosocial theory of personality and its role in the development of anxiety states. *Psychiatrics Development*, 4(3), 167–226.
- Coffman, S., Martell, C. R., Dimidjian, S., Gallop, R., & Hollon, S. D. (2007). Extreme nonresponse in cognitive therapy: Can behavioral activation succeed where cognitive therapy fails? *Journal of Consulting and Clinical Psychology*, 75, 531–541.
- Cohen, P., Chen, H., Crawford, T. N., Brook, J. S., & Gordon, K. (2007). Personality disorders in early adolescence and the development of later substance use disorders in the general population. *Drug and Alcohol Dependence*, 88, S71–S84.
- Collins, N., & Read, S. (1990). Adult attachment, working models, and relationship quality in dating couples. *Journal of Personality and Social Psychology*, 58, 644–663.
- Colvin, C. R., Block, J., & Funder, D. C. (1995). Overly positive self-evaluations and personality: Negative implications for mental health. *Journal of Personality and Social Psychology*, 68, 1152–1162.
- Constantino, M. J., Arnkoff, D. B., Glass, C. R., Ametrano, R. M., & Smith, J. Z. (2011). Expectations. *Journal of Clinical Psychology: In Session*, 67, 184–192.
- Corbisiero, J. R., & Reznikoff, M. (1991). The relationship between personality type and style of alcohol use. *Journal of Clinical Psychology*, 47(2), 291–298.
- Cornell, D. G., Warren, J., Hawk, G., Stafford, E., Oram, G., & Pine, D. (1996). Psychopathy in instrumental and reactive violent offenders. *Journal of Consulting and Clinical Psychology*, 64(4), 783–790.
- Costa, P. T., & McCrae, R. R. (1992). *Revised NEO Personality Inventory (NEO-PI-R) and NEO Five-Factor Inventory (NEO-FFI) professional manual*. Odessa, FL: Psychological Assessment Resources.
- Costa, P. T., & McCrae, R. R. (2010). *NEO inventories: NEO Personality Inventory–3 (NEO-PI-3)*. Lutz, FL: Psychological Assessment Resources.
- Costa, P. T., Patriciu, N. S., & McCrae, R. R. (2005). Lessons from longitudinal studies for new approaches to the DSM-V [Special issue]: The FFM and FFT. *Journal of Personality Disorders: Longitudinal Studies*, 19(5), 533–539.

- Cottraux, J., Druon Note, I. D., Boutitie, F., Milliery, M., Genouihlac, V., Nan Yao, S., et al. (2009). Cognitive therapy versus Rogerian supportive therapy in borderline personality disorder: Two-year follow-up of a controlled pilot study. *Psychotherapy and Psychosomatics*, 78, 307–316.
- Cowdry, R. W., & Gardner, D. (1988). Pharmacotherapy of borderline personality disorder: Alprazolam, carbamazepine, trifluoperazine and tranylcypromine. *Archives of General Psychiatry*, 45, 111–119.
- Craig, A. D. (2002). How do you feel?: Interoception: The sense of the physiological condition of the body. *Nature Reviews Neuroscience*, 3(8), 655–666.
- Craig, A. D. (2009). How do you feel—now?: The anterior insula and human awareness. *Nature Reviews Neuroscience*, 10(1), 59–70.
- Cremers, H. R., Demenescu, L. R., Aleman, A., Renken, R., van Tol, M.-J., van der Wee, N. J., et al. (2010). Neuroticism modulates amygdala–prefrontal connectivity in response to negative emotional facial expressions. *NeuroImage*, 49(1), 963–970.
- Critchfield, K. L., & Benjamin, L. (2006). Principles for psychosocial treatment of personality disorder: Summary of the APA Division 12 Task Force/NASPR review. *Journal of Clinical Psychology*, 62(6), 661–674.
- Crits-Christoph, P., & Barber, J. (2002). Psychological treatment for personality disorders. In P. Nathan & J. Gorman (Eds.), *A guide to treatments that work* (2nd ed., pp. 611–624). New York: Oxford University Press.
- Cumyn, L., French, L., & Hechtman, L. (2009). Comorbidity in adults with attention-deficit hyperactivity disorder. *Canadian Journal of Psychiatry*, 54(10), 673–683.
- Czajkowski, N., Kendler, K. S., Jacobson, K. C., Tambs, K., Roysamb, E., & Reichborn-Kjennerud, T. (2008). Passive-aggressive (negativistic) personality disorder: A population-based twin study. *Journal of Personality Disorders*, 22(1), 109–122.
- Damasio, A. (2005). *Descartes' error: Emotion, reason, and the human brain*. New York: Penguin.
- Dattilio, F. M., & Padesky, C. A. (1990). *Cognitive therapy with couples*. Sarasota, FL: Professional Resource Exchange.
- David, D. (2003). Rational emotive behavior therapy (REBT): The view of a cognitive psychologist. In W. Dryden (Ed.), *Theoretical developments in REBT*. London: Brunner/Routledge.
- David, D. (in press). Rational emotive behavior therapy. In R. L. Cautin & S. O. Lilienfeld (Eds.), *Encyclopedia of clinical psychology*. Hoboken, NJ: Wiley-Blackwell.
- David, D., & DiGiuseppe, R. (2010). Social and cultural aspects of rational and irrational beliefs: A brief reconceptualisation. In D. David, S. J. Lynn, & A. Ellis (Eds.), *Rational and irrational beliefs: Research, theory, and clinical practice* (pp. 130–159). New York: Oxford University Press.
- David, D., Lynn, S., & Ellis, A. (Eds.). (2010). *Rational and irrational beliefs. Implications for research, theory, and practice* (pp. 49–62). New York: Oxford University Press.
- David, D., Matu, S., & David, O. A. (2013). New directions in virtual reality-based therapy for anxiety disorders. *International Journal of Cognitive Therapy*, 6, 114–137.
- David, D., & Montgomery, G. H. (2011). The scientific status of psychotherapies: A new evaluative framework for evidence-based psychosocial interventions. *Clinical Psychology: Science and Practice*, 18, 89–99.
- David, D., & Szentagotai, A. (2006). Cognition in cognitive behavior psychotherapies. *Clinical Psychology Review*, 26, 284–298.
- Davidson, K., Norrie, J., Tyrer, P., Gumley, A., Tata, P., Murray, H., et al. (2006). The effectiveness of cognitive behavior therapy for borderline personality disorder: Results from the borderline personality disorder study of cognitive therapy (BOSCOT) trial. *Journal of Personality Disorders*, 20, 450–465.
- Davidson, K. M., Tyrer, P., Norrie, J., Palmer, S. J., & Tyrer, H. (2010). Cognitive therapy

- v. usual treatment for borderline personality disorder: Prospective 6-year follow-up. *British Journal of Psychiatry*, 197(6), 456–462.
- Davidson, R. J., Pizzagalli, D., Nitschke, J. B., & Putnam, K. (2002). Depression: Perspectives from affective neuroscience. *Annual Review of Psychology*, 53, 545–574.
- Davies, E., & Burdett, J. (2004). Preventing schizophrenia. Creating the conditions for saner societies. In J. Read, L. R. Mosher, & R. P. Bentall (Eds.), *Models of madness: Psychological, social and biological approaches to schizophrenia* (pp. 271–282). Hove, UK: Brunner-Routledge.
- Davins-Pujols, M., Perez-Testor, C., Salamero-Baro, M., & Castillo-Garayoa, J. (2012). Personality profiles in abused women receiving psychotherapy according to the existence of childhood abuse. *Journal of Family Violence*, 27(2), 87–96.
- Davis, D. (2008). *Terminating psychotherapy: A professional guide to ending on a positive note*. Hoboken, NJ: Wiley.
- Davis, D., & Younggren, J. (2009). Ethical competence in psychotherapy termination. *Professional Psychology: Research and Practice*, 40(6), 572–578.
- Davis, M., Ressler, K., Rothbaum, B. O., & Richardson, R. (2006). Effects of D-cycloserine on extinction: Translation from preclinical to clinical work. *Biological Psychiatry*, 60(4), 369–375.
- Davison, S. E. (2002). Principles of managing patients with personality disorder. *Advances in Psychiatric Treatment*, 8, 1–9.
- Deisenhammer, E. A., Humber, M., Kemmler, G., Weiss, E. M., & Hinterhuber, H. (2007). Psychiatric hospitalizations during the last 12 months before suicide. *General Hospital Psychiatry*, 29, 63–65.
- Depue, R. A., & Collins, P. F. (1999). Neurobiology of the structure of personality: Dopamine, facilitation of incentive motivation, and extraversion. *Behavioral and Brain Sciences*, 22(3), 491–517; discussion 518–469.
- DeRubeis, R. J., Siegle, G. J., & Hollon, S. D. (2008). Cognitive therapy versus medication for depression: Treatment outcomes and neural mechanisms. *Nature Reviews Neuroscience*, 9(10), 788–796.
- Dickhaut, V., & Arntz, A. (2014). Combined group and individual schema therapy for borderline personality disorder: A pilot study. *Journal of Behavior Therapy and Experimental Psychiatry*, 45(2), 242–251.
- DiGiuseppe, R. (1996). The nature of irrational and rational beliefs: Progress in rational emotive behavior theory. *Journal of Rational-Emotive and Cognitive-Behavior Therapy*, 4, 5–28.
- DiGiuseppe, R., Doyle, K., Dryden, W., & Backx, W. (2013). *A practitioner's guide to rational-emotive therapy* (3rd ed.). New York: Oxford University Press.
- DiGiuseppe, R., Leaf, R., Exner, T., & Robin, M. W. (1988, September). *The development of a measure of rational/irrational thinking*. Paper presented at the World Congress of Behavior Therapy, Edinburgh, UK.
- Dimaggio, G., Attina, G., Popolo, R., & Salvatore, G. (2012). Complex case personality disorders with over-regulation of emotions and poor self-reflectivity: The case of a man with avoidant and not otherwise specified personality disorder and social phobia treated with metacognitive interpersonal therapy. *Personality and Mental Health*, 6, 156–162.
- Dimaggio, G., Carcione, A., Salvatore, G., Nicolo, G., Sisto, A., & Semerari, A. (2011). Progressively promoting metacognition in a case of obsessive-compulsive personality disorder treated with metacognitive interpersonal therapy. *Psychology and Psychotherapy: Theory, Research and Practice*, 84, 70–83.
- Dimeff, L., & Linehan, M. M. (2001). Dialectical behavior therapy in a nutshell. *California Psychologist*, 34, 10–13.
- Dimidjian, S., Hollon, S. D., Dobson, K. S., Schmaleng, K. B., Kohlenberg, R. J., Addis, M.

- E., et al. (2006). Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *Journal of Consulting and Clinical Psychology*, 74, 658–670.
- Disner, S. G., Beevers, C. G., Haigh, E. A., & Beck, A. T. (2011). Neural mechanisms of the cognitive model of depression. *Nature Reviews Neuroscience*, 12(8), 467–477.
- Disney, K. L. (2013). Dependent personality disorder: A critical review. *Clinical Psychology Review*, 33(8), 1184–1196.
- DiTomaso, R. A., Golden, B. A., & Morris, H. J. (Eds.). (2010). *Handbook of cognitive behavioral approaches in primary care*. New York: Springer.
- DiTomaso, R. A., & Gosch, E. A. (2007). *Anxiety disorders: A practitioner's guide to comparative treatments*. New York: Springer.
- Dixon-Gordon, K. L., Turner, B. J., & Chapman, A. L. (2011). Psychotherapy for personality disorders. *International Review of Psychiatry*, 23(3), 282–302.
- Doyle, M., & Logan, C. (2012). Operationalizing the assessment and management of violence risk in the short-term. *Behavioral Sciences and the Law*, 30, 406–419.
- Dreessen, L., & Arntz, A. (1995). *The Personality Disorder Beliefs Questionnaire (short version)*. Maastricht, The Netherlands: Author.
- Dubenstein, P. R., & Conwell, Y. (1997). Personality disorders and completed suicide: A methodological and conceptual review. *Clinical Psychology: Science and Practice*, 4(4), 359–376.
- Dubenstein, P. R., & Witte, T. (2009). Suicide risk in personality disorders: An argument for a public health perspective. In P. M. Kleespies (Ed.), *Behavioral emergencies: An evidence-based resource for evaluating and managing risk of suicide, violence, and victimization* (pp. 257–286). Washington, DC: American Psychological Association.
- Duff, A. (2003). Managing personality disorders: Making positive connections. *Nursing Management*, 10(6), 27–30.
- Duman, R. S., & Aghajanian, G. K. (2012). Synaptic dysfunction in depression: Potential therapeutic targets. *Science*, 338(6103), 68–72.
- Dutton, D. G. (2006). *Rethinking domestic violence*. Vancouver: University of British Columbia Press.
- Dutton, D. G., & Hart, S. D. (1992). Risk markers for family violence in a federally incarcerated population. *International Journal of Law and Psychiatry*, 15, 101–112.
- Eckhardt, C., Holtzworth-Munroe, A., Norlander, B., Sibley, A., & Cahill, M. (2008). Readiness to change, partner violence subtypes, and treatment outcomes among men in treatment for partner assault. *Violence and Victims*, 23(4), 446–475.
- Edens, J. F., Marcus, D. K., Lilienfeld, S. O., & Poythress, N. G., Jr. (2006). Psychopathic, not psychopath: Taxometric evidence for the dimensional structure of psychopathy. *Journal of Abnormal Psychology*, 115(1), 131–144.
- Edwards, G. (2013). Tarasoff, duty to warn laws, and suicide. *International Review of Law and Economics*, 34, 1–8.
- Eisely, L. (1961). *Darwin's century*. Garden City, NY: Doubleday/Anchor.
- Ekselius, L., Tillfors, M., Furmark, T., & Fredrikson, M. (2001). Personality disorders in the general population: DSM-IV and ICD-10 defined prevalence as related to sociodemographic profile. *Personality and Individual Differences*, 30, 311–320.
- El-Gabalawy, R., Katz, L. Y., & Sareen, J. (2010). Comorbidity and associated severity of borderline personality disorder and physical health conditions in a nationally representative sample. *Psychosomatic Medicine*, 72, 641–647.
- Ellis, A. (1957). Rational psychotherapy and individual psychology. *Journal of Individual Psychology*, 13, 38–44.
- Ellis, A. (1962). *Reason and emotion in psychotherapy*. New York: Stuart.
- Ellis, A. (1994). *Reason and emotion in psychotherapy* (rev. ed.). Secaucus, NJ: Birch Lane. (Original work published 1962)
- Ellis, A. (2003). Similarities and differences between rational emotive behavior therapy and

- cognitive therapy. *Journal of Cognitive Psychotherapy: An International Quarterly*, 17, 225–240.
- Emmelkamp, P. M. G., Benner, A., Kuipers, A., Feiertag, G. A., Koster, H. C., & van Apeldoorn, F. J. (2006). Comparison of brief dynamic and cognitive-behavioural therapies in avoidant personality disorder. *British Journal of Psychiatry*, 189, 60–64.
- Etkin, A., & Schatzberg, A. F. (2011). Common abnormalities and disorder-specific compensation during implicit regulation of emotional processing in generalized anxiety and major depressive disorders. *American Journal of Psychiatry*, 168(9), 968–978.
- Evans, K., Tyrer, P., Catalan, J., Schmidt, U., Davidson, K., Dent, J., et al. (1999). Manual-assisted cognitive behavior therapy (MACT): A randomized controlled trial of a brief intervention with bibliotherapy in the treatment of recurrent deliberate self-harm. *Psychological Medicine*, 29, 19–25.
- Evershed, S. (2011). Treatment of personality disorder: Skills-based therapies. *Advances in Psychiatric Treatment*, 17, 206–213.
- Exner, J. E. (2003). *The Rorschach: A comprehensive system: Vol. I. Basic foundations* (4th ed.). New York: Wiley.
- Fagin, L. (2004). Management of personality disorders in acute care settings: Part 2. Less common personality disorders. *Advances in Psychiatric Treatment*, 10, 100–106.
- Falicov, C. J. (1995). Training to think culturally: A multidimensional comparative framework. *Family Process*, 34(4), 373–388.
- Farmer, R. F., & Chapman, A. L. (2002). Evaluation of DSM-IV personality disorder criteria as assessed by the structured clinical interview for DSM-IV personality disorders. *Comprehensive Psychiatry*, 43(4), 285–300.
- Farrell, J. M., & Shaw, I. A. (1994). Emotion awareness training: A prerequisite to effective cognitive-behavioral treatment of borderline personality disorder. *Cognitive and Behavioral Practice*, 1, 71–91.
- Farrell, J. M., Shaw, I. A., & Webber, A. A. (2009). A schema-focused approach to group psychotherapy for outpatients with borderline personality disorder: A randomized controlled trial. *Behavior Therapy and Experimental Psychiatry*, 40, 317–328.
- Feenstra, D. J., Hutsebaut, J., Laurensen, E. M. P., Verheul, R., Busschbach, J. J. V., & Soeteman, D. I. (2012). The burden of disease among adolescents with personality pathology: Quality of life and costs. *Journal of Personality Disorders*, 26, 593–604.
- Feldman, B. N., & Freedenthal, S. (2006). Social work education in suicide intervention and prevention: An unmet need? *Suicide and Life-Threatening Behavior*, 36(4), 467–480.
- First, M., Gibbon, M., Spitzer, R., Williams, J., & Benjamin, L. (1997). *Structured Clinical Interview for DSM-IV Axis II Personality Disorders (SCID-II)*. Washington, DC: American Psychiatric Press.
- First, M. B., Bell, C. C., Cuthbert, B. N., Krystal, J. H., Malison, R., Offord, D. R., et al. (2002). Personality disorders and relational disorders: A research agenda for addressing crucial gaps in DSM. In D. J. Kupfer (Ed.), *A research agenda for DSM-V* (pp. 123–200). Washington, DC: American Psychiatric Press.
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (1995). The Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II): Part I. Description. *Journal of Personality Disorders*, 9, 83–91.
- Fossati, A., Beauchaine, T. P., Grazioli, F., Carretta, I., Cortinovis, F., & Maffei, C. (2005). A latent structure analysis of diagnostic and statistical manual of mental disorders: Fourth edition. Narcissistic personality disorder criteria. *Comprehensive Psychiatry*, 46(5), 361–367.
- Fossati, A., Maffei, C., Bagnato, M., Donati, D., Donini, M., Fiorelli, M., & Norella, L. (2000). A psychometric study of DSM-IV passive-aggressive (negativistic) personality disorder criteria. *Journal of Personality Disorders*, 14(1), 72–83.
- Fournier, J. C., DeRubeis, R. J., & Beck, A. T. (2011). Dysfunctional cognitions in personality

- pathology: The structure and validity of the Personality Belief Questionnaire. *Psychological Medicine*, 42(4), 1–11.
- Frankenburg, F., & Zanarini, M. (2006). Personality disorders and medical comorbidity. *Current Opinions in Psychiatry*, 19, 428–431.
- Freeman, A. (2002). *Cognitive-behavioral therapy for severe personality disorders*. In S. G. Hofmann & M. C. Thompson (Eds.), *Treating chronic and severe mental disorders* (pp. 382–402). New York: Guilford Press.
- Freeman, A., & Dolan, M. (2001). Revisiting Prochaska and DiClemente's stages of change theory: An expansion and specification to aid in treatment planning and outcome evaluation. *Cognitive and Behavioral Practice*, 8(3), 224–234.
- Freeman, A., Felgoise, S., & Davis, D. (2008). *Clinical psychology: Integrating science and practice*. Hoboken, NJ: Wiley.
- Freeman, A., & Fusco, G. (2000). Treating high-arousal patients: Differentiating between patients in crisis and crisis-prone patients. In F. M. Dattilio & A. Freeman (Eds.), *Cognitive-behavioral strategies in crisis intervention* (2nd ed., pp. 27–58). New York: Guilford Press.
- Freeman, A., & Leaf, R. (1989). Cognitive therapy applied to personality disorders. In A. Freeman, K. Simon, L. Beutler, & H. Arkowitz (Eds.), *Comprehensive handbook of cognitive therapy* (pp. 403–433). New York: Plenum Press.
- Freeman, A., Pretzer, J., Fleming, B., & Simon, K. M. (1990). *Clinical applications of cognitive therapy*. New York: Plenum Press.
- Freeman, A., Pretzer, J., Fleming, B., & Simon, K. M. (2004). *Clinical applications of cognitive therapy* (2nd ed.). New York: Springer.
- Freeman, A., & Rock, G. E. (2008). Personality disorders. In M. A. Whisman (Ed.), *Adapting cognitive therapy for depression: Managing complexity and comorbidity* (pp. 255–279). New York: Guilford Press.
- Friedman, R. C., Aronoff, M. S., Clarkin, J. F., Corn, R., & Hurt, S. W. (1983). History of suicidal behavior in depressed borderline inpatients. *American Journal of Psychiatry*, 140, 1023–1026.
- Fuller, J. R., DiGiuseppe, R., O'Leary, S., Fountain, T., & Lang, C. (2010). An open trial of a comprehensive anger treatment program on an outpatient sample. *Behavioural and Cognitive Psychotherapy*, 38(4), 485.
- Furnham, A., & Trickey, G. (2011). Sex differences in the dark side traits. *Personality and Individual Differences*, 50, 517–522.
- Fusco, G. M., & Freeman, A. (2004). *Borderline personality disorder: A patient's guide to taking control*. New York: Norton.
- Fusco, G. M., & Freeman, A. (2007a). Negativistic personality disorder in children and adolescents. In A. Freeman & M. A. Reinecke (Eds.), *Personality disorders in children and adolescents* (pp. 639–679). Hoboken, NJ: Wiley.
- Fusco, G. M., & Freeman, A. (2007b). Treating high-arousal patients: Differentiating between patients in crisis and crisis-prone patients. In F. M. Dattilio & A. Freeman (Eds.), *Cognitive-behavioral strategies in crisis intervention* (3rd ed., pp. 122–150). New York: Guilford Press.
- Gardner, D. L., & Cowdry, R. W. (1985). Alprazolam-induced dyscontrol in borderline personality disorder. *American Journal of Psychiatry*, 142, 98–100.
- Germer, C. K., Siegel, R. D., & Fulton, P. R. (2013). *Mindfulness and psychotherapy* (2nd ed.). New York: Guilford Press.
- Gibbon, S., Duggan, C., Stoffers, J., Huband, N., Völm, B. A., Ferriter, M., et al. (2010). Psychological interventions for antisocial personality disorder. *Cochrane Database of Systematic Reviews*, Article No. CD007668.
- Giesen-Bloo, J., van Dyck, R., Spinhoven, P., van Tilburg, W., Dirksen, C., van Asselt, T., et al. (2006). Outpatient psychotherapy for borderline personality disorder, randomized

- trial of schema-focused therapy vs transference-focused psychotherapy. *Archives of General Psychiatry*, 63, 649–658.
- Gilbert, F., & Daffern, M. (2011). Illuminating the relationship between personality disorder and violence: Contributions of the general aggression model. *Psychology of Violence*, 1(3), 230–244.
- Gilbert, P. (1989). *Human nature and suffering*. Hillsdale, NJ: Erlbaum.
- Gilbert, P. (2009). *The compassionate mind: A new approach to life's challenges*. Oakland, CA: New Harbinger.
- Gilbert, P. (2010). *Compassion focused therapy: Distinctive features*. New York: Routledge.
- Gilbert, P., McEwan, K., Mitra, R., Franks, L., Richter, A., & Rockliff, H. (2008). Feeling safe and content: A specific affect regulation system?: Relationship to depression, anxiety, stress, and self-criticism. *Journal of Positive Psychology*, 3, 182–191.
- Gilson, M. L. (1983). Depression as measured by perceptual bias in binocular rivalry. *Dissertation Abstracts International*, 44(8B), 2555. (University Microfilms No. AAD83–27351)
- Glynn, L. H., & Moyers, T. B. (2010). Chasing change talk: The clinician's role in evoking client language about change. *Journal of Substance Abuse Treatment*, 39, 65–70.
- Goodwin, R. D., Brook, J. S., & Cohen, P. (2005). Panic attacks and the risk of personality disorders. *Psychological Medicine*, 35, 227–235.
- Gore, W. L., & Widiger, T. A. (2013). The DSM-5 dimensional trait model and five-factor models of general personality. *Journal of Abnormal Psychology*, 122(3), 816–821.
- Grace, A. A., & Bunney, B. S. (1984). The control of firing pattern in nigral dopamine neurons: Burst firing. *Journal of Neuroscience*, 4(11), 2877–2890.
- Grant, B. F., Stinson, F. S., Dawson, D. A., Chou, S. P., Ruan, W. J., & Pickering, R. P. (2004). Co-occurrence of 12-month alcohol and drug use disorders and personality disorders in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Archives of General Psychiatry*, 61(4), 361–368.
- Gratz, K., & Gunderson, J. (2006). Preliminary data on acceptance-based emotion regulation group intervention for deliberate self-harm among women with borderline personality disorder. *Behavior Therapy*, 37, 25–35.
- Gray, J. A. (1987). *The neuropsychology of anxiety: An enquiry into the functions of the septo-hippocampal system*. New York: Oxford University Press.
- Grecucci, A., Giorgetta, C., Brambilla, P., Zuanon, S., Perini, L., Balestrieri, M., et al. (2013). Anxious ultimatums: How anxiety disorders affect socioeconomic behaviour. *Cognition and Emotion*, 27(2), 230–244.
- Grecucci, A., Giorgetta, C., Van't Wout, M., Bonini, N., & Sanfey, A. G. (2013). Reappraising the ultimatum: An fMRI study of emotion regulation and decision making. *Cerebral Cortex*, 23(2), 399–410.
- Greenberger, D., & Padesky, C. A. (1995). *Mind over mood: Change how you feel by changing the way you think*. New York: Guilford Press.
- Gresham, F. M., MacMillan, D. L., Bocian, K. M., Ward, S. L., & Forness, S. R. (1998). Comorbidity of hyperactivity–impulsivity–inattention and conduct problems: Risk factors in social, affective, and academic domains. *Journal of Abnormal Child Psychology*, 26, 393–406.
- Grilo, C. M., McGlashan, T. H., Morey, L. C., Gunderson, J. G., Skodol, A. E., Shea, M. T., et al. (2001). Internal consistency, intercriteria overlap and diagnostic efficiency of criteria sets for DSM-IV schizotypal, borderline, avoidant and obsessive–compulsive personality disorders. *Acta Psychiatrica Scandinavica*, 104(4), 264–272.
- Grilo, C. M., Stout, R. L., Markowitz, J. C., Sanislow, C. A., Ansell, E. B., Skodol, A. E., et al. (2010). Personality disorders predict relapse after remission from an episode of major depressive disorder: A 6-year prospective study. *Journal of Clinical Psychiatry*, 71, 1629–1635.

- Gross, R., Olfson, M., Gameroff, M., Shea, S., Feder, A., Fuentes, M., et al. (2002). Borderline personality disorder in primary care. *Archives of Internal Medicine*, 162, 53–60.
- Gudjonsson, G. H., & Main, N. (2008). How are personality disorders related to compliance? *Journal of Forensic Psychiatry and Psychology*, 19(2), 180–190.
- Gunderson, J. G. (1996). The borderline patient's intolerance of aloneness: Insecure attachments and therapist availability. *American Journal of Psychiatry*, 153, 752–758.
- Gunderson, J. G. (2010). Commentary on "Personality traits and the classification of mental disorders: Toward a more complete integration in DSM-5 and an empirical model of psychopathology." *Personality Disorders: Theory, Research, and Treatment*, 1(2), 119–122.
- Gunderson, J. G. (2011). Clinical practice: Borderline personality disorder. *New England Journal of Medicine*, 364, 2037–2042.
- Gunderson, J. G., Morey, L. C., Stout, R. L., Skodol, A. E., Shea, M. T., McGlashan, T. H., et al. (2004). Major depressive disorder and borderline personality disorder revisited: Longitudinal interactions. *Journal of Clinical Psychiatry*, 65, 1049–1056.
- Gunderson, J. G., Phillips, K. A., Triebwasser, J., & Hirschfeld, R. M. A. (1994). The Diagnostic Interview for Depressive Personality. *American Journal of Psychiatry*, 151, 1300–1304.
- Gunderson, J. G., Stout, R. L., McGlashan, T. H., Shea, M. T., Morey, L. C., Grilo, C. M., et al. (2011). Ten-year course of borderline personality disorder psychopathology and function from the Collaborative Longitudinal Personality Disorders Study. *Archives of General Psychiatry*, 68, 827–837.
- Gutierrez, F., Vall, G., Peri, J. M., Bailles, E., Ferraz, L., Garriz, M., et al. (2012). Personality disorder features through the life course. *Journal of Personality Disorders*, 26(5), 763–774.
- Guy, J., Brown, C., & Poelstra, P. (1990). Who gets attacked?: A national survey of patient violence directed at psychologists in clinical practice. *Professional Psychology: Research and Practice*, 21, 493–495.
- Guzzo, L., Cadeau, N. D., Hogg, S. M., & Brown, G. (2012, June). *Mental health, criminogenic needs, and recidivism: An in depth look into the relationship between mental health and recidivism*. Paper presented at the 73rd annual convention of Canadian Psychological Association, Halifax, Nova Scotia.
- Haaland, A. T., Vogel, P. A., Launes, G., Haaland, V. Ø., Hansen, B., Solem, S., et al. (2011). The role of early maladaptive schemas in predicting exposure and response prevention outcome for obsessive-compulsive disorder. *Behaviour Research and Therapy*, 49(11), 783–788.
- Haas, B. W., Omura, K., Constable, R. T., & Canli, T. (2007). Emotional conflict and neuroticism: Personality-dependent activation in the amygdala and subgenual anterior cingulate. *Behavioral Neuroscience*, 121(2), 249.
- Hadjipavlou, G., & Ogrodniczuk, J. S. (2010). Promising psychotherapies for personality disorders. *Canadian Journal of Psychiatry*, 55(4), 202–210.
- Hamilton, J. P., Etkin, A., Furman, D. J., Lemus, M. G., Johnson, R. F., & Gotlib, I. H. (2012). Functional neuroimaging of major depressive disorder: A meta-analysis and new integration of base line activation and neural response data. *American Journal of Psychiatry*, 169(7), 693–703.
- Hankin, B. L., Abramson, L. Y., Miller, N., & Haeffel, G. J. (2004). Cognitive vulnerability–stress theories of depression: Examining affective specificity in the prediction of depression versus anxiety in three prospective studies. *Cognitive Therapy and Research*, 28, 309–345.
- Hankin, B. L., Abramson, L. Y., & Siler, M. (2001). A prospective test of the hopelessness theory of depression in adolescents. *Cognitive Therapy and Research*, 25, 607–625.
- Hardy, G. E., Barkham, M., Shapiro, D. A., Stiles, W. B., Rees, A., & Reynolds, S. (1995). Impact of Cluster C personality disorders on outcomes of contrasting brief

- psychotherapies for depression. *Journal of Consulting and Clinical Psychology*, 63(6), 997–1004.
- Hare, R. D. (1996). Psychopathy: A clinical construct whose time has come. *Criminal Justice and Behavior*, 23, 25–54.
- Hare, R. D. (2003). *The Hare Psychopathy Checklist—Revised manual* (2nd ed.). Toronto, Ontario, Canada: Multi-Health Systems.
- Hare, R. D., & Neumann, C. S. (2008). Psychopathy as a clinical and empirical construct. *Annual Review of Clinical Psychology*, 4, 217–246.
- Harper, R. G. (2004). Personality disorders not otherwise specified. In T. Millon (Ed.), *Personality guided therapy in behavioral medicine* (pp. 277–318). Washington, DC: American Psychological Association.
- Harris, D., & Batki, S. L. (2000). Stimulant psychosis: Symptom profile and acute clinical course. *American Journal on Addictions*, 9(1), 28–37.
- Harris, G. T., Rice, M. E., & Quinsey, V. L. (1994). Psychopathy as a taxon: Evidence that psychopaths are a discrete class. *Journal of Consulting and Clinical Psychology*, 62(2), 387–397.
- Hasin, D., Fenton, M. C., Skodol, A., Krueger, R., Keyes, K., Geier, T., et al. (2011). Personality disorders and the three-year course of alcohol, drug, and nicotine use disorders. *Archives of General Psychiatry*, 68, 1158–1167.
- Hathaway, W., & Tan, E. (2009). Religiously oriented mindfulness-based cognitive therapy. *Journal of Clinical Psychology: In Session*, 65(2), 158–171.
- Hawke, L. D., Provencher, M. D., & Arntz, A. (2011). Early maladaptive schemas in the risk for bipolar spectrum disorders. *Journal of Affective Disorders*, 133(3), 428–436.
- Hayes, S. C., & Strosahl, K. D. (2004). *A practical guide to acceptance and commitment therapy*. New York: Springer.
- Hayes, S. C., Strosahl, K. D., & Wilson, K. G. (Eds.). (2011). *Acceptance and commitment therapy: The process and practice of mindful change*. New York: Guilford Press.
- Hayward, M., & Moran, P. (2007). Personality disorder and pathways to inpatient psychiatric care. *Social Psychiatry and Psychiatric Epidemiology*, 42, 502–506.
- Hazlett, E. A., Zhang, J., New, A. S., Zelmanova, Y., Goldstein, K. E., Haznedar, M. M., et al. (2012). Potentiated amygdala response to repeated emotional pictures in borderline personality disorder. *Biological Psychiatry*, 72(6), 448–456.
- Heisel, M. J., Links, P. S., Conn, D., van Reekum, R., & Flett, G. L. (2007). Narcissistic personality and vulnerability to late-life suicidality. *American Journal of Geriatric Psychiatry*, 15, 734–741.
- Hend, S., Baker, J., & Williamson, D. (1991). Family environment characteristics and dependent personality disorder. *Journal of Personality Disorders*, 5, 256–263.
- Hesse, M., & Moran, P. (2010). Screening for personality disorder with the Standardised Assessment of Personality: Abbreviated Scale (SAPAS): Further evidence of concurrent validity. *BMC Psychiatry*, 10(1), 10.
- Hill, A. B. (1976). Methodological problems in the use of factor analysis: A critical review of the experimental evidence for the anal character. *British Journal of Medical Psychology*, 49, 145–159.
- Hinton, D. E., Rivera, E. I., Hofmann, S. G., Barlow, D. H., & Otto, M. W. (2012). Adapting CBT for traumatized refugees and ethnic minority patients: Examples from culturally-adapted CBT (CA-CBT). *Transcultural Psychiatry*, 49(2), 340–365.
- Hirschfeld, R. M. A. (1999). Personality disorders and depression: Comorbidity. *Depression and Anxiety*, 10, 142–146.
- Hirschfeld, R. M. A., Klerman, G. L., Clayton, P. J., Keller, M. B., McDonald-Scott, P., & Larkin, B. H. (1983). Assessing personality: Effects of the depressive state on trait measurement. *American Journal of Psychiatry*, 140, 695–699.
- Hofmann, S. G. (2007). Enhancing exposure-based therapy from a translational research perspective. *Behaviour Research and Therapy*, 45(9), 1987–2001.

- Hofmann, S. G., Glombiewski, J., Asnaani, A., & Sawyer, A. T. (2011). Mindfulness and acceptance: The perspective of cognitive therapy. In J. D. Herbert & E. M. Forman (Eds.), *Acceptance and mindfulness in cognitive behavior therapy: Understanding and applying the new therapies* (pp. 267–290). Hoboken, NJ: Wiley.
- Hofmann, S. G., Meuret, A. E., Smits, J. A., Simon, N. M., Pollack, M. H., Eisenmenger, K., et al. (2006). Augmentation of exposure therapy with D-cycloserine for social anxiety disorder. *Archives of General Psychiatry*, 63(3), 298–304.
- Hofmann, S. G., Pollack, M. H., & Otto, M. W. (2006). Augmentation treatment of psychotherapy for anxiety disorders with D-cycloserine. *CNS Drug Reviews*, 12(3–4), 208–217.
- Hogan, R. (1987). Personality psychology: Back to basics. In J. Aronoff, A. I. Robin, & R. A. Zucker (Eds.), *The emergence of personality* (pp. 141–188). New York: Springer.
- Hogan, R., Johnson, J., & Briggs, S. (Eds.). (1997). *Handbook of personality psychology*. New York: Academic Press.
- Hollandsworth, J., & Cooley, M. (1978). Provoking anger and gaining compliance with assertive versus aggressive responses. *Behavior Therapy*, 9(4), 640–646.
- Hollon, S. D., & Beck, A. T. (2004). Cognitive and cognitive behavioral therapies. In M. J. Lambert (Ed.), *Bergin and Garfield's handbook of psychotherapy and behavior change* (5th ed., pp. 447–492). New York: Wiley.
- Hollon, S. D., & Kendall, P. C. (1980). Cognitive self-statements in depression: Development of an Automatic Thoughts Questionnaire. *Cognitive Therapy and Research*, 4, 383–395.
- Holtzworth-Munroe, A., Meehan, J. C., Herron, K., Rehman, U., & Stuart, G. L. (2000). Testing the Holtzworth-Munroe and Stuart (1994) batterer typology. *Journal of Consulting and Clinical Psychology*, 68, 1000–1019.
- Hopwood, C. J., Morey, L. C., Markowitz, J. C., Pinto, A., Skodol, A. E., Gunderson, J. G., et al. (2009). The construct validity of passive-aggressive personality disorder. *Psychiatry: Interpersonal and Biological Processes*, 72(3), 256–267.
- Hopwood, C. J., Schade, N., Krueger, R. F., Wright, A. G., & Markon, K. E. (2013). Connecting DSM-5 personality traits and pathological beliefs: Toward a unifying model. *Journal of Psychopathology and Behavioral Assessment*, 35(2), 1–11.
- Howes, O. D., Bose, S. K., Turkheimer, F., Valli, I., Egerton, A., Valmaggia, L. R., et al. (2011). Dopamine synthesis capacity prior to the subsequent onset of psychosis: An [18F]-DOPA PET imaging study. *American Journal of Psychiatry*, 168(12), 1311.
- Huprich, S. K. (2004). Convergent and discriminant validity of three measures of depressive personality disorder. *Journal of Personality Assessment*, 8, 321–328.
- Huprich, S. K. (2005). Differentiating avoidant and depressive personality disorders. *Journal of Personality Disorders*, 19, 659–673.
- Huprich, S. K. (2009). What should become of depressive personality disorder in DSM-V? *Harvard Review of Psychiatry*, 17, 41–59.
- Huprich, S. K. (2012). Considering the evidence and making the most empirically informed decision about depressive personality disorder in DSM-5. *Personality Disorders: Theory, Research and Treatment*, 3, 470–482.
- Huprich, S. K., Margrett, J., Barthelemy, K. J., & Fine, M. A. (1996). The Depressive Personality Disorders Inventory: An initial examination of its psychometric properties. *Journal of Clinical Psychology*, 52, 153–159.
- Huttlinger, K. W. (2013). People of Appalachian heritage. In L. D. Purnell (Ed.), *Transcultural health care: A culturally competent approach* (4th ed., pp. 137–158). Philadelphia: Davis.
- Hyldahl, R. S., & Richardson, B. (2011). Key considerations using no-harm contracts with clients who self-injure. *Journal of Counseling and Development*, 89, 121–127.
- Hyler, S. E., & Rieder, R. O. (1987). *PDQ-R: Personality Diagnostic Questionnaire—Revised*. New York: New York State Psychiatric Institute.

- Ilardi, S., & Craighead, W. E. (1995). Personality pathology and response to somatic treatments for major depression: A critical review. *Depression, 2*, 200–217.
- Iwamasa, G. Y., Larrabee, A. L., & Merritt, R. D. (2000). Are personality disorder criteria ethnically biased?: A card-sort analysis. *Cultural Diversity and Ethnic Minority Psychology, 6*(3), 284–296.
- Jacobs, G. A., & Arntz, A. (2013). Schema therapy for personality disorders—a review. *International Journal of Cognitive Therapy, 6*, 171–185.
- John, O. P., Robinson, R. W., & Pervin, L. A. (Eds.). (2010). *Handbook of personality: Theory and research*. New York: Guilford Press.
- Johnson, J., Smailes, E., Cohen, P., Brown, J., & Bernstein, D. (2000). Associations between four types of childhood neglect and personality disorder symptoms during adolescence and early adulthood: Findings of a community-based longitudinal study. *Journal of Personality Disorders, 14*(2), 171–187.
- Johnson, J. G., Cohen, P., Chen, H., Kasen, S., & Brook, J. S. (2006). Parenting behaviors associated with risk for offspring personality disorder during adulthood. *Archives of General Psychiatry, 63*, 579–587.
- Johnson, J. G., Cohen, P., Kasen, S., & Brook, J. S. (2005). Personality disorder traits associated with risk for unipolar depression during middle adulthood. *Psychiatry Research, 136*, 113–121.
- Johnson, J. G., Cohen, P., Kasen, S., & Brook, J. S. (2006). Personality disorders evident by early adulthood and risk for anxiety disorders during middle adulthood. *Anxiety Disorders, 20*, 408–426.
- Johnson, J. G., Cohen, P., Kasen, S., Skodol, A. E., & Oldham, J. M. (2008). Cumulative prevalence of personality disorders between adolescence and adulthood. *Acta Psychiatrica Scandinavica, 118*, 410–413.
- Johnson, J. G., Cohen, P., Smailes, E., Kasen, S., Oldham, J. M., Skodol, A. E., et al. (2000). Adolescent personality disorders associated with violence and criminal behavior during adolescence and early adulthood. *American Journal of Psychiatry, 157*(9), 1406–1412.
- Joiner, T. (2000). Depressions vicious scree: Self-propagating and erosive processes in depression chronicity. *Clinical Psychology: Science and Practice, 7*, 203–218.
- Joiner, T. E., & Rudd, M. D. (2002). The incremental validity of passive-aggressive personality symptoms rivals or exceeds that of other personality symptoms in suicidal outpatients. *Journal of Personality Assessment, 79*(1), 161–170.
- Jones, A., Laurens, K., Herba, C., Barker, G., & Viding, E. (2009). Amygdala hypoactivity to fearful faces in boys with conduct problems and callous-unemotional traits. *American Journal of Psychiatry, 166*(1), 95–102.
- Jones, S. H., Burrell-Hodgson, G., & Tate, G. (2007). Relationships between the personality beliefs questionnaire and self-rated personality disorders. *British Journal of Clinical Psychology/British Psychological Society, 46*(2), 247–251.
- Joyce, P. R., McKenzie, J. M., Carter, J. D., Rae, A. M., Luty, S. E., Frampton, C. M. A., et al. (2007). Temperament, character and personality disorders as predictors of response to interpersonal psychotherapy and cognitive-behavioural therapy for depression. *British Journal of Psychiatry, 190*, 503–508.
- Juni, S., & Semel, S. R. (1982). Person perception as a function of orality and anality. *Journal of Social Psychology, 118*, 99–103.
- Kagan, J. (1989). Temperamental contributions to social behavior. *American Psychologist, 44*(4), 668–674.
- Kagan, J., Reznick, J. S., & Snidman, N. (1987). The physiology and psychology of behavioral inhibition in children. *Child Development, 58*(6), 1459–1473.
- Kampman, M., Keijsers, G. P. J., Hoogduin, C. A. L., & Hendriks, G. J. (2008). Outcome prediction of cognitive behaviour therapy for panic disorder: Initial symptom severity is predictive for treatment outcome, comorbid anxiety or depressive disorder, Cluster

- C personality disorders and initial motivation are not. *Behavioural and Cognitive Psychotherapy*, 36, 99–112.
- Kantor, M. (2002). *Passive-aggression. A guide for the therapist, the patient, and the victim*. Westport, CT: Greenwood.
- Kaplan, M. S., Asnis, G. M., Sanderson, W. C., & Keswani, L. (1994). Suicide assessment: Clinical interview vs. self report. *Journal of Clinical Psychology*, 50(2), 294–298.
- Kapur, S., Phillips, A. G., & Insel, T. R. (2012). Why has it taken so long for biological psychiatry to develop clinical tests and what to do about it? *Molecular Psychiatry*, 17(12), 1174–1179.
- Kaufman, A. R., & Way, B. (2010). North Carolina resident psychiatrists' knowledge of the commitment statutes: Do they stray from the legal standard in the hypothetical application of involuntary commitment criteria? *Psychiatric Quarterly*, 81, 363–367.
- Kazantzis, N., Whittington, C., & Dattilio, F. (2010). Meta-analysis of homework effects in cognitive and behavioral therapy: A replication and extension. *Clinical Psychology: Science and Practice*, 17, 144–156.
- Kelly, G. (1955). *The psychology of personal constructs*. New York: Norton.
- Kendler, K. S., Myers, J., Torgersen, S., Neale, M. C., & Reichborn-Kjennerud, T. (2007). The heritability of cluster A personality disorders assessed by both personal interview and questionnaire. *Psychological Medicine*, 37(5), 655–666.
- Kendler, K. S., Prescott, C. A., Myers, J., & Neale, M. C. (2003). The structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women. *Archives of General Psychiatry*, 60(9), 929–937.
- Kernis, M. (2005). Measuring self-esteem in context: The importance of stability of self-esteem in psychological functioning. *Journal of Personality*, 73, 1–37.
- Kessler, R. C., Chiu, W. T., Demler, O., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 617–627.
- Keulen-de Vos, M. K., Bernstein, D. P., & Arntz, A. (2014). Schema therapy for aggressive offenders with personality disorders. In R. C. Tafrate & D. Mitchell (Eds.), *Forensic CBT: A handbook for clinical practice* (pp. 66–83). Chichester, UK: Wiley.
- Khalifa, N., Duggan, C., Stoffers, J., Huband, N., Völlm, B. A., Ferriter, M., et al. (2010). Pharmacological interventions for antisocial personality disorder. *Cochrane Database of Systematic Reviews*, Article No. CD007667. DOI: 10.1002/14651858.CD007667.pub2.
- Kiehl, K. A., Smith, A. M., Hare, R. D., Mendrek, A., Forster, B. B., Brink, J., et al. (2001). Limbic abnormalities in affective processing by criminal psychopaths as revealed by functional magnetic resonance imaging. *Biological Psychiatry*, 50(9), 677–684.
- Kimmerling, R., Zeiss, A., & Zeiss, R. (2000). Therapist emotional responses to patients: Building a learning-based language. *Cognitive and Behavioral Practice*, 7, 312–321.
- Kincade, S. R., & McBride, D. (2009). CBT and autism spectrum disorders: A comprehensive literature review. Retrieved from <http://files.eric.ed.gov/fulltext/ED506298.pdf>.
- King-Casas, B., & Chiu, P. H. (2012). Understanding interpersonal function in psychiatric illness through multiplayer economic games. *Biological Psychiatry*, 72(2), 119–125.
- King-Casas, B., Sharp, C., Lomax-Bream, L., Lohrenz, T., Fonagy, P., & Montague, P. R. (2008). The rupture and repair of cooperation in borderline personality disorder. *Science*, 321(5890), 806–810.
- Kleespies, P. M., Deleppo, J. D., Gallagher, P. L., & Niles, B. L. (1999). Managing suicidal emergencies: Recommendations for the practitioner. *Professional Psychology: Research and Practice*, 30(5), 454–463.
- Kleespies, P. M., & Dettmer, E. L. (2000). The stress of patient emergencies for the clinician: Incidence, impact, and means of coping. *Journal of Clinical Psychology*, 56(10), 1353–1369.

- Kleespies, P. M., Marshall, S., Pokrajac, T., & Amodio, R. (1994). Case consultation: The transition from inpatient to outpatient care: Comment. *Suicide and Life-Threatening Behavior*, 24, 305–307.
- Kleespies, P. M., Penk, W. E., & Forsyth, J. P. (1993). The stress of patient suicidal behavior during clinical training: Incidence, impact, and recovery. *Professional Psychology, Research and Practice*, 24(3), 293–303.
- Kleespies, P. M., & Richmond, J. S. (2009). Evaluating behavioral emergencies: The clinical interview. In P. M. Kleespies (Ed.), *Behavioral emergencies: An evidence-based resource for evaluating and managing risk of suicide, violence, and victimization* (pp. 33–55). Washington, DC: American Psychological Association.
- Kleespies, P. M., Van Orden, K. A., Bongar, B., Bridegman, D., Bufka, L. F., Galper, D. I., et al. (2011). Psychologist suicide: Incidence, impact, and suggestions for prevention, intervention, and postvention. *Professional Psychology*, 42(3), 244–251.
- Klein, D. N. (1999). Commentary on Ryder and Bagby's "Diagnostic viability of depressive personality disorder: Theoretical and conceptual issues." *Journal of Personality Disorders*, 118, 118–127.
- Klein, D. N., & Shih, J. H. (1998). Depressive personality: Associations with DSM-III-R mood and personality disorders and negative and positive affectivity, 30-month stability, and prediction of course of Axis I depressive disorders. *Journal of Abnormal Psychology*, 107, 319–327.
- Kliem, S., Kröger, C., & Kosfelder, J. (2010). Dialectical behavior therapy for borderline personality disorder: A meta-analysis using mixed-effects modeling. *Journal of Consulting and Clinical Psychology*, 78, 936–951.
- Knight, K., Garner, B. R., Simpson, D. D., Morey, J. T., & Flynn, P. M. (2006). An assessment for criminal thinking. *Crime and Delinquency*, 52, 159–177.
- Koch, C. (2012). Modular biological complexity. *Science*, 337, 531–532.
- Koocher, G., & Keith-Spiegel, P. (1998). *Ethics in psychology: Professional standards and cases* (2nd ed.). New York: Oxford University Press.
- Kool, S., Dekker, J., Duijsens, I. J., de Jonghe, F., & Puite, B. (2003). Changes in personality pathology after pharmacotherapy and combined therapy for depressed patients. *Journal of Personality Disorders*, 17, 60–72.
- Kraepelin, E. (1921). *Manic-depressive insanity and paranoia*. Edinburgh, UK: Livingstone.
- Kramlinger, K. G., & Post, R. (1996). Ultra-rapid and ultradian cycling in bipolar affective illness. *British Journal of Psychiatry*, 168, 314–323.
- Krause-Utz, A., Oei, N., Niedtfeld, I., Bohus, M., Spinhoven, P., Schmahl, C., et al. (2011). Influence of emotional distraction on working memory performance in borderline personality disorder. *Psychological Medicine*, 42(10), 2181–2192.
- Kroner, D. G., & Morgan, R. D. (2014). An overview of strategies for the assessment and treatment of criminal thinking. In R. C. Tafrate & D. Mitchell (Eds.), *Forensic CBT: A handbook for clinical practice* (pp. 87–103). Chichester, UK: Wiley.
- Kropp, P. R. (2008). Intimate partner violence risk assessment and management. *Violence and Victims*, 23(2), 202–220.
- Krueger, R. F. (2005). Continuity of Axes I and II: Toward a unified model of personality, personality disorders, and clinical disorders. *Journal of Personality Disorders*, 19(3), 233–261.
- Krueger, R. F., Derringer, J., Markon, K. E., Watson, D., & Skodol, A. E. (2012). Initial construction of a maladaptive personality trait model and inventory for DSM-5. *Psychological Medicine*, 42(9), 1879–1890.
- Krueger, R. F., & Tackett, J. L. (2003). Personality and psychopathology: Working toward the bigger picture. *Journal of Personality Disorders*, 17(2), 109–128.
- Krysinska, K., Heller, T. S., & De Leo, D. (2006). Suicide and deliberate self-harm in personality disorders. *Current Opinion in Psychiatry*, 19(1), 95–101.

- Kuyken, W., Kurzer, N., DeRubeis, R. J., Beck, A. T., & Brown, G. K. (2001). Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders. *Journal of Consulting and Clinical Psychology*, 69(3), 560–566.
- Kuyken, W., Padesky, C. A., & Dudley, R. (2009). *Collaborative case conceptualization: Working effectively with clients in cognitive-behavioral therapy*. New York: Guilford Press.
- Kwon, J. S., Kim, Y.-M., Chang, G.-C., Park, B.-J., Kim, L., Yoon, D. J., et al. (2000). Three-year follow-up of women with the sole diagnosis of depressive personality disorder: Subsequent development of dysthymia and major depression. *American Journal of Psychiatry*, 157, 1966–1972.
- Lahey, B. B. (2007). Public health significance of neuroticism. *American Psychologist*, 64, 241–256.
- Lahti, J., Raikkonen, K., Sovio, U., Miettunen, J., Hartikainen, A. L., Pouta, A., et al. (2009). Early-life origins of schizotypal traits in adulthood. *British Journal of Psychiatry*, 195, 132–137.
- Lam, D. H., Jones, S. H., & Hayward, P. (2010). *Cognitive therapy for bipolar disorder: A therapist's guide to concepts, methods, and practice* (2nd ed.). Oxford, UK: Wiley.
- Lambert, M. (2003). Suicide risk assessment and management: Focus on personality disorders. *Current Opinion in Psychiatry*, 16(1), 71–76.
- Landenberger, N. A., & Lipsey, M. W. (2005). The positive effects of cognitive behavioral programs for offenders: A meta-analysis of factors associated with effective treatment. *Journal of Experimental Criminology*, 1, 451–476.
- Laptook, R. S., Klein, D. N., & Dougherty, L. R. (2006). Ten-year stability of depressive personality disorder in depressed outpatients. *American Journal of Psychiatry*, 163, 865–871.
- La Roche, M. J. (2005). The cultural context and the psychotherapeutic process: Toward a culturally sensitive psychotherapy. *Journal of Psychotherapy Integration*, 15(2), 169–185.
- Latessa, E., Smith, P., Lemke, R., Makarios, M., & Lowenkamp, C. (2009). *Creation and validation of the Ohio Risk Assessment System Final Report*. Cincinnati, OH: University of Cincinnati. Available at www.ocjs.ohio.gov/ORAS_FinalReport.pdf.
- Latessa, E. J. (2004). The challenge of change: Correctional programs and evidence-based practices. *Criminology and Public Policy*, 3, 547–559.
- Layden, M. A., Newman, C. F., Freeman, A., & Morse, S. B. (1993). *Cognitive therapy of borderline personality disorder*. Boston: Allyn & Bacon.
- Lazare, A., Klerman, G. L., & Armor, D. (1966). Oral, obsessive, and hysterical personality patterns. *Archives of General Psychiatry*, 14, 624–630.
- Lazarus, R. S. (1991). *Emotion and adaptation*. New York: Oxford University Press.
- Leahy, R. L. (2001). *Overcoming resistance in cognitive therapy*. New York: Guilford Press.
- Leahy, R. L. (2006). *The worry cure: Seven steps to stop worry from stopping you*. New York: Harmony.
- Leahy, R. L. (2010). *Beat the blues before they beat you: How to overcome depression*. Carlsbad, CA: Hay House.
- Lee, C. W., Taylor, G., & Dunn, J. (1999). Factor structure of the Schema Questionnaire in a large clinical sample. *Cognitive Therapy and Research*, 23, 441–451.
- Leichsenring, F., Leibing, E., Kruse, J., New, A. S., & Leweke, F. (2011). Borderline personality disorder. *Lancet*, 377, 74–84.
- Leichsenring, F., & Rabung, S. (2011). Long-term psychodynamic psychotherapy in complex mental disorders: Update of a meta-analysis. *British Journal of Psychiatry*, 199(1), 15–22.
- Lenzenweger, M. F., & Korfine, L. (1992). Confirming the latent structure and base rate of schizotypy: A taxometric analysis. *Journal of Abnormal Psychology*, 101(3), 567–571.
- Lenzenweger, M. F., Lane, M. C., Loranger, A. W., & Kessler, R. C. (2007). DSM-IV

- personality disorders in the National Comorbidity Survey Replication. *Biological Psychiatry*, 62(6), 553–564.
- Levenson, J. C., Wallace, M. L., Fournier, J. C., Rucci, P., & Frank, E. (2012). The role of personality pathology in depression treatment outcome with psychotherapy and pharmacotherapy. *Journal of Consulting and Clinical Psychology*, 80(5), 719–729.
- The Lewin Group. (2013). Becoming a high reliability organization: Operational advice for hospital leaders. Prepared for Agency for Healthcare Research and Quality U.S. Department of Health and Human Services. Retrieved from www.abrq.gov/professionals/quality-patient-safety/quality-resources/tools/broadadvice/broadadvice.pdf.
- Lewinsohn, P. M., Joiner, T. E., & Rohde, P. (2001). Evaluation of cognitive diathesis–stress models in predicting major depression in adolescents. *Journal of Abnormal Psychology*, 110, 203–215.
- Lewis, D. A., & Gonzalez-Burgos, G. (2008). Neuroplasticity of neocortical circuits in schizophrenia. *Neuropsychopharmacology*, 33(1), 141–165.
- Lewis-Fernández, R., & Kleinman, A. (1994). Culture, personality, and psychopathology. *Journal of Abnormal Psychology*, 103(1), 67–71.
- Leyton, M., Boileau, I., Benkfelfat, C., Diksic, M., Baker, G., & Dagher, A. (2002). Amphetamine-induced increases in extracellular dopamine, drug wanting, and novelty seeking: A PET/[11C]raclopride study in healthy men. *Neuropsychopharmacology*, 27(6), 1027–1035.
- Lieb, K., Völm, B., Rücker, G., Timmer, A., & Stoffers, J. M. (2010). Pharmacotherapy for borderline personality disorder: Cochrane systematic review of randomised trials. *British Journal of Psychiatry*, 196(1), 4–12.
- Lieb, K., Zanarini, M. C., Schmahl, C., Linehan, M. M., & Bohus, M. (2004). Borderline personality disorder. *Lancet*, 364, 453–461.
- Linehan, M. M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.
- Linehan, M. M., Armstrong, H. E., Suarez, A., Allmon, D., & Heard, H. L. (1991). Cognitive-behavioral treatment of chronically parasuicidal borderline patients. *Archives of General Psychiatry*, 48, 1060–1064.
- Linehan, M. M., & Heard, H. L. (1999). Borderline personality disorder: Costs, course, and treatment outcomes. In N. E. Miller & K. M. Magruder (Eds.), *Cost-effectiveness of psychotherapy: A guide for practitioners, researchers, and policymakers* (pp. 291–305). New York: Oxford University Press.
- Links, P. S. (1996). *Clinical assessment and management of severe personality disorder*. Washington, DC: American Psychiatric Press.
- Links, P. S. (2013). Pathological narcissism and the risk of suicide. In J. S. Ogronczuk (Ed.), *Understanding and treating pathological narcissism* (pp. 167–181). Washington, DC: American Psychological Association.
- Lipsey, M. W., Chapman, G. L., & Landenberger, N. A. (2001). Cognitive-behavioral programs for offenders. *Annals of the American Academy of Political and Social Science*, 578, 144–147.
- Livesley, W. J. (1990). *DAPP-BQ Personality Questionnaire Clinical Version*. Vancouver, British Columbia, Canada: University of British Columbia.
- Livesley, W. J. (1998). Suggestions for a framework for an empirically based classification of personality disorder. *Canadian Journal of Psychiatry*, 43(2), 137–147.
- Livesley, W. J., & Jang, K. L. (2000). Toward an empirically based classification of personality disorder. *Journal of Personality Disorders*, 14(2), 137–151.
- Lloyd, B. T. (2002). A conceptual framework for examining adolescent identity, media influence and social development. *Review of General Psychology*, 6(1), 73–91.
- Lohr, J. M., Hamberger, L. K., & Bonge, D. (1988). The nature of irrational beliefs in different personality clusters of spouse abusers. *Journal of Rational-Emotive and Cognitive-Behavior Therapy*, 6(4), 273–285.

- Loranger, A., Sartorius, N., Andreoli, A., Berger, P., Buchheim, P., Channabasavanna, S., et al. (1994). The International Personality Disorder Examination: The World Health Organization/Alcohol, Drug Abuse, and Mental Health Administration International Pilot Study of Personality Disorders. *Archives of General Psychiatry*, 51(3), 215–224.
- Loranger, A. W. (1990). The impact of DSM-III on diagnostic practice in a university hospital: A comparison of DSM-II and DSM-III in 10,914 patients. *Archives of General Psychiatry*, 47, 672–675.
- Loranger, A. W., Lenzenweger, M. F., Gartner, A. F., Lehman, S. V., Herzig, J., Zammit, G. K., et al. (1991). Trait–state artifacts and the diagnosis of personality disorders. *Archives of General Psychiatry*, 48, 720–728.
- Loranger, P. (1989). *The Personality Disorders Examination (PDE) manual*. Yonkers, NY: DV Communications.
- Lugnegård, T., Hallerbäck, M. U., & Gillberg, C. (2011). Personality disorders and autism spectrum disorders: What are the connections? *Comprehensive Psychiatry*, 53, 333–340.
- Luxton, D. D., June, J. D., & Comtois, K. A. (2013). Can postdischarge follow-up contacts prevent suicide and suicidal behavior? *Crisis*, 34(1), 32–41.
- Lynch, T. R. (2014). *Radically open-dialectical behavior therapy for disorders of overcontrol*. New York: Guilford Press.
- Lynch, T. R., Cheavens, J. S., Cukrowicz, K. C., Thorp, S. R., Bronner, L., & Beyer, J. (2007). Treatment of older adults with co-morbid personality disorder and depression: A dialectical behavior therapy approach. *International Journal of Geriatric Psychiatry*, 22(2), 131–143.
- Lynch, T. R., Gray, K. L. H., Hempel, R. J., Titley, M., Chen, E. Y., & O'Mahen, H. A. (2013). Radically open-dialectical behavior therapy for adult anorexia nervosa: Feasibility and outcomes from an inpatient program. *BMC Psychiatry*, 13, 293–310.
- MacKenzie, K. R. (1997). *Time-managed group psychotherapy: Effective clinical applications*. Washington, DC: American Psychiatric Press.
- Maddux, R. E., Riso, L. P., Klein, D. N., Markowitz, J. C., Rothbaum, B. O., Arnou, B. A., et al. (2009). Select comorbid personality disorders and the treatment of chronic depression with nefazodone, targeted psychotherapy, or their combination. *Journal of Affective Disorders*, 117, 174–179.
- Maffei, C., Fossati, A., Agnostoni, I., Barraco, A., Bagnato, M., Deborah, D., et al. (1997). Interrater reliability and internal consistency of the Structured Clinical Interview for DSM-IV Axis II Personality Disorders (SCID-II), version 2.0. *Journal of Personality Disorders*, 11(3), 279–284.
- Mahoney, M. (1984). Behaviorism, cognitivism, and human change processes. In M. A. Reda & M. Mahoney (Eds.), *Cognitive psychotherapies: Recent developments in theory, research, and practice* (pp. 3–30). Cambridge, MA: Ballinger.
- Malinow, K. (1981). Passive–aggressive personality. In J. Lion (Ed.), *Personality disorders diagnosis and management* (2nd ed., pp. 121–132). Baltimore: Williams & Wilkins.
- Mandracchia, J. T., Morgan, R. D., Garos, S., & Garland, J. T. (2007). Inmate thinking patterns: An empirical investigation. *Criminal Justice and Behavior*, 34, 1029–1043.
- Mankiewicz, P. D. (2013). Cognitive behavioural symptom-oriented understanding of psychosis: Abandoning the disease paradigm of schizophrenia. *Counseling Psychology Review*, 28, 53–63.
- Mankiewicz, P. D., Gresswell, D. M., & Turner, C. (2013). Subjective wellbeing in psychosis. Mediating effects of psychological distress on happiness levels amongst individuals diagnosed with paranoid schizophrenia. *International Journal of Wellbeing*, 3(1), 35–59.
- Manlick, C., Black, D., Stumpf, A., McCormick, B., & Allen, J. (2012). Symptoms of migraine and its relationship to personality disorder in a non-patient sample. *Journal of Psychosomatic Research*, 73, 479–480.

- Markon, K. E., Quilty, L. C., Bagby, R. M., & Krueger, R. F. (2013). The development and psychometric properties of an informant-report form of the Personality Inventory for DSM-5 (PID-5). *Assessment*, 20(3), 370–383.
- Markowitz, J. C., Moran, M. E., Kocsis, J. H., & Frances, A. J. (1992). Prevalence and comorbidity of dysthymic disorder among psychiatric outpatients. *Journal of Affective Disorders*, 24, 63–71.
- Marsh, A., Finger, E., Mitchell, D., Reid, M., Sims, C., Kosson, D., et al. (2008). Reduced amygdala response to fearful expressions in children and adolescents with callous–unemotional traits and disruptive behavior disorders. *American Journal of Psychiatry*, 165(6), 712–720.
- Martell, C. R., Addis, M. E., & Jacobson, N. S. (2001). *Depression in context: Strategies for guided action*. New York: Norton.
- Martino, S., Carroll, K., Kostas, D., Perkins, J., & Rounsaville, B. (2002). Dual diagnosis motivational interviewing: A modification of motivational interviewing for substance-abusing patients with psychotic disorders. *Journal of Substance Abuse Treatment*, 23, 297–308.
- Mathew, A. R., Chamberlain, L. D., Szafranski, D. D., Smith, A. H., & Norton, P. J. (2013). Prognostic indicators of treatment response in adults with anxiety. In E. A. Storch & D. McKay (Eds.), *Handbook of treating variants and complications in anxiety disorders* (pp. 23–35). New York: Springer.
- Matthews, G., Deary, I. J., & Whiteman, M. C. (2003). *Personality traits*. Cambridge, UK: Cambridge University Press.
- Mattia, J. I., & Zimmerman, M. (2001). Epidemiology. In W. J. Livesley (Ed.), *Handbook of personality disorders: Theory, research, and treatment* (pp. 107–123). New York: Guilford Press.
- Matusiewicz, A., Hopwood, C., Banducci, A., & Lejuez, C. (2010). The effectiveness of cognitive behavioral therapy for personality disorders. *Psychiatric Clinics of North America*, 33(3), 657–685.
- Mayberg, H. S., Lozano, A. M., Voon, V., McNeely, H. E., Seminowicz, D., Hamani, C., et al. (2005). Deep brain stimulation for treatment-resistant depression. *Neuron*, 45(5), 651–660.
- Mays, D. T. (1985). Behavior therapy with borderline personality disorders: One clinician's perspective. In D. T. Mays & C. M. Franks (Eds.), *Negative outcome in psychotherapy and what to do about it* (pp. 301–311). New York: Springer.
- McCann, J. T. (1988). Passive-aggressive personality disorder: A review. *Journal of Personality Disorders*, 2(2), 170–179.
- McCann, J. T. (2009). Obsessive-compulsive and negativistic personality disorders. In P. Blaney & T. Millon (Eds.), *Oxford textbook of psychopathology* (2nd ed., pp. 671–691). New York: Oxford University Press.
- McCranie, E., & Bass, J. (1984). Childhood family antecedents of dependency and self-criticism. *Journal of Abnormal Psychology*, 93, 3–8.
- McDermut, W., Zimmerman, M., & Chelminski, I. (2003). The construct validity of depressive personality disorder. *Journal of Abnormal Psychology*, 112, 49–60.
- McDougall, W. (1921). *An introduction to social psychology* (14th ed.). Boston: Luce.
- McGarvey, E. L., Leon-Verdin, M., Wanchek, T. N., & Bonnie, R. J. (2013). Decisions to initiate involuntary commitment: The role of intensive community services and other factors. *Psychiatric Services*, 64, 120–126.
- McGilloway, A., Hall, R. E., Lee, T., & Bhui, K. S. (2010). A systematic review of personality disorder, race and ethnicity: Prevalence, aetiology and treatment. *BMC Psychiatry*, 10(1), 33.
- McGinn, L. K., & Young, J. E. (1996). Schema-focused therapy. In P. M. Salkovskis (Ed.), *Frontiers of cognitive therapy* (pp. 182–207). New York: Guilford Press.
- McGlashan, T. H., Grilo, C. M., Skodol, A. E., Gunderson, J. G., Shea, M. T., Morey, L.

- C., et al. (2000). The Collaborative Longitudinal Personality Disorders Study: Base-line Axis I/II and II/II diagnostic co-occurrence. *Acta Psychiatrica Scandinavica*, 102, 256–264.
- McKay, D., Neziroglu, F., Todaro, J., & Yaryura-Tobias, J. A. (1996). Changes in personality disorders following behavior therapy for obsessive–compulsive disorder. *Journal of Anxiety Disorders*, 10(1), 47–57.
- McMurran, M., & Christopher, G. (2008). Dysfunctional beliefs and antisocial personality disorder. *Journal of Forensic Psychiatry and Psychology*, 19(4), 533–542.
- McMurran, M., Huband, N., & Overton, E. (2010). Non-completion of personality disorder treatments: A systematic review of correlates, consequences, and interventions. *Clinical Psychology Review*, 30, 277–287.
- McNeil, D. E. (2009). Assessment and management of acute risk of violence in adult patients. In P. M. Kleespies (Ed.), *Behavioral emergencies: An evidence-based resource for evaluating and managing risk of suicide, violence, and victimization* (pp. 125–145). Washington, DC: American Psychological Association.
- McNeil, D. E., Binder, R. L., & Greenfield, T. K. (1988). Predictors of violence in civilly committed acute psychiatric patients. *American Journal of Psychiatry*, 145, 965–970.
- McNeil, D. E., Weaver, C. M., & Hall, S. E. (2007). Base rates of firearm possession by hospitalized patients. *Psychiatric Services*, 58, 551–553.
- Mennin, D. S., & Heimberg, R. G. (2000). The impact of comorbid mood and personality disorders in the cognitive-behavioral treatment of panic disorder. *Clinical Psychology Review*, 20, 339–357.
- Miller, J. D., Campbell, W. K., & Widiger, T. A. (2010). Narcissistic personality disorder and the DSM-V. *Journal of Abnormal Psychology*, 119(4), 640–649.
- Miller, P. R. (2001). Inpatient diagnostic assessments: 2. Interrater reliability and outcomes of structured vs. unstructured interviews. *Psychiatry Research*, 105(3), 265–271.
- Miller, W. R., & Rollnick, S. (2002). *Motivational interviewing: Preparing people for change* (2nd ed.). New York: Guilford Press.
- Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York: Guilford Press.
- Millon, T. (1969). *Modern psychopathology: A biosocial approach to maladaptive learning and functioning*. Philadelphia: Saunders.
- Millon, T. (1981). *Disorders of personality: DSM-III, Axis II*. New York: Wiley.
- Millon, T. (1993). Negativistic (passive–aggressive) personality disorder. *Journal of Personality Disorders*, 7(1), 78–85.
- Millon, T. (1994). *Manual for the MCMI-III*. Minneapolis, MN: National Computer Systems.
- Millon, T. (1999). *Personality-guided therapy*. New York: Wiley-Interscience.
- Millon, T. (2011). Further thoughts on the relation of personality and psychopathology. *World Psychiatry*, 10, 107–108.
- Millon, T., & Davis, R. (1996). *Disorders of personality: DSM-IV and beyond* (2nd ed.). Oxford, UK: Wiley.
- Millon, T., & Davis, R. D. (2000). *Personality disorders in modern life*. Hoboken, NJ: Wiley.
- Millon, T., & Grossman, S. (2007). *Overcoming resistant personality disorders: A personalized psychotherapy approach*. Hoboken, NJ: Wiley.
- Millon, T., Grossman, S., Millon, C., Meagher, S., & Ramnath, R. (2004). *Personality disorders in modern life*. Hoboken, NJ: Wiley.
- Millon, T., Millon, C., Davis, R., & Grossman, S. (2009). *MCMI-III manual* (4th ed.). Minneapolis, MN: Pearson Education.
- Millon, T., Millon, C. M., Meagher, S., Grossman, S., & Ramnath, R. (2004). *Personality disorders in modern life* (2nd ed.). Hoboken, NJ: Wiley.
- Mills, J. F., Kroner, D. G., & Forth, A. E. (2002). Measures of criminal attitudes and associates (MCAA): Development, factor structure, reliability, and validity. *Assessment*, 9, 240–253.

- Minichiello, W. E., Baer, L., & Jenike, M. A. (1987). Schizotypal personality disorder: A poor prognostic indicator for behavior therapy in the treatment of obsessive-compulsive disorder. *Journal of Anxiety Disorders*, 1, 273–276.
- Mitchell, D., & Tafrate, R. C. (2012). Conceptualization and measurement of criminal thinking: Initial validation of the Criminogenic Thinking Profile. *International Journal of Offender Therapy and Comparative Criminology*, 56, 1080–1102.
- Mittal, V. A., Kalus, O., Bernstein, D. P., & Siever, L. J. (2007). Schizoid personality disorder. In W. O'Donohue, K. A. Fowler, & S. O. Lilienfeld (Eds.), *Personality disorders: Toward the DSM-V* (pp. 63–80). Thousand Oaks, CA: Sage.
- Monroe, S. M. (2008). Modern approaches to conceptualizing and measuring human life stress. *Annual Review of Clinical Psychology*, 4, 33–52.
- Mooney, K. A., & Padesky, C. A. (2000). Applying client creativity to recurrent problems: Constructing possibilities and tolerating doubt. *Journal of Cognitive Psychotherapy: An International Quarterly*, 14(2), 149–161.
- Moran, P., Leese, M., Lee, T., Walters, P., Thornicroft, G., & Mann, A. (2003). Standardised Assessment of Personality—Abbreviated Scale (SAPAS): Preliminary validation of a brief screen for personality disorder. *British Journal of Psychiatry: Journal of Mental Science*, 183, 228–232.
- Morana, H. C. P., & Camara, F. P. (2006). International guidelines for the management of personality disorders. *Current Opinion in Psychiatry*, 19(5), 539–543.
- Morey, L. C., Gunderson, J., Quigley, B. D., & Lyons, M. (2000). Dimensions and categories: The “big five” factors and the DSM personality disorders. *Assessment*, 7(3), 203–216.
- Morey, L. C., Hopwood, C. J., & Klein, D. N. (2007). Passive-aggressive, depressive, and sadistic personality disorders. In W. O'Donohue, K. A. Fowler, & S. O. Lilienfeld (Eds.), *Personality disorders: Toward the DSM-V* (pp. 353–374). Thousand Oaks, CA: Sage.
- Morey, L. C., Krueger, R. F., & Skodol, A. E. (2013). The hierarchical structure of clinician ratings of proposed DSM-5 pathological personality traits. *Journal of Abnormal Psychology*, 122(3), 836–841.
- Morey, L. C., Lowmaster, S. E., & Hopwood, C. J. (2010). A pilot study of manual-assisted cognitive therapy with a therapeutic assessment augmentation for borderline personality disorder. *Psychiatry Research*, 178(3), 531–535.
- Morrison, A. P., Renton, J. C., French, P., & Bentall, R. P. (2008). *Think you're crazy?: Think again: A resource book for cognitive therapy for psychosis*. London: Routledge.
- Morton, J., Snowden, S., Gopold, M., & Guymer, E. (2012). Acceptance and commitment therapy group treatment for symptoms of borderline personality disorder: A public sector pilot study. *Cognitive and Behavioral Practice*, 19(4), 527–544.
- Moscicki, E. K. (1997). Identification of suicide risk factors using epidemiologic studies. *Psychiatric Clinics of North America*, 20, 171–177.
- Motto, J. A., & Bostrom, A. G. (2001). A randomized controlled trial of postcrisis suicide prevention. *Psychiatric Services*, 52(6), 828–833.
- Moyers, T. B., Martin, T., Houck, J. M., Christopher, P. J., & Tonigan, J. S. (2009). From in-session behaviors to drinking outcomes: A causal chain for motivational interviewing. *Journal of Consulting and Clinical Psychology*, 77, 1113–1124.
- Mueser, K. T., Gottlieb, J. D., Cather, C., Glynn, S. M., Zarate, R., Smith, L. F., et al. (2012). Antisocial personality disorder in people with co-occurring severe mental illness and substance use disorders: Clinical, functional, and family relationship correlates. *Psychosis*, 4, 52–62.
- Mulder, R. T. (2002). Personality pathology and treatment outcome in major depression: A review. *American Journal of Psychiatry*, 159, 359–371.
- Mulder, R. T., Joyce, P. R., & Frampton, C. M. A. (2010). Personality disorders improve in patients treated for major depression. *Acta Psychiatrica Scandinavica*, 122(3), 219–225.

- Müller, J. L., Sommer, M., Wagner, V., Lange, K., Taschler, H., Röder, C. H., et al. (2003). Abnormalities in emotion processing within cortical and subcortical regions in criminal psychopaths: Evidence from a functional magnetic resonance imaging study using pictures with emotional content. *Biological Psychiatry*, 54(2), 152–162.
- Muran, J., Safran, J., Samstag, L., Wallner, L., & Winston, A. (2005). Evaluating an alliance-focused treatment for personality disorders. *Psychotherapy: Theory, Research, Practice, Training*, 42(4), 532–545.
- Muroff, J. (2007). Cultural diversity and cognitive behavior therapy. In T. Ronen & A. Freeman (Eds.), *Cognitive behavior therapy in clinical social work practice* (pp. 109–146). New York: Springer.
- Murphy, C., Meyer, S., & O’Leary, K. (1994). Dependency characteristics of partner assaultive men. *Journal of Abnormal Psychology*, 103(4), 729–735.
- Naeem, F., Waheed, W., Gobbi, M., Ayub, M., & Kingdon, D. (2011). Preliminary evaluation of culturally sensitive CBT for depression in Pakistan: Findings from Developing Culturally-Sensitive CBT Project (DCCP). *Behavioural and Cognitive Psychotherapy*, 39(2), 165–173.
- National Alliance on Mental Illness. (2013). Retrieved from www.nami.org/template.cfm?section=About_NAMI.
- Neff, K. D. (2011). Self-compassion, self-esteem and well-being. *Social and Personality Compass*, 5, 1–12.
- Nestadt, G., Di, C., Samuels, J. F., Bienvenu, O. J., Reti, I. M., Costa, P., et al. (2010). The stability of DSM personality disorders over twelve to eighteen years. *Journal of Psychiatric Research*, 44(1), 1–7.
- Nett, D. E., & Gross, M. (2011). How can we help masochistic inpatients not to sabotage psychiatric treatment before it even starts? *Journal of Psychiatric Practice*, 17(2), 124–128.
- Newman, C. (1997). Maintaining professionalism in the face of emotional abuse from clients. *Cognitive and Behavioral Practice*, 4, 1–29.
- Newman, C. F. (2011). When clients’ morbid avoidance and chronic anger impeded their response to cognitive-behavioral therapy for depression. *Cognitive and Behavioral Practice*, 18, 350–361.
- Newman, C. F., Leahy, R. L., Beck, A. T., Reilly-Harrington, N. A., & Gyulai, L. (2002). Moderating mania and hypomania in bipolar disorder. In C. F. Newman, R. L. Leahy, A. T. Beck, N. A. Harrington, & L. Gyulai (Eds.), *Bipolar disorder: A cognitive therapy approach* (pp. 47–77). Washington, DC: American Psychological Association.
- Newton-Howes, G., Weaver, T., & Tyrer, P. (2008). Attitudes of staff towards patients with personality disorder in community mental health teams. *Australian and New Zealand Journal of Psychiatry*, 42, 572–577.
- Ng, H., & Bornstein, R. (2005). Comorbidity of dependent personality disorder and anxiety disorders: A meta-analytic review. *Clinical Psychology: Science and Practice*, 21(4), 395–406.
- Ng, R. M. (2005). Cognitive therapy for obsessive-compulsive personality disorder—a pilot study in Hong Kong Chinese patients. *Hong Kong Journal of Psychiatry*, 15(2), 50.
- NICE. (2009). Borderline personality disorder: Treatment and management. NICE clinical guideline 78. British Psychological Society and Royal College of Psychiatrists. Available at www.guidance.nice.org.uk/cg78.
- Nicolo, G., Semerari, A., Lysaker, P. H., Dimaggio, G., Conti, L., D’Angerio, S., et al. (2011). Alexithymia in personality disorders: Correlations with symptoms and interpersonal functioning. *Psychiatry Research*, 190, 37–42.
- Northpointe Institute for Public Management. (1996). COMPAS. Traverse City, MI: Author.
- O’Connor, B. P., & Dyce, J. A. (1998). A test of models of personality disorder configuration. *Journal of Abnormal Psychology*, 107(1), 3–16.

- Oei, T. P., & Baranoff, J. (2007). Young Schema Questionnaire: Review of psychometric and measurement issues. *Australian Journal of Psychology*, 59(2), 78–86.
- Ogloff, J. R. P. (2006). Psychopathy/antisocial personality disorder continuum. *Australian and New Zealand Journal of Psychiatry*, 40, 519–528.
- Olin, S. S., Raine, A., Cannon, T. D., & Parnas, J. (1997). Childhood behavior precursors of schizotypal personality disorder. *Schizophrenia Bulletin*, 23, 93–103.
- Oltmanns, T. F., & Balsis, S. (2011). Personality disorders in later life: Questions about the measurement, course, and impact of disorders. *Annual Review of Clinical Psychology*, 7, 321–349.
- Oltmanns, T. F., & Turkheimer, E. (2009). Person perception and personality pathology. *Current Directions in Psychological Science*, 18(1), 32–36.
- Ørstavik, R. E., Kendler, K. S., Czajkowski, N., Tambs, K., & Reichborn-Kjennerud, T. (2007). The relationship between depressive personality disorder and major depressive disorder: A population-based twin study. *American Journal of Psychiatry*, 164, 1866–1872.
- Othmer, E., & Othmer, S. (2002). *The Clinical Interview using DSM-IV: Vol. 1. Fundamentals* (2nd ed.) Washington, DC: American Psychiatric Press.
- Ottaviani, R. (1990). Passive-aggressive personality disorder. In A. T. Beck, A. Freeman, & Associates (Eds.), *Cognitive therapy of personality disorders* (pp. 333–349). New York: Guilford Press.
- Ottenbreit, N. D., & Dobson, K. S. (2008). Avoidance. In K. S. Dobson & D. J. A. Dozois (Eds.), *Risk factors in depression* (pp. 447–470). New York: Guilford Press.
- Pabian, Y. L., Welfel, E., & Beebe, R. S. (2009). Psychologists' knowledge of their states' laws pertaining to Tarasoff-type situations. *Professional Psychology: Research and Practice*, 40(1), 8–14.
- Padesky, C. A. (1986, September 18–20). *Personality disorders: Cognitive therapy into the 90's*. Paper presented at the Second International Conference on Cognitive Psychotherapy, Umeå, Sweden.
- Padesky, C. A. (1993a). Schema as self prejudice. *International Cognitive Therapy Newsletter*, 5(6), 16–17.
- Padesky, C. A. (1993b, September 24). *Socratic questioning: Changing minds or guided discovery?* Keynote address delivered at the European Congress of Behavioural and Cognitive Therapies, London, United Kingdom.
- Padesky, C. A. (1994). Schema change processes in cognitive therapy. *Clinical Psychology and Psychotherapy*, 1, 267–278.
- Padesky, C. A. (1997). A more effective treatment focus for social phobia. *International Cognitive Therapy Newsletter*, 11(1), 1–3.
- Padesky, C. A., & Beck, A. T. (2003). Science and philosophy: Comparison of cognitive therapy and rational emotive behavior therapy. *Journal of Cognitive Psychotherapy*, 17, 211–224.
- Padesky, C. A. (with Greenberger, D.). (1995). *Clinician's guide to mind over mood*. New York: Guilford Press.
- Padesky, C. A., & Mooney, K. A. (2012). Strengths-based cognitive-behavioural therapy: A four-step model to build resilience. *Clinical Psychology and Psychotherapy*, 19(4), 283–290.
- Palmer, S., Davidson, K., Tyrer, P., Gumley, A., Tata, P., Norrie, J., et al. (2006). The cost-effectiveness of cognitive behavior therapy for borderline personality disorder: Results from the BOScot trial. *Journal of Personality Disorders*, 20, 466–481.
- Papas, R. K., Sidle, J. E., Martino, S., Baliddawa, J. B., Songole, R., Omolo, O. E., et al. (2010). Systematic cultural adaptation of cognitive-behavioral therapy to reduce alcohol use among HIV-infected outpatients in western Kenya. *AIDS and Behavior*, 14(3), 669–678.

- Parhar, K. K., Wormith, J. S., Derkzen, D. M., & Beauregard, A. M. (2008). Offender coercion in treatment: A meta-analysis of effectiveness. *Criminal Justice and Behavior*, 35, 1109–1135.
- Paris, J. (1993). The treatment of borderline personality disorder in light of the research on its long term outcome. *Canadian Journal of Psychiatry*, 38(Suppl. 1), S28–S34.
- Paris, J. (1998). Psychotherapy for personality disorders: Working with traits. *Bulletin of the Menninger Clinic*, 62(3), 287–297.
- Paris, J. (2005). Borderline personality disorder. *Canadian Medical Association Journal*, 172, 1579–1583.
- Paris, J., & Lis, E. (2012). Can sociocultural and historical mechanisms influence the development of borderline personality disorder? *Transcultural Psychiatry*, 50(1), 140–151.
- Parker, G., Tupling, H., & Brown, L. (1979). A parental bonding instrument. *British Journal of Medical Psychology*, 52, 1–10.
- Pasieczny, N., & Connor, J. (2011). The effectiveness of dialectical behaviour therapy in routine public mental health settings: An Australian controlled trial. *Behaviour Research and Therapy*, 49(1), 4–10.
- Paukert, A. L., Phillips, L., Cully, J. A., Loboprabhu, S. M., Lomax, J. W., & Stanley, M. A. (2009). Integration of religion into cognitive-behavioral therapy for geriatric anxiety and depression. *Journal of Psychiatric Practice*, 15(2), 103–112.
- Paul, G. L. (1967). Strategy of outcome in research in psychotherapy. *Journal of Consulting Psychology*, 31(2), 109–118.
- Pepper, C. M., Klein, D. N., Anderson, R. L., Riso, L. P., Ouimette, P. C., & Lizardi, H. (1995). DSM-III-R Axis II comorbidity in dysthymia and major depression. *American Journal of Psychiatry*, 152, 239–247.
- Perez, M., Pettit, J., David, C., Kistner, J., & Joiner, T. (2001). The interpersonal consequences of inflated self-esteem in an inpatient psychiatric youth sample. *Journal of Consulting and Clinical Psychology*, 69(4), 712–716.
- Perlis, M. L., Jungquist, C., Smith, M. T., & Posner, D. (2005). *Cognitive behavioral treatment of insomnia: A session-by-session guide*. New York: Springer.
- Perry, J., & Corner, A. (2011). Impulsive phenomena, the impulsive character [der triebhafte charakter] and DSM personality disorders. *Journal of Personality Disorders*, 25(5), 586–606.
- Perry, J., & Flannery, R. (1982). Passive-aggressive personality disorder treatment implications of a clinical typology. *Journal of Nervous and Mental Disease*, 170(3), 164–173.
- Persons, J. B., Burns, B. D., & Perloff, J. M. (1988). Predictors of drop-out and outcome in cognitive therapy for depression in a private practice setting. *Cognitive Therapy and Research*, 12, 557–575.
- Perugi, G., Angst, J., Azorin, J. M., Bowden, C., Vieta, E., & Young, A. H. (2012). Is comorbid borderline personality disorder in patients with major depressive episode and bipolarity a developmental subtype? Findings from the international BRIDGE study. *Journal of Affective Disorders*, 144, 72–78.
- Pfohl, B. (1999). Axis I and Axis II: Comorbidity or confusion? In C. Robert Cloninger (Ed.), *Personality and psychopathology* (pp. 83–98). Washington, DC: American Psychiatric Press.
- Pfohl, B., Barrash, J., True, B., & Alexander, B. (1989). Failure of two Axis II measures to predict medication noncompliance among hypertensive outpatients. *Journal of Personality Disorders*, 3, 45–52.
- Pfohl, B., Blum, N., & Zimmerman, M. (1997). *Structured Interview for DSM-IV Personality*. Washington, DC: American Psychiatric Press.
- Phelps, E. A., & LeDoux, J. E. (2005). Contributions of the amygdala to emotion processing: From animal models to human behavior. *Neuron*, 48(2), 175–187.
- Phillips, K. A., Gunderson, J. G., Triebwasser, J., Kimble, C. R., Faedda, G., Lyoo, I. K., et

- al. (1998). Reliability and validity of depressive personality disorder. *American Journal of Psychiatry*, 155, 1044–1048.
- Piaget, J. (1926). *The language and thought of the child*. New York: Harcourt, Brace.
- Piaget, J. (1952). *The origin of intelligence in children*. New York: International Universities Press. (Original work published 1936)
- Pietrzak, R., Wagner, J., & Petry, N. (2007). DSM-IV personality disorders and coronary heart disease in older adults: Results from the National Epidemiological Survey on Alcohol and Related Conditions. *Journals on Gerontology, Series B: Psychological Sciences and Social Sciences*, 62B, 295–299.
- Pilkonis, P. A., & Frank, E. (1988). Personality pathology in recurrent depression: Nature, prevalence, and relationship to treatment response. *American Journal of Psychiatry*, 145, 435–441.
- Pinto, A., Liebowitz, M. R., Foa, E. B., & Simpson, H. B. (2011). Obsessive compulsive personality disorder as a predictor of exposure and ritual prevention outcome for obsessive compulsive disorder. *Behaviour Research and Therapy*, 49, 453–458.
- Plante, D. T., & Winkelman, J. W. (2008). Sleep disturbance in bipolar disorder: Therapeutic implications. *American Journal of Psychiatry*, 165, 830–843.
- Player, M. J., Taylor, J. L., Weickert, C. S., Alonzo, A., Sachdev, P., Martin, D., et al. (2013). Neuroplasticity in depressed individuals compared with healthy controls. *Neuropsychopharmacology*, 38(11), 2101–2108.
- Podolsky, E. (1970). The passive-aggressive alcoholic personality. *Samiksa*, 17(4), 198–206.
- Pompili, M., Girardi, P., Ruberto, A., & Tatarelli, R. (2005). Suicide in borderline personality disorder: A meta-analysis. *Nordic Journal of Psychiatry*, 59, 319–324.
- Pope, K., & Tabachnick, B. (1993). Therapists' anger, hate, fear, and sexual feelings: National survey of therapist responses, client characteristics, critical events, formal complaints, and training. *Professional Psychology: Research and Practice*, 24, 142–152.
- Posner, K., Brown, G., Stanley, B., Brent, D., Yershova, K., Oquendo, M., et al. (2011). The Columbia-Suicide Severity Rating Scale (C-SSRS): Initial validity and internal consistency findings from three multi-site studies with adolescents and adults. *American Journal of Psychiatry*, 168, 1266–1277.
- Potter, N. N. (2006). What is manipulative behavior, anyway? *Journal of Personality Disorders*, 20(2), 139–156.
- Pretzer, J. (1990). Borderline personality disorder. In A. T. Beck, A. Freeman, & Associates (Eds.), *Cognitive therapy of personality disorders* (pp. 176–207). New York: Guilford Press.
- Pretzer, J., Beck, A. T., & Newman, C. F. (1989). Stress and stress management: A cognitive view. *Journal of Cognitive Psychotherapy: An International Quarterly*, 3, 163–179.
- Pretzer, J., & Hampl, S. (1994). Cognitive behavioural treatment of obsessive compulsive personality disorder. *Clinical Psychology and Psychotherapy*, 1(5), 298–307.
- Prinstein, M. (2014, January 6). Is iPhone raising your child? Blog post to *The Modern Teen*. Retrieved from www.psychologytoday.com/blog/the-modern-teen/201401/is-iphone-raising-your-child.
- Prout, M., & Platt, J. (1983). The development and maintenance of passive-aggressiveness: The behavioral approach. In R. Parsons & R. Wicks (Eds.), *Passive aggressiveness theory and practice* (pp. 25–43). New York: Brunner/Mazel.
- Pujara, M., Motzkin, J. C., Newman, J. P., Kiehl, K. A., & Koenigs, M. (2014). Neural correlates of reward and loss sensitivity in psychopathy. *Social Cognitive and Affective Neuroscience*, 9(6), 794–801.
- Pukrop, R., Steinbring, I., Gentil, I., Schulte, C., Larstone, R., & Livesley, J. W. (2009). Clinical validity of the “Dimensional Assessment of Personality Pathology (DAPP)” for psychiatric patients with and without a personality disorder diagnosis. *Journal of Personality Disorders*, 23(6), 572–586.

- Purnell, L. D. (2013). Transcultural diversity and health care. In L. D. Purnell (Ed.), *Transcultural health care: A culturally competent approach* (4th ed., pp. 3–14). Philadelphia: Davis.
- Qin, P., & Nordentoft, M. (2005). Suicide risk in relation to psychiatric hospitalization. *Archives of General Psychiatry*, 62, 427–432.
- Quilty, L. C., Ayeairst, L., Chmielewski, M., Pollock, B. G., & Bagby, R. M. (2013). The psychometric properties of the Personality Inventory for DSM-5 in an APA DSM-5 field trial sample. *Assessment*, 20(3), 362–369.
- Raskin, R., Novacek, J., & Hogan, R. (1991). Narcissistic self-esteem management. *Journal of Personality and Social Psychology*, 60, 911–918.
- Raskin, R. N., & Terry, H. (1988). A principle components analysis of the Narcissistic Personality Inventory and further evidence of its construct validity. *Journal of Personality and Social Psychology*, 54, 890–902.
- Rasmussen, P. R. (2005). The negativistic prototype. In T. Millon (Ed.), *Personality-guided therapy to cognitive behavioral therapy* (pp. 275–290). Washington, DC: American Psychological Association.
- Rasmussen, S., & Tsuang, M. (1986). Clinical characteristics and family history in DSM-III obsessive-compulsive disorder. *American Journal of Psychiatry*, 143, 317–322.
- Rathod, S., Kingdon, D., Phiri, P., & Gobbi, M. (2010). Developing culturally sensitive cognitive behaviour therapy for psychosis for ethnic minority patients by exploration and incorporation of service users' and health professionals' views and opinions. *Behavioural and Cognitive Psychotherapy*, 38(5), 511–533.
- Rathod, S., Phiri, P., Harris, S., Underwood, C., Thagadur, M., Padmanabi, U., et al. (2013). Cognitive behaviour therapy for psychosis can be adapted for minority ethnic groups: A randomised controlled trial. *Schizophrenia Research*, 143(2–3), 319–326.
- Ready, R. E., Watson, D., & Clark, L. A. (2002). Psychiatric patient- and informant-reported personality: Predicting concurrent and future behavior. *Assessment*, 9(4), 361–372.
- Rees, C. S., & Pritchard, R. (in press). Brief cognitive therapy for avoidant personality disorder. *Psychotherapy*.
- Reich, J., & Green, A. (1991). Effect of personality disorders on outcome of treatment. *Journal of Nervous and Mental Disease*, 179, 74–82.
- Reichborn-Kjennerud, T., Czajkowski, N., Neale, M. C., Ørstavik, R. E., Torgersen, S., Tambs, K., et al. (2007). Genetic and environmental influences on dimensional representations of DSM-IV cluster C personality disorders: A population-based multivariate twin study. *Psychological Medicine*, 37(5), 645–654.
- Renneberg, B., Goldstein, A. J., Phillips, D., & Chambless, D. L. (1990). Intensive behavioral group treatment of avoidant personality disorder. *Behavior Therapy*, 21(3), 363–377.
- Renner, F., van Goor, M., Huibers, M., Arntz, A., Butz, B., & Bernstein, D. (2013). Short-term group schema cognitive-behavioral therapy for young adults with personality disorders and personality disorder features: Associations with changes in symptomatic distress, schemas, schema modes and coping styles. *Behaviour Research and Therapy*, 51(8), 487–492.
- Renton, J. C. (2002). Cognitive therapy for paranoia. In A. P. Morrison (Ed.), *A casebook of cognitive therapy for psychosis* (pp. 19–36). London: Routledge.
- Rey, J. M., Morris-Yates, A., Singh, M., Andrews, G., & Stewart, G. W. (1995). Continuities between psychiatric disorders in adolescents and personality disorders in young adults. *American Journal of Psychiatry*, 152(6), 895–900.
- Rilling, J. K., Glenn, A. L., Jairam, M. R., Pagnoni, G., Goldsmith, D. R., Elfenbein, H. A., et al. (2007). Neural correlates of social cooperation and non-cooperation as a function of psychopathy. *Biological Psychiatry*, 61(11), 1260–1271.
- Roberts, A. (2000). *Crisis intervention handbook* (2nd ed.). New York: Oxford University Press.

- Roberts, A. (2005). *Crisis intervention handbook* (3rd ed.). New York: Oxford University Press.
- Robertson, J. (1988). *Psychiatric malpractice: Liability of mental health professionals*. New York: Wiley.
- Robinson, D. J. (2005). *Disordered personalities*. Port Huron, MI: Rapid Psychler Press.
- Rodebaugh, T. L., Chambless, D. L., Renneberg, B., & Fydrich, T. (2005). The factor structure of the DSM-III-R personality disorders: An evaluation of competing models. *International Journal of Methods in Psychiatric Research*, 14(1), 43–55.
- Rogers, P., Watt, A., Gray, N., MacCulloch, M., & Gournay, K. (2002). Content of command hallucinations predicts self-harm but not violence in a medium secure unit. *Journal of Forensic Psychiatry*, 13(2), 251–262.
- Roggenbaum, S., Christy, A., & LeBlanc, A. (2012). Suicide assessment and prevention during and after emergency commitment. *Community Mental Health Journal*, 48, 741–745.
- Rohner, R. P. (1984). Toward a conception of culture for cross-cultural psychology. *Journal of Cross-Cultural Psychology*, 15(2), 111–138.
- Rosen, H. (1988). The constructivist–development paradigm. In R. A. Dorfman (Ed.), *Paradigms of clinical social work* (pp. 317–355). New York: Brunner/Mazel.
- Rosenbluth, M., MacQueen, G., McIntyre, R. S., Beaulieu, S., & Schaffer, A. (2012). The Canadian Network for Mood and Anxiety Treatments (CANMAT) task force recommendations for the management of patients with mood disorders and comorbid personality disorders. *Annals of Clinical Psychiatry*, 24, 56–68.
- Rosengren, D. B. (2009). *Building motivational interviewing skills*. New York: Guilford Press.
- Ross, J. M., & Babcock, J. C. (2009). Proactive and reactive violence among intimate partner violent men diagnosed with antisocial and borderline personality disorder. *Journal of Family Violence*, 24, 607–617.
- Rotenstein, O. H., McDermut, W., Bergman, A., Young, D., Zimmerman, M., & Chelminski, I. (2007). The validity of DSM-IV passive–aggressive (negativistic) personality disorder. *Journal of Personality Disorders*, 21(1), 28–41.
- Rothbaum, F., Morling, B., & Rusk, N. (2009). How goals and beliefs lead people into and out of depression. *Review of General Psychology*, 13, 302–314.
- Ruscio, J., & Ruscio, A. M. (2004). Clarifying boundary issues in psychopathology: The role of taxometrics in a comprehensive program of structural research. *Journal of Abnormal Psychology*, 113(1), 24–38.
- Ryder, A. G., & Bagby, R. M. (1999). Diagnostic viability of depressive personality disorder: Theoretical and conceptual issues. *Journal of Personality Disorders*, 13, 99–117.
- Ryder, A. G., Quilty, L. C., Vachon, D. D., & Bagby, R. M. (2010). Depressive personality and treatment outcome in major depressive disorder. *Journal of Personality Disorders*, 24, 392–404.
- Ryder, A. G., Schuller, D. R., & Bagby, R. M. (2006). Depressive personality and dysthymia: Evaluating symptom and syndrome overlap. *Journal of Affective Disorders*, 91, 217–227.
- Salkovskis, P. (Ed.). (1996). *Frontiers of cognitive therapy*. New York: Guilford Press.
- Samuel, D. B., & Ball, S. A. (2013). The factor structure and concurrent validity of the Early Maladaptive Schema Questionnaire: Research Version. *Cognitive Therapy and Research*, 37(1), 150–159.
- Samuel, D. B., Hopwood, C. J., Krueger, R. F., Thomas, K. M., & Ruggero, C. J. (2013). Comparing methods for scoring personality disorder types using maladaptive traits in DSM-5. *Assessment*, 20(3), 353–361.
- Samuels, J., Eaton, W. W., Bienvenu, J., Brown, C. H., Costa, P. T., Jr., & Nestadt, G. (2002). Prevalence and correlates of personality disorders in a community sample. *British Journal of Psychiatry*, 180, 536–542.

- Sansone, R. A., Farukhi, S., & Wiederman, M. W. (2011). Utilization of primary care physicians in borderline personality. *General Hospital Psychiatry*, 33, 343–346.
- Sansone, R. A., & Sansone, L. A. (2013). Disruptive office behaviors in the medical setting. *Innovations in Clinical Neuroscience*, 10, 35–39.
- Satel, S., & Lilienfeld, S. O. (2013). *Brainwashed: The seductive appeal of mindless neuroscience*. New York: Basic Books.
- Saulsman, L. M., Coall, D. A., & Nathan, P. R. (2006). The association between depressive personality and treatment outcome for depression following a group cognitive-behavioral intervention. *Journal of Clinical Psychology*, 62, 1181–1196.
- Saulsman, L. M., & Page, A. C. (2004). The five-factor model and personality disorder empirical literature: A meta-analytic review. *Clinical Psychology Review*, 23(8), 1055–1085.
- Sava, F. (2009). Maladaptive schemas, irrational beliefs, and their relationship with the five-factor personality model. *Journal of Cognitive and Behavioral Psychotherapies*, 9(2), 135–147.
- Scarr, S. (1987). Personality and experience: Individual encounters with the world. In J. Aronoff, A. I. Robin, & R. A. Zucker (Eds.), *The emergence of personality* (pp. 66–70). New York: Springer.
- Schindler, A., Hiller, W., & Witthöft, M. (2013). What predicts outcome, response, and drop-out in CBT of depressive adults?: A naturalistic study. *Behavioural and Cognitive Psychotherapy*, 41(3), 365–370.
- Schmidt, N. B., Joiner, T. E., Young, J. E., & Telch, M. J. (1995). The Schema Questionnaire: Investigation of psychometric properties and the hierarchical structure of a measure of maladaptive schemas. *Cognitive Therapy and Research*, 19, 295–321.
- Schmitz, W. M., Allen, M. H., Feldman, B. N., Gutin, N. J., Jahn, D. R., Kleespies, P. M., et al. (2012). Preventing suicide through improved training in suicide risk assessment and care: An American Association of Suicidology task force report addressing serious gaps in U.S. mental health training. *Suicide and Life-Threatening Behavior*, 42(3), 292–304.
- Schneider, B., Schnabel, A., Wetterling, T., Bartusch, B., Weber, B., & Georgi, K. (2008). How do personality disorders modify suicide risk? *Journal of Personality Disorders*, 22(3), 233–245.
- Schneider, B., Wetterling, T., Sargk, D., Schenider, F., Schnabel, A., Maurer, K., et al. (2006). Axis I disorders and personality disorders as risk factors for suicide. *European Archives of Psychiatry and Clinical Neuroscience*, 256, 17–27.
- Schneider, K. (1958). *Psychopathic personalities* (M. Hamilton, Trans.). Springfield, IL: Thomas. (Original work published 1923)
- Schultz, W. D. P., & Montague, P. R. (1997). A neural substrate of prediction and reward. *Science*, 275(5306), 1593–1599.
- Schwartz, C. E., Wright, C. I., Shin, L. M., Kagan, J., & Rauch, S. L. (2003). Inhibited and uninhibited infants “grown up”: Adult amygdalar response to novelty. *Science*, 300(5627), 1952–1953.
- Seeler, L., Freeman, A., DiGiuseppe, R., & Mitchell, D. (2014). Traditional cognitive-behavioral therapy models for antisocial patterns. In R. C. Tafrate & D. Mitchell (Eds.), *Forensic CBT: A handbook for clinical practice* (pp. 15–42). Chichester, UK: Wiley.
- Segal, D. L., Coolidge, F. L., & Rosowsky, E. (2006). *Personality disorders and older adults: Diagnosis, assessment, and treatment*. Hoboken, NJ: Wiley.
- Segal, Z. V., Williams, J. M. G., & Teasdale, J. D. (2002). *Mindfulness-based cognitive therapy for depression: A new approach to preventing relapse*. New York: Guilford Press.
- Segall, M. H., Dasen, P. R., Berry, J. W., & Poortinga Y. H. (1990). *Human behaviour in global perspective: An introduction to cross-cultural psychology*. New York: Pergamon.

- Segar, M. (1997). Coping: A survival guide for people with Asperger syndrome. Available at www-users.cs.york.ac.uk/~alistair/survival.
- Sehralti, M., & Er, R. A. (2012). Decisions of psychiatric nurses about duty to warn, compulsory hospitalization, and competence of patients. *Nursing Ethics*, 20(1), 41–50.
- Seres, I., Unoka, Z., & Keri, S. (2009). The broken trust and cooperation in borderline personality disorder. *NeuroReport*, 20(4), 388–392.
- Shapiro, D. (1965). *Neurotic styles*. New York: Basic Books.
- Shea, M. T., Glass, D. R., Pilkonis, P. A., Watkins, J., & Docherty, J. P. (1987). Frequency and implications of personality disorders in a sample of depressed outpatients. *Journal of Personality Disorders*, 1, 27–42.
- Shea, M. T., Stout, R. L., Yen, S., Pagano, M. E., Skodol, A. E., Morey, L. C., et al. (2004). Associations in the course of personality disorders and Axis I disorders over time. *Journal of Abnormal Psychology*, 113, 499–508.
- Siegle, G. J., Steinhauer, S. R., Thase, M. E., Stenger, V. A., & Carter, C. S. (2002). Can't shake that feeling: Event-related fMRI assessment of sustained amygdala activity in response to emotional information in depressed individuals. *Biological Psychiatry*, 51(9), 693–707.
- Simone, S., & Fulero, S. M. (2005). Tarasoff and the duty to protect. *Journal of Aggression, Maltreatment and Trauma*, 11(1/2), 145–168.
- Simourd, D. J. (1997). The Criminal Sentiments Scale—Modified and Pride in Delinquency Scale: Psychometric properties and construct validity of two measures of criminal attitudes. *Criminal Justice and Behavior*, 24, 52–70.
- Skodol, A. E. (2005). Manifestations, clinical diagnosis, and comorbidity. In J. M. Oldham, A. E. Skodol, & D. S. Bender (Eds.), *Textbook of personality disorders* (pp. 57–87). Washington, DC: American Psychiatric Publishing.
- Skodol, A. E. (2008). Longitudinal course and outcome of personality disorders. *Psychiatric Clinics of North America*, 31(3), 495–503.
- Skodol, A. E. (2012). Personality disorders in DSM-5. *Annual Review of Clinical Psychology*, 8, 317–344.
- Skodol, A. E., Grilo, C. M., Keyes, K. M., Geier, T., Grant, B. F., & Hasin, D. S. (2011). Relationship of personality disorders to the course of major depressive disorder in a nationally representative sample. *American Journal of Psychiatry*, 168, 257–264.
- Skodol, A. E., Oldham, J. M., Bender, D. S., Dyck, I. R., Stout, R. L., Morey, L. C., et al. (2005). Dimensional representations of DSM-IV personality disorders: Relationships to functional impairment. *American Journal of Psychiatry*, 162(10), 1919–1925.
- Skodol, A. E., Stout, R. L., McGlashan, T. H., Grilo, C. M., Shea, M. T., Morey, L. C., et al. (1999). Co-occurrence of mood and personality disorders: A report from the Collaborative Longitudinal Personality Disorders Study (CLPS). *Depression and Anxiety*, 10, 175–182.
- Small, I., Small, J., Alig, V., & Moore, D. (1970). Passive-aggressive personality disorder: A search for a syndrome. *American Journal of Psychiatry*, 126(7), 973–983.
- Smit, Y., Huibers, M. J., Ioannidis, J., van Dyck, R., van Tilburg, W., & Arntz, A. (2012). The effectiveness of long-term psychoanalytic psychotherapy: A meta-analysis of randomized controlled trials. *Clinical Psychology Review*, 32(2), 81–92.
- Smith, J. M., Grandin, L. D., Alloy, L. B., & Abramson, L. Y. (2006). Cognitive vulnerability to depression and Axis II personality dysfunction. *Cognitive Therapy and Research*, 30, 609–621.
- Smokler, I. A., & Shevrin, H. (1979). Cerebral lateralization and personality style. *Archives of General Psychiatry*, 36, 949–954.
- Soeteman, D. I., Verheul, R., Meerman, A. M., Ziegler, U., Rossum, B. V., Delimon, J., et al. (2011). Cost-effectiveness of psychotherapy for Cluster C personality disorders: A decision-analytic model in the Netherlands. *Journal of Clinical Psychiatry*, 72(1), 51.

- Soloff, P. H. (1994). Is there any drug treatment of choice for the borderline patient? *Acta Psychiatrica Scandinavica*, 379, 50–55.
- Soloff, P. H., Lynch, K. G., Kelly, T. M., Malone, K. M., & Mann, J. J. (2000). Characteristics of suicide attempts of patients with major depressive episode and borderline personality disorder: A comparative study. *American Journal of Psychiatry*, 157, 601–608.
- Sperry, L. (2006). *Cognitive behavior therapy of DSM-IV-TR personality disorders: Highly effective interventions for the most common personality disorders* (2nd ed., pp. 165–187). New York: Routledge.
- Spörrle, M., Strobel, M., & Tumasjan, A. (2010). On the incremental validity of irrational beliefs to predict subjective well-being while controlling for personality factors. *Psicothema*, 22(4), 543–548.
- Springer, T., Lohr, N. E., Buchtel, H. A., & Silk, K. R. (1996). A preliminary report of short-term cognitive-behavioral group therapy for inpatients with personality disorders. *Journal of Psychotherapy Practice and Research*, 5, 57–71.
- Sprock, J., & Hunsucker, L. (1998). Symptoms of prototypic patients with passive-aggressive personality disorder: DSM-III-R versus DSM-IV negativistic. *Comprehensive Psychiatry*, 39(5), 287–295.
- Standage, K., Bilsbury, C., Jain, S., & Smith, D. (1984). An investigation of role-taking in histrionic personalities. *Canadian Journal of Psychiatry*, 29, 407–411.
- Steckler, J. A. (2013). People of German heritage. In L. D. Purnell (Ed.), *Transcultural health care: A culturally competent approach* (4th ed., pp. 250–268). Philadelphia: Davis.
- Steiner, J. L., Tebes, J. K., Sledge, W. H., Walker, W. H., & Loukides, M. (1995). A comparison of the Structured Clinical Interview for DSM-III-R and clinical diagnoses. *Journal of Nervous and Mental Disease*, 183(6), 365–369.
- Steketee, G., & Shapiro, L. J. (1995). Predicting behavioral treatment outcome for agoraphobia and obsessive-compulsive disorder. *Clinical Psychology Review*, 15, 315–346.
- Stepp, S. D., Whalen, D. J., Pilkonis, P. A., Hipwell, A. E., & Levine, M. D. (2011). Children of mothers with borderline personality disorder: Identifying parenting behaviors as potential targets for intervention. *Personality Disorders*, 3, 76–91.
- Stinson, F. S., Dawson, D. A., Goldstein, R. B., Chou, S. P., Huang, B., Smith, S. M., et al. (2008). Prevalence, correlates, disability, and comorbidity of DSM-IV narcissistic personality disorder: Results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry*, 69, 1033–1045.
- Stoffers, J., Völlm, B. A., Rücker, G., Timmer, A., Huband, N., & Lieb, K. (2010). Pharmacological interventions for borderline personality disorder. *Cochrane Database of Systematic Reviews*, 6. Available at www.thecochranelibrary.com.
- Stoffers, J. M., Völlm, B. A., Rücker, G., Timmer, A., Huband, N., & Lieb, K. (2012). Psychological therapies for people with borderline personality disorder (Review). *Cochrane Database of Systematic Reviews*, Article No. CD005652.
- Stone, M. (1993a). *Abnormalities of personality: Within and beyond the realm of treatment*. New York: Norton.
- Stone, M. (1993b). Long-term outcome in personality disorders. *British Journal of Psychiatry*, 162, 299–313.
- Strauss, J. L., Hayes, A. M., Johnson, S. L., Newman, C. F., Brown, G. K., Barber, J. P., et al. (2006). Early alliance, alliance ruptures, and symptom change in a nonrandomized trial of cognitive therapy for avoidant and obsessive-compulsive personality disorders. *Journal of Consulting and Clinical Psychology*, 74(2), 337–345.
- Strosahl, K. D., Hayes, S. C., Wilson, K. G., & Gifford, E. V. (2004). An ACT primer: Core therapy processes, intervention strategies, and therapist competencies. In S. C. Hayes & K. D. Strosahl (Eds.), *A practical guide to acceptance and commitment therapy* (pp. 31–58). New York: Springer.
- Sullivan, G. R., & Bongar, B. (2009). Assessing suicide risk in the adult patient. In P. M.

- Kleespies (Ed.), *Behavioral emergencies: An evidence-based resource for evaluating and managing risk of suicide, violence, and victimization* (pp. 59–78). Washington, DC: American Psychological Association.
- Sun, K. (2014). Treating depression and PTSD behind bars: An interaction schemas approach. In R. C. Tafrate & D. Mitchell (Eds.), *Forensic CBT: A handbook for clinical practice* (pp. 456–470). Chichester, UK: Wiley.
- Sungur, M. (2013). The role of cultural factors in the course and treatment of sexual problems. In K. S. Hall & C. A. Graham (Eds.), *The cultural context of sexual pleasure and problems* (pp. 308–332). New York: Routledge.
- Swann, W. B., & Read, S. J. (1981). Self-verification processes: How we sustain our self-conceptions. *Journal of Experimental Social Psychology*, 17, 351–372.
- Swann, W. B., Wenzlaff, R. M., Krull, D. S., & Pelham, B. W. (1992). Allure of negative feedback: Self-verification strivings among depressed persons. *Journal of Abnormal Psychology*, 101, 293–306.
- Szentagotai, A., & Freeman, A. (2007). An analysis of the relationship between irrational beliefs and automatic thoughts in predicting distress. *Journal of Cognitive and Behavioral Psychotherapies*, 1, 1–11.
- Szentagotai, A., Schnur, J., DiGiuseppe R., Macavei, B., Kallay, E., & David, D. (2005). The organization and the nature of irrational beliefs: Schemas or appraisal? *Journal of Cognitive and Behavioral Psychotherapies*, 2, 139–158.
- Tafrate, R. C., & Luther, J. D. (2014). Integrating motivational interviewing with forensic CBT: Promoting treatment engagement and behavior change with justice-involved clients. In R. C. Tafrate & D. Mitchell (Eds.), *Forensic CBT: A handbook for clinical practice* (pp. 411–435). Chichester, UK: Wiley.
- Tafrate, R. C., Mitchell, D., & Novaco, R. W. (2014). Forensic CBT: Five recommendations for clinical practice and five topics in need of more attention. In R. C. Tafrate & D. Mitchell (Eds.), *Forensic CBT: A handbook for clinical practice* (pp. 473–486). Chichester, UK: Wiley.
- Tai, S., & Turkington, D. (2009). The evolution of cognitive behaviour therapy for schizophrenia: Current practice and recent developments. *Schizophrenia Bulletin*, 35(5), 865–873.
- Tangney, J. P., Steuwig, J., Furukawa, E., Kopelovich, S., Meyer, P. J., & Crosby, B. (2012). Reliability, validity, and predictive utility of the 25-item Criminogenic Cognitions Scale (CCS). *Criminal Justice and Behavior*, 39, 1340–1360.
- Tardiff, K., Marzuk, P. M., Leon, A. C., & Portera, L. (1997). A prospective study of violence by psychiatric patients after hospital discharge. *Psychiatric Services*, 48(5), 678–681.
- Tartakovsky, M. (2011). What to do when you think someone is suicidal. *Psych Central*. Retrieved from <http://psychcentral.com/lib/what-to-do-when-you-think-someone-is-suicidal/0007461>.
- Tebaldi, C. (2012). Understanding involuntary hospitalization and use of seclusion and restraint. *Nurse Practitioner*, 37(6), 13–16.
- Thomas, G. (1994). Mixed personality disorder with passive-aggressive and avoidant features. In P. T. Costa & T. A. Widiger (Eds.), *Personality disorders and the five-factor model of personality* (pp. 211–215). Washington, DC: American Psychological Association.
- Thompson, R., & Zuroff, D. (1998). Dependent and self-critical mothers' responses to adolescent autonomy and competence. *Personality and Individual Differences*, 24(3), 311–324.
- Timmons, K. A., & Joiner, T. E. (2008). Reassurance seeking and negative feedback seeking. In K. S. Dobson & D. J. A. Dozois (Eds.), *Risk factors in depression* (pp. 429–446). New York: Guilford Press.
- Tolin, D. F. (2010). Is cognitive-behavioral therapy more effective than other therapies?: A meta-analytic review. *Clinical Psychology Review*, 15, 315–346.

- Tomko, R. L., Trull, T. J., Wood, P. K., & Sher, K. J. (2013). Characteristics of borderline personality disorder in a community sample: Comorbidity, treatment utilization, and general functioning. *Journal of Personality Disorders*, 27, 1–17.
- Torgerson, S. (1980). The oral, obsessive and hysterical personality syndromes. *Archives of General Psychiatry*, 37, 1272–1277.
- Torgersen, S. (2009). The nature (and nurture) of personality disorders. *Scandinavian Journal of Psychology*, 50, 624–632.
- Torgersen, S., Kringlen, E., & Cramer, V. (2001). The prevalence of personality disorders in a community sample. *Archives of General Psychiatry*, 58(6), 590–596.
- Torgersen, S., Lygren, S., Oien, P., Skre, I., Onstad, S., Edvardsen, J., et al. (2000). A twin study of personality disorders. *Comprehensive Psychiatry*, 41, 416–425.
- Torgersen, S., Myers, J., Reichborn-Kjennerud, T., Røysamb, E., Kubarych, T. S., Kendler, K. S. (2012). The heritability of cluster B personality disorders assessed both by personal interview and questionnaire. *Journal of Personality Disorders*, 26(6), 848.
- Town, J. M., Abbass, A., & Hardy, G. (2011). Short-term psychodynamic psychotherapy for personality disorders: A critical review of randomized controlled trials. *Journal of Personality Disorders*, 25(6), 723–740.
- Treadway, M. T., & Buckholtz, J. W. (2011). On the use and misuse of genomic and neuroimaging science in forensic psychiatry: Current roles and future directions. *Child and Adolescent Psychiatric Clinics of North America*, 20(3), 533–546.
- Treadway, M. T., Buckholtz, J. W., Cowan, R. L., Woodward, N. D., Li, R., Ansari, M. S., et al. (2012). Dopaminergic mechanisms of individual differences in human effort-based decision-making. *Journal of Neuroscience*, 32(18), 6170–6176.
- Treloar, A. J., & Lewis, A. J. (2008). Targeted clinical education for staff attitudes towards deliberate self-harm in borderline personality disorder: Randomized controlled trial. *Australian and New Zealand Journal of Psychiatry*, 42, 981–988.
- Trull, T. J. (2001). Structural relations between borderline personality disorder features and putative etiological correlates. *Journal of Abnormal Psychology*, 110, 471–481.
- Trull, T. J., Sher, K. J., Minks-Brown, C., Durbin, J., & Burr, R. (2000). Borderline personality disorder and substance use disorders: A review and integration. *Clinical Psychology Review*, 20(2), 235–253.
- Trull, T. J., Widiger, T. A., & Burr, R. (2001). A structured interview for the assessment of the five-factor model of personality: Facet-level relations to the Axis II personality disorders. *Journal of Personality*, 69(2), 175–198.
- Turkat, I. D., & Maisto, S. A. (1985). Personality disorders: Application of the experimental method to the formulation and modification of personality disorders. In D. H. Barlow (Ed.), *Clinical handbook of psychological disorders: A step-by-step treatment manual* (pp. 503–570). New York: Guilford Press.
- Turner, R. M. (1987). The effects of personality disorder diagnosis on the outcome of social anxiety symptom reduction. *Journal of Personality Disorders*, 1, 136–143.
- Twenge, J., Konrath, S., Foster, J. D., Campbell, W. K., & Bushman, B. J. (2008). Egos inflating over time: A cross temporal meta-analysis of the Narcissistic Personality Inventory. *Journal of Personality*, 76(4), 875–902.
- Tyrer, P., Coombs, N., Ibrahimi, F., Mathilakath, A., Bajaj, P., Ranger, M., et al. (2007). Critical developments in the assessment of personality disorder. *British Journal of Psychiatry*, 49(Suppl.), 51–59.
- Unoka, Z., Seres, I., Aspan, N., Bodi, N., & Keri, S. (2009). Trust game reveals restricted interpersonal transactions in patients with borderline personality disorder. *Journal of Personality Disorders*, 23(4), 399–409.
- van Asselt, A. D. I., Dirksen, C. D., Arntz, A., Giesen-Bloo, J. H., van Dyck, R., Spinhoven, P., et al. (2008). Out-patient psychotherapy for borderline personality disorder: Cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. *British Journal of Psychiatry*, 192, 450–457.

- van Asselt, A. D. I., Dirksen, C. D., Arntz, A., & Severens, J. L. (2007). The cost of borderline personality disorder: Societal cost of illness in BPD-patients. *European Psychiatry*, 22, 354–361.
- van Velzen, C. J. M., & Emmelkamp, P. M. G. (1996). The assessment of personality disorders: Implications for cognitive and behavior therapy. *Behaviour Research and Therapy*, 34(8), 655–668.
- van't Wout, M., Chang, L. J., & Sanfey, A. G. (2010). The influence of emotion regulation on social interactive decision-making. *Emotion*, 10(6), 815.
- Vereycken, J., Vertommen, H., & Corveleyn, J. (2002). Authority conflicts and personality disorders. *Journal of Personality Disorders*, 16(1), 41–51.
- Verheul, R., Bartak, A., & Widiger, T. (2007). Prevalence and construct validity of personality disorder not otherwise specified (PDNOS). *Journal of Personality Disorders*, 21(4), 359–370.
- Vickerman, K. A., & Margolin, G. (2008). Trajectories of physical and emotional marital aggression in midlife couples. *Violence and Victims*, 23, 18–34.
- Walters, G. D. (1995). The Psychological Inventory of Criminal Thinking Styles: I. Reliability and preliminary validity. *Criminal Justice and Behavior*, 22, 307–325.
- Ward, R. (2004). Assessment and management of personality disorders. *American Family Physician*, 70(8), 1505–1512.
- Ward, T., & Brown, M. (2004). The good lives model and conceptual issues in offender rehabilitation. *Psychology, Crime and Law*, 10(3), 243–257.
- Watkins, E. R., Scott, J., Wingrove, J., Rimes, K. A., Bathurst, N., Steiner, H., et al. (2007). Rumination focused cognitive behaviour therapy for residual depression: A case series. *Behaviour Research and Therapy*, 45, 2144–2154.
- Watson, D., & Clark, L. A. (2006). Clinical diagnosis at the crossroads. *Clinical Psychology: Science and Practice*, 13(3), 210–215.
- Weaver, T., & Clum, G. (1993). Early family environments and traumatic experiences associated with borderline personality disorder. *Journal of Consulting and Clinical Psychology*, 61, 1068–1075.
- Wegener, I., Alfter, S., Geiser, F., Liedtke, R., & Conrad, R. (2013). Schema change without schema therapy: The role of early maladaptive schemata for a successful treatment of major depression. *Psychiatry: Interpersonal and Biological Processes*, 76(1), 1–17.
- Weiner, A. S., & Bardenstein, K. K. (2000). *Personality disorders in children and adolescents*. New York: Basic Books.
- Weinberg, I., Gunderson, J. G., Hennen, J., & Cutter, C. J., Jr. (2006). Manual assisted cognitive treatment for deliberate self-harm in borderline personality disorder. *Journal of Personality Disorders*, 20, 482–492.
- Weiner, B. (1985). An attribution theory of achievement motivation and emotion. *Psychological Review*, 92, 548–573.
- Weiss, M., Zerkowicz, P., Feldman, R. B., Vogel, J., Heyman, M., & Paris, J. (1996). Psychopathology in offspring of mothers with borderline personality disorder: A pilot study. *Canadian Journal of Psychiatry*, 41, 285–290.
- Weissman, A. (1979). *Dysfunctional Attitude Scale: A validation study*. Unpublished doctoral dissertation, University of Pennsylvania, Philadelphia.
- Wellburn, K., Coristine, M., Dagg, P., Pontefract, A., & Jordan, S. (2002). The Schema Questionnaire—Short Form: Factor analysis and relationship between schemas and symptoms. *Cognitive Therapy and Research*, 26(4), 519–530.
- Wessler, R. L. (1982). Varieties of cognitions in the cognitively-oriented psychotherapies. *Rational Living*, 17, 3–10.
- West, M., Rose, S., & Sheldon-Keller, A. (1994). Assessment of patterns of insecure attachment in adults and application to dependent and schizoid personality disorders. *Journal of Personality Disorders*, 8, 249–256.
- Westen, D. (1997). Divergences between clinical and research methods for assessing

- personality disorders: Implications for research and the evolution of Axis II. *American Journal of Psychiatry*, 154, 895–903.
- Westen, D., & Shedler, J. (1999a). Revising and assessing Axis-II: Part I. Developing a clinically and empirically valid assessment method. *American Journal of Psychiatry*, 156, 258–272.
- Westen, D., & Shedler, J. (1999b). Revising and assessing Axis-II: Part II. Toward a clinically based and empirically useful classification of personality disorders. *American Journal of Psychiatry*, 156, 273–285.
- Westen, D., Shedler, J., Bradley, B., & DeFife, J. A. (2012). An empirically derived taxonomy for personality diagnosis: Bridging science and practice in conceptualizing personality. *American Journal of Psychiatry*, 169, 273–284.
- Wetzler, S., & Jose, A. (2012). Passive-aggressive personality disorder: The demise of a syndrome. In T. Widiger (Ed.), *The Oxford handbook of personality disorders* (pp. 674–693). New York: Oxford University Press.
- Wetzler, S., & Morey, L. C. (1999). Passive-aggressive personality disorder: The demise of a syndrome. *Psychiatry: Interpersonal and Biological Processes*, 62(1), 49–59.
- Whisman, M. A., & Schonbrun, Y. C. (2009). Social consequences of borderline personality disorder symptoms in a population-based survey: Marital distress, marital violence, and marital disruption. *Journal of Personality Disorders*, 23, 410–415.
- White, A. (2010). Managing behavioral emergencies: Striving toward evidence-based practice. *Journal of Emergency Nursing*, 36(5), 455–459.
- Whitman, R., Trosman, H., & Koenig, R. (1954). Clinical assessment of passive-aggressive personality. *Archives of Neurology and Psychiatry*, 72, 540–549.
- Widiger, T., Frances A. J., Harris, M., Jacobsberg, L., Fyer, M., & Manning, D. (1991). Comorbidity among Axis II disorders. In J. M. Oldham (Ed.), *Personality disorders: New perspectives on diagnostic validity* (pp. 165–185). Washington, DC: American Psychiatric Association.
- Widiger, T. A. (2003). Personality disorder and Axis I psychopathology: The problematic boundary of Axis I and Axis II. *Journal of Personality Disorders*, 17(2), 90–108.
- Widiger, T. A., & Clark, L. A. (2000). Toward DSM-V and the classification of psychopathology [Special issue]. *Psychological Bulletin: Psychology in the 21st Century*, 126(6), 946–963.
- Widiger, T. A., & Costa, P. T. (1994). Personality and personality disorders [Special issue]. *Journal of Abnormal Psychology: Personality and Psychopathology*, 103(1), 78–91.
- Widiger, T. A., Costa, P. T., Jr., & McCrae, R. R. (2002). A proposal for Axis II: Diagnosing personality disorders using the five-factor model. In P. T. Costa, Jr. & T. A. Widiger (Eds.), *Personality disorders and the five-factor model of personality* (2nd ed., pp. 431–456). Washington, DC: American Psychological Association.
- Widiger, T. A., & Samuel, D. B. (2005a). Diagnostic categories or dimensions?: A question for the diagnostic and statistical manual of mental disorders—fifth edition [Special issue]. *Journal of Abnormal Psychology: Toward a Dimensionally Based Taxonomy of Psychopathology*, 114(4), 494–504.
- Widiger, T. A., & Samuel, D. B. (2005b). Evidence-based assessment of personality disorders. *Psychological Assessment*, 17(3), 278–287.
- Widiger, T. A., & Samuel, D. B. (2009). Evidence-based assessment of personality disorders. *Personality Disorders: Theory, Research, and Treatment*, 5(1), 3–17.
- Widiger, T. A., & Simonsen, E. (2005). Alternative dimensional models of personality disorder: Finding a common ground. *Journal of Personality Disorders*, 19(2), 110–130.
- Widiger, T. A., Simonsen, E., Krueger, R., Livesley, W. J., & Verheul, R. (2005). Personality disorder research agenda for the DSM-V. *Journal of Personality Disorders*, 19(3), 315–338.
- Widiger, T. A., & Smith, G. T. (2008). Personality and psychopathology. In O. P. John, R.

- W. Robins, & L. A. Pervin (Eds.), *Handbook of personality: Theory and research* (3rd ed., pp. 743–769). New York: Guilford Press.
- Wiggins, J. (1982). Circumplex models of interpersonal behavior in clinical psychology. In P. C. Kendall & J. N. Butler (Eds.), *Handbook of research methods in clinical psychology* (pp. 183–221). New York: Wiley.
- Wink, P. (1991). Two faces of narcissism. *Journal of Personality and Social Psychology*, 61, 590–597.
- Wirz-Justice, A., & Van den Hoofdakker, R. H. (1999). Sleep deprivation in depression: What do we know, where do we go? *Biological Psychiatry*, 46, 445–453.
- Woodin, E. M., & O’Leary, K. D. (2010). A brief motivational intervention for physically aggressive dating couples. *Prevention Science*, 11(4), 371–383.
- Woodward, N. D., Cowan, R. L., Park, S., Ansari, M. S., Baldwin, R. M., Li, R., et al. (2011). Correlation of individual differences in schizotypal personality traits with amphetamine-induced dopamine release in striatal and extrastriatal brain regions. *American Journal of Psychiatry*, 168(4), 418–426.
- Woody, G. E., McLellan, A. T., Luborsky, L., & O’Brien, C. P. (1985). Sociopathy and psychotherapy outcome. *Archives of General Psychiatry*, 42, 1081–1086.
- World Health Organization. (1992). *The ICD-10 classification of mental and behavioural disorders: Clinical descriptions and diagnostic guidelines*. Geneva, Switzerland: Author.
- World Health Organization. (2010). International classification of diseases—version 2010. Retrieved from <http://apps.who.int/classifications/icd10/browse/2010/en#/F60.8>.
- World Health Organization. (2013). *International classification of diseases and related health problems* (10th rev.). Geneva, Switzerland: Author.
- Wright, A. G. C., Thomas, K. M., Hopwood, C. J., Markon, K. E., Pincus, A. L., & Krueger, R. F. (2012). The hierarchical structure of DSM-5 pathological personality traits. *Journal of Abnormal Psychology*, 121(4), 951–957.
- Wright, J. H., Basco, M. R., & Thase, M. E. (2006). *Learning cognitive-behavior therapy: An illustrated guide*. Washington, DC: American Psychiatric Association.
- Wu, T., Luo, Y., Broster, L. S., Gu, R., & Luo, Y.-J. (2013). The impact of anxiety on social decision-making: Behavioral and electrodermal findings. *Social Neuroscience*, 8(1), 11–21.
- Yalom, I. (1985). *The theory and practice of group psychotherapy* (3rd ed.). New York: Basic Books.
- Yalom, I. (1995). *The theory and practice of group psychotherapy* (4th ed.). New York: Basic Books.
- Yanes, P. K., Tiffany, S. T., & Roberts, J. E. (2010). Cognitive therapy for co-occurring depression and behaviors associated with passive-aggressive personality disorder. *Clinical Case Studies*, 9(5), 369–382.
- Yang, M. Y., Wong, S. C. P., & Coid, J. (2010). The efficacy of violence prediction: A meta-analytic comparison of nine risk assessment tools. *Psychological Bulletin*, 136(5), 740–767.
- Yen, S., Shea, M. T., Pagano, M., Sanislow, C. A., Grilo, C. M., McGlashan, T. H., et al. (2003). Axis I and Axis II disorders as predictors of prospective suicide attempts: Findings from the Collaborative Longitudinal Personality Disorders Study. *Journal of Abnormal Psychology*, 112, 375–381.
- Yen, S., Shea, M. T., Sanislow, C. A., Skodol, A. E., Grilo, C. M., Edelen, M. O., et al. (2009). Personality traits as prospective predictors of suicide attempts. *Acta Psychiatrica Scandinavica*, 120, 222–229.
- Young, J. E. (1990). *Cognitive therapy for personality disorders: A schema-focused approach*. Sarasota, FL: Professional Resource Exchange.
- Young, J. E. (1998). *Young Schema Questionnaire Short Form*. New York: Cognitive Therapy Center.

- Young, J. E. (1999). *Cognitive therapy for personality disorders: A schema-focused approach* (3rd ed.). Sarasota, FL: Professional Resource Press/Professional Resource Exchange.
- Young, J. E. (2006). *Young Schema Questionnaire-3*. New York: Cognitive Therapy Center.
- Young, J. E., & Brown, G. (1994). Young Schema Questionnaire (2nd ed.). In J. E. Young (Ed.), *Cognitive therapy for personality disorders: A schema-focused approach* (rev. ed.). Sarasota, FL: Professional Resource Exchange.
- Young, J. E., Klosko, J., & Weishaar, M. E. (2003). *Schema therapy: A practitioner's guide*. New York: Guilford Press.
- Zald, D. H., Cowan, R. L., Riccardi, P., Baldwin, R. M., Ansari, M. S., Li, R., et al. (2008). Midbrain dopamine receptor availability is inversely associated with novelty-seeking traits in humans. *Journal of Neuroscience*, 28(53), 14372–14378.
- Zanarini, M. C., Jacoby, R. J., Frankenburg, F. R., Reich, D. B., & Fitzmaurice, G. (2009). The 10-year course of social security disability income reported by patients with borderline personality disorder and Axis II comparison subjects. *Journal of Personality Disorders*, 23, 346–356.
- Zimmerman, M. (1994). Diagnosing personality disorders: A review. *Archives of General Psychiatry*, 51, 225–245.
- Zimmerman, M., & Coryell, W. (1989). The reliability of personality disorder diagnoses in a nonpatient sample. *Journal of Personality Disorders*, 3, 53–57.
- Zimmerman, M., Pfohl, B., Coryell, W., Stangl, D., & Corenthal, C. (1988). Diagnosing personality disorder in depressed patients. *Archives of General Psychiatry*, 45, 733–737.
- Zimmerman, M., Rothschild, L., & Chelminski, I. (2005). The prevalence of DSM-IV personality disorders in psychiatric outpatients. *American Journal of Psychiatry*, 162, 1911–1918.