

- 12step.org. (2018). Recovery slogans. Retrieved from <https://12step.org/references/commonly-used/recovery-slogans>.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: Author.
- Beck, A. T. (1967). *Depression: Clinical, experimental, & theoretical aspects*. New York: Harper & Row.
- Beck, A. T., Davis, D. D., & Freeman, A. (Eds.). (2015). *Cognitive therapy of personality disorders* (3rd ed.). New York: Guilford Press.
- Beck, A. T., Emery, G., & Greenberg, R. L. (1985). *Anxiety disorders and phobias: A cognitive perspective*. New York: Basic Books.
- Beck, A. T., Finkel, M. R., & Beck, J. S. (2021). The theory of modes: Applications to schizophrenia and other psychological conditions. *Cognitive Therapy and Research*, 45, 391–400.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
- Beck, A. T., & Steer, R. A. (1993). *Beck Anxiety Inventory manual*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Manual for the Beck Depression Inventory—II*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., Steer, R. A., Kovacs, M., & Garrison, B. (1985). Hopelessness and eventual suicide: a 10-year prospective study of patients hospitalized with suicidal ideation. *American Journal of Psychiatry*, 142(5), 559–563.
- Beck, A. T., Wright, F. D., Newman, C. F., & Liese, B. S. (1993). *Cognitive therapy of substance abuse*. New York: Guilford Press.
- Beck, J. S. (2021). *Cognitive behavior therapy: Basics and beyond* (3rd ed.). New York: Guilford Press.
- Bevilacqua, L., & Goldman, D. (2009). Genes and addictions. *Clinical Pharmacology and Therapeutics*, 85(4), 359–361.
- Bickel, W. K., Johnson, M. W., Koffarnus, M. N., MacKillop, J., & Murphy, J. G. (2014). The

- behavioral economics of substance use disorders: reinforcement pathologies and their repair. *Annual Review of Clinical Psychology*, 10, 641–677.
- Bolton, J. M., Robinson, J., & Sareen, J. (2009). Self-medication of mood disorders with alcohol and drugs in the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Affective Disorders*, 115, 367–375.
- Bowen, S., Chawla, N., Grow, J., & Marlatt, G. A. (2021). *Mindfulness-based relapse prevention for addictive behaviors: A clinician's guide* (2nd ed.). New York: Guilford Press.
- Brand, M., Laier, C., & Young, K. S. (2014). Internet addiction: Coping styles, expectancies, and treatment implications. *Frontiers in Psychology*, 5, 1–14.
- Bromwich, J. E. (2020). This election, a divided America stands united on one topic: All kinds of Americans have turned their back on the destructive war on drugs. Retrieved December 28, 2020, from <https://www.nytimes.com/2020/11/05/style/marijuana-legalization-usa.html>.
- Brorson, H. H., Arnevik, E. A., Rand-Hendriksen, K., & Duckert, F. (2013). Drop-out from addiction treatment: A systematic review of risk factors. *Clinical Psychology Review*, 33, 1010–1024.
- Buckner, J. D., Ecker, A. H., & Welch, K. D. (2013). Psychometric properties of a valuations scale for the Marijuana Effect Expectancies Questionnaire. *Addictive Behaviors*, 38(3), 1629–1634.
- Budney, A. J., & Higgins, S. T. (1998). *Therapy manual for drug addiction: Manual 2: A community reinforcement plus vouchers approach: Treating cocaine addiction*. Rockville, MD: National Institute on Drug Abuse.
- Burlingame, G., Strauss, B., & Joyce, A. (2013). Change mechanisms and effectiveness of small group treatments. In M. J. Lambert (Ed.), *Bergin and Garfield's handbook of psychotherapy and behavior change* (6th ed., pp. 640–689). New York: Wiley.
- Burns, D., & Spangler, D. (2000). Does psychotherapy homework lead to improvements in depression in cognitive-behavioral therapy or does improvement lead to increased homework compliance? *Journal of Consulting and Clinical Psychology*, 68, 46–56.
- Casteneda, R., Galanter, M., & Franco, H. (1989). Self-medication among addicts with primary psychiatric disorders. *Comprehensive Psychiatry*, 30, 80–83.
- Center for Substance Abuse Treatment. (2005). *Substance abuse treatment: Group therapy* (DHHS Publication No. (SMA) 05-3991). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Clark, D. A., & Beck, A. T. (2010). *Cognitive therapy of anxiety disorders: Science and practice*. New York: Guilford Press.
- Connors, G., DiClemente, C., Velasquez, M., & Donovan, D. (2013). *Substance abuse treatment and the stages of change: Selecting and planning interventions*. New York: Guilford Press.
- Corsini, R. J., & Rosenberg, B. (1955). Mechanisms of group psychotherapy: Processes and dynamics. *The Journal of Abnormal and Social Psychology*, 51(3), 406–411.
- Cummings, C., Gordon, J., & Marlatt, G. A. (1980). Relapse: Prevention and prediction. In W. R. Miller (Ed.), *The addictive behaviors: Treatment of alcoholism, drug abuse, smoking and obesity* (pp. 291–321). Oxford, UK: Pergamon Press.
- Curreri, A. J., Farchione, T. J., & Wang, M. (2019). Fostering engagement in early sessions of transdiagnostic cognitive-behavioral therapy. *Psychotherapy*, 56(1), 41–47.
- Daughters, S. B., Magidson, J. F., Anand, D., Seitz-Brown, C. J., Chen, Y., & Baker, S. (2018). The effect of a behavioral activation treatment for substance use on post-treatment abstinence: A randomized controlled trial. *Addiction*, 113, 535–544.
- Daughters, S. B., Magidson, J. F., Lejuez, C. W., & Chen, Y. (2016). LETS ACT: A behavioral

- activation treatment for substance use and depression. *Advances in Dual Diagnosis*, 9(2/3), 74–84.
- Diamond, A. (2014). Understanding executive functions: What helps or hinders them and how executive functions and language development mutually support one another. *Perspectives on Language and Literacy*, 40, 7–11.
- Dimidjian, S., Hollon, S. D., Dobson, K. S., Schmaling, K. B., Kohlenberg, R. J., Addis, M. E., ... Jacobson, N. S. (2006). Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *Journal of Consulting and Clinical Psychology*, 74(4), 658–670.
- Driskell, J. E., Willis, R. P., & Copper, C. (1992). Effect of overlearning on retention. *Journal of Applied Psychology*, 77(5), 615–622.
- Enoch, M. (2011). The role of early life stress as a predictor for alcohol and drug dependence. *Psychopharmacology*, 214(1), 17–31.
- Eubanks, C. F., Burckell, L. A., & Goldfried, M. R. (2018). Clinical consensus strategies to repair ruptures in the therapeutic alliance. *Journal of Psychotherapy Integration*, 28(1), 60–76.
- Eubanks, C. F., Muran, J. C., & Safran, J. D. (2018). Alliance rupture repair: A meta-analysis. *Psychotherapy*, 55(4), 508–519.
- Evans, K., & Sullivan, J. M. (2001). *Dual diagnosis: Counseling the mentally ill substance abuser* (2nd ed.). New York: Guilford Press.
- Fergusson, D. M., Horwood, L. J., & Woodward, L. J. (2000). The stability of child abuse reports: A longitudinal study of the reporting behaviour of young adults. *Psychological Medicine*, 30, 529–544.
- Gluhoski, V. (1994). Misconceptions of cognitive therapy. *Psychotherapy*, 31(4), 594–600.
- Goldman, D., Oroszi, G., & Ducci, F. (2005). The genetics of addictions: Uncovering the genes. *Nature: Genetics Reviews*, 6, 521–532.
- Grant, K. M., Young, L. B., Tyler, K. A., Simpson, J. L., Pulido, R. D., & Timko, C. (2018). Intensive referral to mutual-help groups: A field trial of adaptations for rural veterans. *Patient Education and Counseling*, 101(1), 79–84.
- Griffiths, M. E. (2005). A “components” model of addiction within a biopsychosocial framework. *Journal of Substance Use*, 10(4), 191–197.
- Hayes, S. C., Strosahl, K. D., & Wilson, K. G. (2012). *Acceptance and commitment therapy: The process and practice of mindful change*. New York: Guilford Press.
- Hendershot, C. S., Witkiewitz, K., George, W. H., & Marlatt, G. A. (2011). Relapse prevention for addictive behaviors. *Substance Abuse Treatment, Prevention, and Policy*, 6(1), 17.
- Higgins, S. T., Silverman, K., & Heil, S. H. (Eds.). (2007). *Contingency management in substance abuse treatment*. New York: Guilford Press.
- Ilgen, M. A., Roeder, K. M., Webster, L., Mowbray, O. P., Perron, B. E., Chermack, S. T., & Bohnert, A. S. (2011). Measuring pain medication expectancies in adults treated for substance use disorders. *Drug and Alcohol Dependence*, 115(1–2), 51–56.
- Kahneman, D. (1973). *Attention and effort*. Englewood Cliffs, NJ: Prentice-Hall.
- Kahneman, D. (2003). A perspective on judgment and choice: Mapping bounded rationality. *American Psychologist*, 58(9), 697–720.
- Kahneman, D. (2011). *Thinking, fast and slow*. New York: Macmillan.
- Kahneman, D., & Frederick, S. (2002). Representativeness revisited: Attribute substitution in intuitive judgment. In T. Gilovich, D. Griffin, & D. Kahneman (Eds.), *Heuristics and biases* (1st ed., pp. 49–81). New York: Cambridge University Press.

- Kazantzis, N., Whittington, C., & Dattilio, F. (2010). Meta-analysis of homework effects in cognitive and behavioral therapy: A replication and extension: Homework assignments and therapy outcome. *Clinical Psychology: Science and Practice*, 17(2), 144–156.
- Kelly, J. F., Humphreys, K., & Ferri, M. (2020). Alcoholics Anonymous and other 12-step programs for alcohol use disorder. *Cochrane Database of Systematic Reviews*, Issue 3, Art. No. CD012880.
- Kelly, J. F., Wakeman, S. E., & Saitz, R. (2015). Stop talking “dirty”: Clinicians, language, and quality of care for the leading cause of preventable death in the United States. *American Journal of Medicine*, 128(1), 8–9.
- Keyes, K. M., Hatzenbuehler, M. L., Grant, B. F., & Hasin, D. S. (2012). Stress and alcohol: Epidemiologic evidence. *Alcohol Research*, 34(4), 391–400.
- King, B. R., & Boswell, J. F. (2019). Therapeutic strategies and techniques in early cognitive-behavioral therapy. *Psychotherapy*, 56(1), 35–40.
- Kosten, T. R., Rounsaville, B. J., & Kleber, H. D. (1986). A 2.5 year follow-up of depression, life events, and treatment effects on abstinence among opioid addicts. *Archives of General Psychiatry*, 43, 733–738.
- Kroenke, K., Spitzer, R. L., & Williams, J. B. W. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine*, 16(9), 606–613.
- Leahy, R. L. (2017). *Cognitive therapy techniques: A practitioner’s guide* (2nd ed.). New York: Guilford Press.
- Lejuez, C. W., Hopko, D. R., Acierno, R., Daughters, S. B., & Pagoto, S. L. (2011). Ten year revision of the brief behavioral activation treatment for depression: Revised treatment manual. *Behavior Modification*, 35(2), 111–161.
- Lejuez, C. W., Hopko, D. R., & Hopko, S. D. (2001). A brief behavioral activation treatment for depression. *Behavior Modification*, 25(2), 255–286.
- Li, H. K., & Dingle, G. A. (2012). Using the Drinking Expectancy Questionnaire (revised scoring method) in clinical practice. *Addictive Behaviors*, 37, 198–204.
- Liese, B. S. (1994). Psychologic principles of substance abuse: A brief overview. *Comprehensive Therapy*, 20(2), 125–129.
- Liese, B. S. (2014). Cognitive-behavioral therapy for people with addictions. In S. L. A. Straussner (Ed.), *Clinical work with substance abusing clients* (pp. 225–250). New York: Guilford Press.
- Liese, B. S., & Beck, A. T. (1998). Back to basics: Fundamental cognitive therapy skills for keeping drug-dependent individuals in treatment. In L. S. Onken, J. D. Blain, & J. J. Boren (Eds.), *Beyond the therapeutic alliance: Keeping drug-dependent individuals in treatment* (pp. 210–235). Washington, DC: U.S. Government Printing Office.
- Liese, B. S., Beck, A. T., & Seaton, K. (2002). The cognitive therapy addictions group. In D. W. Brook & H. I. Spitz (Eds.), *Group psychotherapy of substance abuse* (pp. 37–57). New York: Haworth Medical Press.
- Liese, B. S., & Esterline, K. M. (2015). Concept mapping: A supervision strategy for introducing case conceptualization skills to novice therapists. *Psychotherapy*, 52(2), 190–194.
- Liese, B. S., & Franz, R. A. (1996). Treating substance use disorders with cognitive therapy: Lessons learned and implications for the future. In P. M. Salkovskis (Ed.), *Frontiers of cognitive therapy* (pp. 470–508). New York: Guilford Press.
- Liese, B. S., & Monley, C. M. (2021). Providing addiction services during a pandemic: Lessons learned from COVID-19. *Journal of Substance Abuse Treatment*, 120.
- Liese, B. S., & Tripp, J. C. (2018). Advances in cognitive-behavioral therapy for substance use

- disorders and addictive behaviors. In R. L. Leahy (Ed.), *Science and practice in cognitive therapy: foundations, mechanisms, and applications* (pp. 298–316). New York: Guilford Press.
- Linehan, M. M. (2015). *DBT skills training manual*. New York: Guilford Press.
- Logan, D. E., & Marlatt, G. A. (2010). Harm reduction therapy: A practice-friendly review of research. *Journal of Clinical Psychology*, 66(2).
- Magidson, J. F., Young, K. C., & Lejuez, C. W. (2014). A how-to guide for conducting a functional analysis: Behavioral principles and clinical application. *The Behavior Therapist*, 37(1).
- Magill, M., & Ray, L. A. (2009). Cognitive-behavioral treatment with adult alcohol and illicit drug users: A meta-analysis of randomized controlled trials. *Journal of Studies on Alcohol and Drugs*, 70(4), 516–527.
- Marlatt, G. A. (1996). Harm reduction: Come as you are. *Addictive Behaviors*, 21(6), 779–788.
- Marlatt, G. A., & Gordon, J. R. (1985). *Relapse prevention: Maintenance strategies in addictive behavior change*. New York: Guilford Press.
- Marlatt, G. A., & Kristeller, J. L. (1999). Mindfulness and meditation. In W. R. Miller (Ed.), *Integrating spirituality into treatment: Resources for practitioners* (pp. 67–84). Washington, DC: American Psychological Association.
- Marlatt, G. A., Larimer, M. E., & Witkiewitz, K. (2012). *Harm reduction: Pragmatic strategies for managing high-risk behaviors* (2nd ed.). New York: Guilford Press.
- Marlatt, G. A., & Tapert, S. F. (1993). Harm reduction: Reducing the risks of addictive behaviors. In J. S. Baer, G. A. Marlatt, & R. J. McMahon (Eds.), *Addictive behaviors across the life span: Prevention, treatment, and policy issues* (pp. 243–273). New York: Sage.
- Marlatt, G. A., & Witkiewitz, K. (2005). Relapse prevention for alcohol and drug problems. In G. A. Marlatt & D. M. Donovan (Eds.) *Relapse prevention: Maintenance strategies in the treatment of addictive behaviors* (2nd ed., pp. 1–44). New York: Guilford Press.
- McLellan, A. T. (2002). Have we evaluated addiction treatment correctly? Implications from a chronic care perspective. *Addiction*, 97(3), 249–252.
- McLellan, A. T., Lewis, D. C., O'Brien, C. P., & Kleber, H. D. (2000). Drug dependence, a chronic mental illness: Implications for treatment, insurance, and outcomes evaluation. *Journal of the American Medical Association*, 284(13), 1689–1695.
- Meyers, R. J., & Squires, D. D. (2001). *The community reinforcement approach: A guideline developed for the Behavioral Recovery Management project*. Albuquerque, NM: University of New Mexico Center on Alcoholism, Substance Abuse and Addictions.
- Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York: Guilford Press.
- Moos, R. H. (2008). Active ingredients of substance use-focused self-help groups. *Addiction*, 103(3), 387–396.
- Moyers, T. B., Manuel, J. K., & Ernst, D. (2014). *Motivational interviewing treatment integrity coding manual 4.2.1*. Unpublished manual, Albuquerque, NM.
- Moyers, T. B., & Rollnick, S. (2002). A motivational interviewing perspective on resistance in psychotherapy. *Journal of Clinical Psychology*, 58(2), 185–193.
- Nace, E. P., Davis, C. W., & Gaspari, J. P. (1991). Axis-II comorbidity in substance abusers. *American Journal of Psychiatry*, 148(1), 118–120.
- National Institute on Drug Abuse. (2010). *Comorbidity: Addiction and other mental illnesses*. Washington, DC: U.S. Department of Health and Human Services.
- National Institute on Drug Abuse. (2018a). Comorbidity: Substance use disorders and other

- mental illnesses. NIDA Drug Facts. Retrieved from <https://www.drugabuse.gov/publications/drugfacts/comorbidity-substance-use-disorders-other-mental-illnesses>.
- National Institute on Drug Abuse. (2018b). Marijuana: NIDA drug facts. Retrieved from www.drugabuse.gov/publications/drugfacts/marijuana.
- Newman, C. F. (2008). Substance use disorders. In M. A. Whisman (Ed.), *Adapting cognitive therapy for depression: Managing complexity and comorbidity* (pp. 233–254). New York: Guilford Press.
- Nezu, A. M., Nezu, C. M., & Perri, M. G. (1989). *Problem-solving therapy for depression: Theory, research, and clinical guidelines*. Hoboken, NJ: Wiley.
- Niaura, R. (2000). Cognitive social learning and related perspectives on drug craving. *Addiction*, 95(8, Suppl. 2), 155–163.
- Nicolai, J., Demmel, R., & Moshagen, M. (2010). The comprehensive alcohol expectancy questionnaire: confirmatory factor analysis, scale refinement, and further validation. *Journal of Personality Assessment*, 92(5), 400–409.
- Norcross, J. C., Krebs, P. M., & Prochaska, J. O. (2011). Stages of change. *Journal of Clinical Psychology*, 67(2), 143–154.
- Norcross, J. C., & Lambert, M. J. (2018). Psychotherapy relationships that work III. *Psychotherapy*, 55(4), 305–315.
- Nyklíček, I., & Denollet, J. (2009). Development and evaluation of the Balanced Index of Psychological Mindedness (BIPM). *Psychological Assessment*, 21(1), 32–44.
- Petry, N. M. (2012). *Contingency management for substance abuse treatment: A guide to implementing this evidence-based practice*. New York: Taylor & Francis.
- Pistrang, N., Barker, C., & Humphreys, K. (2008). Mutual help groups for mental health problems: A review of effectiveness studies. *American Journal of Community Psychology*, 42(1–2), 110–121.
- Posner, K., Brown, G. K., Stanley, B., Brent, D. A., Yershova, K. V., Oquendo, M. A., ... Mann, J. J. (2011). The Columbia–Suicide Severity Rating Scale: Initial validity and internal consistency findings from three multisite studies with adolescents and adults. *American Journal of Psychiatry*, 168(12), 1266–1277.
- Prendergast, M., Podus, D., Finney, J., Greenwell, L., & Roll, J. (2006). Contingency management for treatment of substance use disorders: A meta-analysis. *Addiction*, 101(11), 1546–1560.
- Prochaska, J. O., DiClemente, C. C., & Norcross, J. C. (1992). In search of how people change: Applications to addictive behaviors. *American Psychologist*, 47(9), 1102–1114.
- Prochaska, J. O., & Norcross, J. C. (2001). Stages of change. *Psychotherapy: Theory, Research, Practice, Training*, 38(4), 443–448.
- Ramsay, J. R., & Newman, C. F. (2000). Substance abuse. In F. M. Dattilio & A. Freeman (Eds.), *Cognitive-behavioral approaches to crisis intervention* (2nd ed., pp. 126–149). New York: Guilford Press.
- Rees, C. S., McEvoy, P., & Nathan, P. R. (2005). Relationship between homework completion and outcome in cognitive behaviour therapy. *Cognitive Behaviour Therapy*, 34(4), 242–247.
- Reynolds, B. (2006). A review of delay-discounting research with humans: Relations to drug use and gambling. *Behavioural Pharmacology*, 17(18), 651–667.
- Safran, J. D., Crocker, P., McMain, S., & Murray, P. (1990). Therapeutic alliance rupture as a therapy event for empirical investigation. *Psychotherapy*, 27(2), 154–165.
- Scholl, L., Seth, P., Kariisa, M., Wilson, N., & Baldwin, G. (2018). Drug and opioid-involved

- overdose deaths—United States, 2013–2017. *Morbidity and Mortality Weekly Report*, 67(5152), 1419–1427.
- Schomerus, G., Lucht, M., Holzinger, A., Matschinger, H., Carta, M. G., & Angermeyer, M. C. (2011). The stigma of alcohol dependence compared with other mental disorders: A review of population studies. *Alcohol and Alcoholism*, 46(2), 105–112.
- Schultz, P. W., & Searleman, A. (2002). Rigidity of thought and behavior: 100 years of research. *Genetic, Social, and General Psychology Monographs*, 128(2), 165–207.
- Segal, Z. V., Williams, J. M. G., & Teasdale, J. D. (2013). *Mindfulness-based cognitive therapy for depression* (2nd ed.). New York: Guilford Press.
- Shaffer, H. J. (2012). Introduction. In H. J. Shaffer (Ed.), *APA addiction syndrome handbook: Vol. 1. Foundations, influences, and expressions of addiction*. (Vol. 1, pp. xxvii–lx). Washington, DC: American Psychological Association.
- Shaffer, H. J., & Hall, M. N. (2002). The natural history of gambling and drinking problems among casino employees. *Journal of Social Psychology*, 142(4), 405–424.
- Shaffer, H. J., LaPlante, D. A., LaBrie, R. A., Kidman, R. C., Donato, A. N., & Stanton, M. V. (2004). Toward a syndrome model of addiction: Multiple expressions, common etiology. *Harvard Review of Psychiatry*, 12(6), 367–374.
- Shapiro, F. R. (2014). Who wrote the Serenity Prayer? *The Chronicle of Higher Education*, 4.
- Shibata, K., Sasaki, Y., Bang, J. W., Walsh, E. G., Machizawa, M. G., Tamaki, M., . . . Watanabe, T. (2017). Overlearning hyperstabilizes a skill by rapidly making neurochemical processing inhibitory-dominant. *Nature Neuroscience*, 20(3), 470–475.
- SMART Recovery (2021, September). *SMART Recovery Toolbox*. <https://www.smartrecovery.org/smart-recovery-toolbox/>
- Sobell, L. C., Sobell, M. B., & Nirenberg, T. D. (1988). Behavioral assessment and treatment with alcohol and drug abusers: A review with emphasis on clinical application. *Clinical Psychology Review*, 8(1), 19–54.
- Spencer, J., Goode, J., Penix, E. A., Trusty, W., & Swift, J. K. (2019). Developing a collaborative relationship with clients during the initial sessions of psychotherapy. *Psychotherapy*, 56(1), 7–10.
- Spitzer, R. L., Kroenke, K., Williams, J. B. W., & Lowe, B. (2006). A brief measure for assessing generalized anxiety disorder: The GAD-7. *Archives of Internal Medicine*, 166, 1092–1097.
- Substance Abuse and Mental Health Services Administration. (2009). *Integrated treatment for co-occurring disorders: The evidence* (DHHS Pub. No. SMA-08-4366). Rockville, MD: Center for Mental Health Services, Substance Abuse and Mental Health Services Administration, U.S. Department of Health and Human Services.
- Substance Abuse and Mental Health Services Administration. (2017). *Behavioral health barometer: United States, Vol. 4: Indicators as measured through the 2015 National Survey on Drug Use and Health and National Survey of Substance Abuse Treatment Services*. Rockville, MD: Substance Abuse and Mental Health Services Administration, U.S. Department of Health and Human Services.
- Substance Abuse and Mental Health Services Administration. (2020). *Key substance use and mental health indicators in the United States: Results from the 2019 National Survey on Drug Use and Health* (DHHS Publication No. PEP20-07-01-001, NSDUH Series H-55). Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data>.
- Tversky, A., & Kahneman, D. (1992). Advances in prospect theory: Cumulative representation of uncertainty. *Journal of Risk and Uncertainty*, 5, 297–323.

- van Boekel, L. C., Brouwers, E. P. M., van Weeghel, J., & Garretsen, H. F. L. (2013). Stigma among health professionals towards patients with substance use disorders and its consequences for healthcare delivery: Systematic review. *Drug and Alcohol Dependence*, 131(1–2), 23–35.
- Volkow, N. D., Baler, R. D., Compton, W. M., & Weiss, S. R. (2014). Adverse health effects of marijuana use. *New England Journal of Medicine*, 370(23), 2219–2227.
- Volkow, N. D., & Koob, G. (2015). Brain disease model of addiction: Why is it so controversial? *The Lancet Psychiatry*, 2(8), 677–679.
- Wampold, B. E. (2015). How important are the common factors in psychotherapy? An update. *World Psychiatry*, 14(3), 270–277.
- Wampold, B. E., Baldwin, S. A., Holforth, M. G., & Imel, Z. E. (2017). What characterizes effective therapists? In L. G. Castonguay & C. E. Hill (Eds.), *How and why are some therapists better than others? Understanding therapist effects.* (pp. 37–53). Washington, DC: American Psychological Association.
- Weiss, R. D., Jaffee, W. B., de Menil, V. P., & Cogley, C. B. (2004). Group therapy for substance use disorders: What do we know? *Harvard Review of Psychiatry*, 12, 339–350.
- Wenzel, A., Liese, B. S., Beck, A. T., & Friedman-Wheeler, D. G. (2012). *Group cognitive therapy of addictions.* New York: Guilford Press.
- White, H. R., Larimer, M. E., Sher, K. J., & Witkiewitz, K. (2011). In memoriam: G. Alan Marlatt, 1941–2011. *Journal of Studies on Alcohol and Drugs*, 72(3), 357–360.
- Wickwire, E. M., Whelan, J. P., & Meyers, A. W. (2010). Outcome expectancies and gambling behavior among urban adolescents. *Psychology of Addictive Behaviors*, 24(1), 75–88.
- Witkiewitz, K., Marlatt, G. A., & Walker, D. (2005). Mindfulness-based relapse prevention for alcohol and substance use disorders. *Journal of Cognitive Psychotherapy: An International Quarterly*, 19(3), 211–228.
- Witkiewitz, K., Montes, K. S., Schwebel, F. J., & Tucker, J. A. (2020). What is recovery? *Alcohol Research: Current Reviews*, 40(3), 01.
- Yalom, I. D. (1975). *The theory and practice of group psychotherapy* (2nd ed.). New York: Basic Books.
- Yalom, I. D., & Leszcz, M. (2005). *The theory and practice of group psychotherapy* (5th ed.). New York: Basic Books.
- Young, J. E., Klosko, J. S., & Weishaar, M. E. (2003). *Schema therapy: A practitioner's guide.* New York: Guilford Press.
- Zemore, S. E., Kaskutas, L. A., Mericle, A., & Hemberg, J. (2017). Comparison of 12-step groups to mutual help alternatives for AUD in a large, national study: Differences in membership characteristics and group participation, cohesion, and satisfaction. *Journal of Substance Abuse Treatment*, 73, 16–26.